

OXFORD CAMBRIDGE AND RSA EXAMINATIONS
A2 GCE
F324/01

CHEMISTRY A
Rings, Polymers and Analysis

WEDNESDAY 19 JUNE 2013: Morning
DURATION: 1 hour 15 minutes
plus your additional time allowance

MODIFIED ENLARGED

Candidate forename		Candidate surname	
-------------------------------	--	------------------------------	--

Centre number						Candidate number				
--------------------------	--	--	--	--	--	-----------------------------	--	--	--	--

Candidates answer on the Question Paper.

OCR SUPPLIED MATERIALS:

***Data Sheet for Chemistry A* (inserted)**
A3 Insert

OTHER MATERIALS REQUIRED:


Scientific calculator

READ INSTRUCTIONS OVERLEAF

INSTRUCTIONS TO CANDIDATES

- **The Insert will be found in the centre of this document.**
- **Write your name, centre number and candidate number in the boxes on the first page. Please write clearly and in capital letters.**
- **Use black ink. HB pencil may be used for graphs and diagrams only.**
- **Answer ALL the questions.**
- **Read each question carefully. Make sure you know what you have to do before starting your answer.**
- **Write your answer to each question in the space provided. If additional space is required, you should use the lined pages at the end of this booklet. The question number(s) must be clearly shown.**

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
-  Where you see this icon you will be awarded marks for the quality of written communication in your answer.


This means for example you should:

- ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear;
- organise information clearly and coherently, using specialist vocabulary when appropriate.
- You may use a scientific calculator.
- A copy of the Data Sheet for Chemistry A is provided as an Insert with this Question Paper.
- You are advised to show all the steps in any calculations.
- The total number of marks for this paper is 60.
- Any blank pages are indicated.

Answer ALL the questions.

- 1 Triglycerides are triesters and are found in fats and oils.**

The structure of a triglyceride found in some goats' milk is shown below.



- (a) This triglyceride is hydrolysed with hot aqueous sodium hydroxide.**
- (i) Give the systematic name of the alcohol that is formed by this hydrolysis.**

_____ [1]

(ii) Draw the structures of the other organic products of this hydrolysis.

[3]

(b) Suggest why people who consume a large quantity of this type of goats' milk might be more at risk of suffering from coronary heart disease.




In your answer, you should use appropriate technical terms, spelled correctly.

[2]

[TOTAL: 6]

- 2 4-Aminophenol is an organic compound that can behave as an acid and a base.**

4-AMINOPHENOL



- (a) State how 4-aminophenol can behave as a base.**

_____ **[1]**

- (b) 4-Aminophenol is produced by the reduction of 4-nitrophenol.**

Write an equation to show the production of 4-aminophenol from 4-nitrophenol.
Use [H] to represent the reducing agent.

[1]

BLANK PAGE

(c) 4-Nitrophenol can be produced from 4-bromophenol.

On page 9, complete the mechanism for this reaction.

Use $^+\text{NO}_2$ as the electrophile. Include any intermediate and the products.

In the mechanism for this reaction, NO_2 substitutes for Br on the ring.



[4]

(d) The flowchart on page 11 shows some reactions of 4-aminophenol.

(i) Identity the reagent in reaction I.

_____ **[1]**

(ii) Name the organic product of reaction II.


_____ **[1]**

(iii) Write the equation for reaction II.


[1]

(iv) In the box on the flowchart, draw the structure of the organic compound formed by reaction III.

[1]





reaction I




4-aminophenol

reaction II




- (e) The Sandmeyer reaction can be used to replace a diazonium group, N_2^+ , with a halogen atom, X, on an aromatic ring.

The reagent used for the reaction is a copper(I) halide, CuX .



Compound C, shown below, can be synthesised using ONLY 4-aminophenol and other standard laboratory reagents. The flowchart on the Insert shows this synthesis.

COMPOUND C



(i) State a possible use for compound C.

_____ **[1]**

(ii) On the flowchart on the Insert:

**state the reagents and conditions used for
reaction 1**

suggest the structure of compound B

suggest the reagent used for reaction 2

state the conditions used for reaction 3.

[5]

[TOTAL: 16]


- 3 Many modern textiles are created using a mixture of natural and synthetic polymers.**
- (a) Silk is a natural fibre. It is made up of two main proteins, fibroin and sericin.**

A section of a FIBROIN strand is shown below.

- (i) Proteins are natural condensation polymers.**

State what is meant by a *condensation polymer*.

[1]



- (ii) A student hydrolysed a sample of fibroin protein. She analysed the amino acids that were formed from the hydrolysis. She found that fibroin contained the amino acid glycine, $\text{H}_2\text{NCH}_2\text{COOH}$.

Draw the structures of the TWO other amino acids that make up the section of fibroin shown in the diagram on page 15.

[2]

(iii) The isoelectric point of glycine is 5.8.

Define the term 'isoelectric point' and draw the structure of glycine at its isoelectric point.

isoelectric point _____



[2]

(b) The student then hydrolysed a section of sericin protein. She analysed the amino acids formed using Thin-Layer Chromatography (TLC).


(i) Name the process by which TLC separates amino acids.

_____ [1]

(ii) The chromatogram the student obtained, and a table of R_f values for amino acids, are shown opposite.

Estimate the R_f value for the amino acid found at X. Hence identify the amino acid found at X.



_____ [2]



AMINO ACID	R_f VALUE
alanine	0.38
aspartic acid	0.15
glycine	0.26
leucine	0.75
methionine	0.58
threonine	0.35

(c) Quiana is a synthetic polymer that can be spun into a soft, silky fabric.

The monomers used to make Quiana are shown below.




Draw the repeat unit of the polymer formed from these two monomers.

[2]

- (d) Polymer D has been developed by the textile industry. The repeat unit of polymer D is shown below.

POLYMER D



- (i) Polymer D is a condensation polymer.


Draw the structure of each of the monomers that make up polymer D.



[2]

- (ii) Polymer D reacts with a third monomer to form an addition polymer. The repeat unit of this polymer is shown below.

ADDITION POLYMER



Draw the structure of the third monomer.




[1]

[TOTAL: 13]

BLANK PAGE

- 4 Compound E, shown below, is an alcohol that is found in oak wood. It is formed by the breakdown of cellulose.


COMPOUND E



Compound E can be converted into compound G as shown in the flowchart opposite.

- (a) (i) Complete the flowchart to show the structure of the organic compound F and the reagent needed for REACTION 2. [1]
- (ii) What would you observe during REACTION 1?

_____ [1]



COMPOUND E




REACTION 1

COMPOUND F

REACTION 2

reagent _____



COMPOUND G

- (iii) In REACTION 1, compound E was heated under reflux with excess $\text{K}_2\text{Cr}_2\text{O}_7/\text{H}_2\text{SO}_4$.

Suggest why these conditions were used, rather than the reaction mixture being distilled during the process.

_____ [1]

- (iv) Name the type of reaction taking place in REACTION 2.

_____ [1]

- (b) Describe a chemical test that you could use to detect the presence of a carbonyl group in an organic compound.


Reagent _____

Observation _____

_____ [2]

- (c) Compound E is a single stereoisomer.

COMPOUND E



- (i) Draw the skeletal formula of one other stereoisomer of compound E and state the type of stereoisomerism.

type of stereoisomerism _____ [2]

- (ii) 4.56 g of compound E was converted into compound G using the method shown in the flowchart on page 25.

3.15 g of compound G was formed.

Calculate the percentage yield of compound G.

Give your answer to THREE significant figures.

The M_r of compound E is 160.0.


percentage yield of compound G = _____ % [3]

- (iii) Compound G is heated for several hours under reflux, in the presence of a concentrated sulfuric acid catalyst. An ester and a small inorganic molecule are formed.

Complete the equation opposite to show the TWO products formed by this reaction.

[2]


[TOTAL: 13]



concentrated
 H_2SO_4 catalyst



heat under reflux



+



5 A chemist isolated compound L from the leaves of a common garden herb. He analysed the compound using a number of techniques.


(a) Compound L contains C, H and O only. Elemental analysis shows that L has the percentage composition by mass: C, 73.15%; H, 7.37%.

The mass spectrum of L has a molecular ion peak at $m/z = 164$.

Show that the molecular formula of L is $C_{10}H_{12}O_2$.

[2]


(b) The ^{13}C NMR spectrum of compound L is shown below.



How many different carbon environments (types of carbon) are present in a molecule of compound L?

_____ [1]

- (c) The ^1H NMR spectrum of compound L, $\text{C}_{10}\text{H}_{12}\text{O}_2$, is shown opposite. One of the signals has been enlarged to help its analysis.**



- (i) A signal at $\delta = 0$ ppm results from tetramethylsilane (TMS). TMS had been added to the sample of compound L before the NMR spectrum was run.

State why TMS was added.

_____ [1]

- (ii) The ^1H NMR spectrum includes an integration trace.

What information can be deduced about compound L from the integration trace?

_____ [1]

- (iii) Using the information given in parts (a), (b) and (c) of this question, determine the structure of compound L.

Show all your reasoning.



In your answer, you should use appropriate technical terms, spelled correctly.

[7]

structure of compound L

[illegible]

[illegible]

[TOTAL: 12]

END OF QUESTION PAPER

ADDITIONAL ANSWER SPACE

If additional answer space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margins.

[illegible]

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

