

Mark Scheme (Results)

Summer 2014

GCE Music Technology (6MT02/01)

Paper 1: Listening and Analysing

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2014

Publications Code US039581

All the material in this publication is copyright

© Pearson Education Ltd 2014

- **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Section A

Question Number	Question	Mark
1(a)	This track has been influenced by swing music. Give three elements of the arrangement that demonstrate this.	3
	<p>Acceptable Answers</p> <ul style="list-style-type: none"> • swung / shuffle / triplet (rhythm) • brushes on drums • double bass • walking bass • horn section • brass stabs • scat • extended chords • (piano / guitar) comping • syncopation • clean guitar 	

Question Number	Question	Mark
1(b)	Other than the piano, name the tuned percussion instrument heard from 2'17"?	1
	<p>Acceptable Answers</p> <p>Vibraphone / vibes</p> <p>Accept recognisable spelling</p>	

Question Number	Question	Mark
1(c)	Complete the table below to describe how you would close mic a grand piano in stereo. Refer to your choice of microphones and mic placement in your answer.	4
	<p>Acceptable Answers</p> <p>Choice of mics</p> <p>Condenser / capacitor / electret / accept make and model.</p> <p>Allow any polar pattern except omni.</p> <p style="text-align: right;">(1)</p> <p>Mic placement</p> <ul style="list-style-type: none"> • Coincident / XY / spaced / AB (pair) • one for bass, one for treble • 6-24'' / 15-60cm • pointing toward keyboard end / hammers / strings • lid open <p style="text-align: right;">(3)</p>	

Question Number	Question	Mark
1(d)	The brass sounds heard from 2'37" are not created by actual brass instruments. How might they have been created when this was recorded in 1983?	2
	<p>Acceptable Answers</p> <ul style="list-style-type: none"> • analogue (accept DX) (1) synth (accept keyboard/MIDI) (1) • sampling • saw (tooth) waves <p>Give two marks for any correctly named synth of the era, eg Jupiter 8, Yamaha DX7</p>	

Question Number	Question	Mark
2(a)	Identify the tonality of the opening of the song.	1
	Acceptable Answers	
	B Major	

Question Number	Question	Mark
2(b)	What is the term for unaccompanied vocals such as those between 0'05" and 1'11"?	1
	Acceptable Answers	
	A cappella	

Question Number	Question	Mark
2(d)	Which of the following best describes the harmony of the accompaniment from 1'11"?	1
	Acceptable Answers	
	D The harmony is static	

Question Number	Question	Mark
2(e)(i)	There is a distinctive effect on the snare drum between 4'00" and 4'19". How might this have been achieved in 1992 using digital technology?	2
	Acceptable Answers	
	<ul style="list-style-type: none"> • sample (1) • reverse (1) • filtered (1) white noise (1) with envelope / long attack (1) <p>allow alternative technical wording</p>	

Question Number	Question	Mark
2(e)(ii)	How might this have been achieved in 1972?	2
	Acceptable Answers	
	<ul style="list-style-type: none"> • analogue / tape (1) • reverse and apply reverb (1) then play forwards again (1) • filtered (1) white noise (1) with envelope / long attack (1) <p>allow alternative description of process for second point</p>	

Question Number	Question	Mark
3(a)	In which decade was this track recorded?	1
	Acceptable Answers	
	1950s	

Question Number	Question	Mark
3(b)(i)	What term is used to describe this style of music?	1
	Acceptable Answers	
	C: Doo-wop	

Question Number	Question	Mark
3(b)(ii)	Identify one feature of the style heard in this recording	1
	Acceptable Answers	
	<ul style="list-style-type: none"> • wordless or onomatopoeic vocals • harmony vocals / <u>many</u> backing vocals • simple harmonic structure / I VI IV V • simple accompaniment / few instruments • voices used as accompanying instruments • honky-tonk / out of tune piano • wide vibrato • very simply drum kit part • sharing lead vocal • repeated piano triads • dominant 7ths • string / upright / double bass • swung rhythm 	

Question Number	Question	Mark
3(c)	Which of the following best describes the vocal ensemble in this recording?	1
	Acceptable Answers	
	C Tenor, Tenor, Baritone, Bass	

Question Number	Question	Mark
3(d)	What is the approximate tempo of this song in beats per minute?	1
	Acceptable Answers	
	75(bpm) (Accept 65-85)	

Question Number	Question	Mark									
3(e)	<p>Due to limitations in the technology of the time this recording has some problems. Two of the issues are given in the table below. State how they might have been caused and how they could be avoided using modern equipment</p>	4									
Acceptable Answers											
<table border="1"> <thead> <tr> <th data-bbox="256 651 523 723">Problem with recording</th> <th data-bbox="523 651 911 723">How might it be caused?</th> <th data-bbox="911 651 1273 723">How could it be avoided?</th> </tr> </thead> <tbody> <tr> <td data-bbox="256 723 523 1256"> <p>Piano sounds muddy under the vocals</p> </td> <td data-bbox="523 723 911 1256"> <ul style="list-style-type: none"> • EQ issues • too far away from mic • no panning / mono • not separately miked • not multi-tracked </td> <td data-bbox="911 723 1273 1256"> <ul style="list-style-type: none"> • add appropriate EQ • separate mic for piano • stereo spread / effective use of stereo field • mic up each part separately • multi-track parts </td> </tr> <tr> <td data-bbox="256 1256 523 1671"> <p>Vocals are not well balanced</p> </td> <td data-bbox="523 1256 911 1671"> <ul style="list-style-type: none"> • not separately miked • recorded with one mic only • not multi-tracked • balanced by proximity to mic only • Lack of compression </td> <td data-bbox="911 1256 1273 1671"> <ul style="list-style-type: none"> • mic up each part separately • multi-track vocals • compression </td> </tr> </tbody> </table>			Problem with recording	How might it be caused?	How could it be avoided?	<p>Piano sounds muddy under the vocals</p>	<ul style="list-style-type: none"> • EQ issues • too far away from mic • no panning / mono • not separately miked • not multi-tracked 	<ul style="list-style-type: none"> • add appropriate EQ • separate mic for piano • stereo spread / effective use of stereo field • mic up each part separately • multi-track parts 	<p>Vocals are not well balanced</p>	<ul style="list-style-type: none"> • not separately miked • recorded with one mic only • not multi-tracked • balanced by proximity to mic only • Lack of compression 	<ul style="list-style-type: none"> • mic up each part separately • multi-track vocals • compression
Problem with recording	How might it be caused?	How could it be avoided?									
<p>Piano sounds muddy under the vocals</p>	<ul style="list-style-type: none"> • EQ issues • too far away from mic • no panning / mono • not separately miked • not multi-tracked 	<ul style="list-style-type: none"> • add appropriate EQ • separate mic for piano • stereo spread / effective use of stereo field • mic up each part separately • multi-track parts 									
<p>Vocals are not well balanced</p>	<ul style="list-style-type: none"> • not separately miked • recorded with one mic only • not multi-tracked • balanced by proximity to mic only • Lack of compression 	<ul style="list-style-type: none"> • mic up each part separately • multi-track vocals • compression 									

Question Number	Question	Mark
3(f)	What is the time signature of this song?	1
	Acceptable Answers	
	<p data-bbox="416 387 592 454">6 or 6/8 8</p> <p data-bbox="416 499 456 533">Or</p> <p data-bbox="416 573 619 640">12 or 12/8 8</p> <p data-bbox="416 680 874 719">Accept : 4/4 with a triplet feel</p>	

Question Number	Question	Mark
4(a)	<p data-bbox="256 300 1278 374">Identify the root notes of the repeating chord sequence played by the guitar in the introduction.</p> <p data-bbox="256 374 528 409">Acceptable Answers</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 5px; margin: 5px;">C</div> <div style="border: 1px solid black; padding: 5px; margin: 5px;">F</div> <div style="border: 1px solid black; padding: 5px; margin: 5px;">A</div> <div style="border: 1px solid black; padding: 5px; margin: 5px;">G</div> </div> <p data-bbox="256 622 507 658">Allow lower case</p> <p data-bbox="256 674 927 710">Accept Am/A min/A maj/A major in third box</p> <p data-bbox="256 725 959 761">Accept Gm/G min/G maj/G major in fourth box</p> <p data-bbox="256 777 775 813">Do not accept A# or Ab in third box</p> <p data-bbox="256 828 799 864">Do not accept G# or Gb in fourth box</p>	2

Question Number	Question	Mark
4(b)	<p data-bbox="256 1014 1225 1088">Which of these words best describes the guitar part from 0'06'' to 0'29''?</p> <p data-bbox="256 1111 528 1146">Acceptable Answers</p> <p data-bbox="256 1216 456 1252">C Ostinato</p>	1

Question Number	Question	Mark
4(c)	What type of ensemble accompanies the guitar and vocal in this recording from 1'33''?	1
	Acceptable Answers	
	<p>Brass (band)</p> <p>If any of</p> <ul style="list-style-type: none"> • string(s) • woodwind • orchestra • choir • horn section • reed(s) <p>is listed as well as brass award 0.</p>	

Question Number	Question	Mark
4(d)	A performance very close to a cardioid microphone may result in a boost of the lower frequencies. What is the name of this effect?	1
	Acceptable Answers	
	<p>Proximity (effect)</p> <p>Accept recognisable spelling</p>	

Question Number	Question	Mark	
4(e)	Using close-mic techniques to capture an intimate vocal performance can lead to problems. Complete the table to describe how these problems could be avoided.	3	
	Acceptable Answers		
	Plosives		pop shield / pop filter / increase distance from the microphone / sing off mic / adjust performance
	Unwanted room reverb		cardioid mic / use baffles / acoustic panels / recorded in vocal booth / dead room / reflection filters
Sibilance	de-esser / EQ (must refer to upper mid-high frequencies) / increase distance from the microphone / use of dynamic microphone / sing off mic		

Question Number	Question	Mark	
4(f)	If this were a live studio recording, suggest two measures that you would take to reduce spill when capturing the vocal.	2	
	Acceptable Answers		
	<ul style="list-style-type: none"> • baffle boards or acoustic panels / reflection filters • vocal booth • (hyper) cardioid mic / figure of 8 • mic facing away from other performers • increased distance between performers • place microphone close to vocalist • closed shell headphones for vocalist • reduce monitoring levels • reduce low frequencies using EQ / HPF 		

Section B

Question Number	Question	Mark
5(b)(i)	Name two performance techniques being used by the lead guitarist between 3'17'' and 3'51''?	2
	Acceptable Answers	
	<ul style="list-style-type: none"> • String bends • Vibrato • Hammer-ons • Pull-offs • Picking / plucking • Slides / glissando 	

Question Number	Question	Mark
5(b)(ii)	Suggest two ways the distortion on the lead guitar could have been achieved at the time?	2
	Acceptable Answers	
	<ul style="list-style-type: none"> • Pedal / booster (accept brand names) • Overdriving the valves • Turning up the gain / drive / volume / amp <p>Accept: lead / distortion / high gain channel</p>	

Question Number	Question	Mark																										
5(c)	<p data-bbox="256 331 1257 443">Complete the table below, suggesting two technical challenges to be considered when recording a drum track for a hard rock band and giving two possible solutions.</p> <p data-bbox="256 450 523 483">Acceptable Answers</p> <table border="1" data-bbox="256 517 1230 1928"> <thead> <tr> <th data-bbox="256 517 644 584">Challenge</th> <th data-bbox="644 517 1230 584">Solution</th> </tr> </thead> <tbody> <tr> <td data-bbox="256 584 644 707">keeping in time</td> <td data-bbox="644 584 1230 707">click track/ guide track</td> </tr> <tr> <td data-bbox="256 707 644 853">different parts of the kit have different frequency ranges</td> <td data-bbox="644 707 1230 853">different mic types for each part of the kit</td> </tr> <tr> <td data-bbox="256 853 644 954">balance</td> <td data-bbox="644 853 1230 954">use separate tracks / mic positions</td> </tr> <tr> <td data-bbox="256 954 644 1066">bleed/spill</td> <td data-bbox="644 954 1230 1066">close mic / EQ / gate / overdub / drum booth / acoustic screens</td> </tr> <tr> <td data-bbox="256 1066 644 1189">many separate elements to capture</td> <td data-bbox="644 1066 1230 1189">use more mics</td> </tr> <tr> <td data-bbox="256 1189 644 1301">avoid clipping / loud</td> <td data-bbox="644 1189 1230 1301">leave some headroom/pad/turn down gain/compressor/limiter</td> </tr> <tr> <td data-bbox="256 1301 644 1402">wide dynamic range</td> <td data-bbox="644 1301 1230 1402">compressor/limiter</td> </tr> <tr> <td data-bbox="256 1402 644 1503">stereo</td> <td data-bbox="644 1402 1230 1503">2 overheads / XY</td> </tr> <tr> <td data-bbox="256 1503 644 1615">capture characteristic sound, eg, punchy</td> <td data-bbox="644 1503 1230 1615">valid mic placement / EQ / compression</td> </tr> <tr> <td data-bbox="256 1615 644 1727">tuning/damping</td> <td data-bbox="644 1615 1230 1727">tune / adjust tension of heads / moon gel / cushions / gaffer / padding</td> </tr> <tr> <td data-bbox="256 1727 644 1827">Squeaks/rattles</td> <td data-bbox="644 1727 1230 1827">WD40 / tighten hardware</td> </tr> <tr> <td data-bbox="256 1827 644 1928">drummer may hit mics</td> <td data-bbox="644 1827 1230 1928">position mics appropriately</td> </tr> </tbody> </table>	Challenge	Solution	keeping in time	click track/ guide track	different parts of the kit have different frequency ranges	different mic types for each part of the kit	balance	use separate tracks / mic positions	bleed/spill	close mic / EQ / gate / overdub / drum booth / acoustic screens	many separate elements to capture	use more mics	avoid clipping / loud	leave some headroom/pad/turn down gain/compressor/limiter	wide dynamic range	compressor/limiter	stereo	2 overheads / XY	capture characteristic sound, eg, punchy	valid mic placement / EQ / compression	tuning/damping	tune / adjust tension of heads / moon gel / cushions / gaffer / padding	Squeaks/rattles	WD40 / tighten hardware	drummer may hit mics	position mics appropriately	4
Challenge	Solution																											
keeping in time	click track/ guide track																											
different parts of the kit have different frequency ranges	different mic types for each part of the kit																											
balance	use separate tracks / mic positions																											
bleed/spill	close mic / EQ / gate / overdub / drum booth / acoustic screens																											
many separate elements to capture	use more mics																											
avoid clipping / loud	leave some headroom/pad/turn down gain/compressor/limiter																											
wide dynamic range	compressor/limiter																											
stereo	2 overheads / XY																											
capture characteristic sound, eg, punchy	valid mic placement / EQ / compression																											
tuning/damping	tune / adjust tension of heads / moon gel / cushions / gaffer / padding																											
Squeaks/rattles	WD40 / tighten hardware																											
drummer may hit mics	position mics appropriately																											

Question Number	Question	Mark
5(d)	Fill in the four missing pitches from the lead guitar line between 2'09" and 2'12".	4
	Acceptable Answers	
 <p data-bbox="256 696 632 730">Accept enharmonic equivalents</p>		

Question Number	Question	Mark
5(e)	Suggest one way in which a 'robot-voice' effect could be created.	1
	Acceptable Answers	
<ul style="list-style-type: none"> • Ring modulator / fast amplitude modulation / tremolo • Vocoder • Talk box • Singing through a fan • Bitcrusher • Cutting up a sample • Voice/vocal transformer • Phaser • Flanger • Rotary 		

Question Number	Question	Mark
5(f)	<p>Describe the contribution made to Heavy Rock by one of the following, supporting your answer with reference to relevant albums and/or tracks.</p> <p>[] Led Zeppelin</p> <p>[] Deep Purple</p>	4
	Acceptable Answers	
	<p>Allow max one mark for naming specific tracks or albums Additional marks for naming tracks/albums if qualified Credit answers that relate to contribution to Heavy Rock, not general facts unrelated to their musical output</p> <p>Led Zeppelin</p> <ul style="list-style-type: none"> • guitar-driven sound / use of distortion • rooted in blues • folk influence • use of unusual instruments (eg recorder, hurdy gurdy) • extended/unusual song structures • riff based • vocal: wide pitch range/wide dynamic range • experimental guitar techniques (eg using violin bow) • extended solos /virtuosic playing • unusual to have solos on instruments other than guitar • theatrical stage presence • viewed themselves as an 'album band' and disliked releasing their songs as singles • albums: <i>Led Zeppelin, Led Zeppelin II, Led Zeppelin III, Led Zeppelin IV/ untitled, Houses of the Holy, Physical Graffiti, In Through the Out Door, Presence, Coda</i> <p>Deep Purple</p> <ul style="list-style-type: none"> • guitar-driven sound • rooted in blues • classical influence • Progressive rock influences • riff based • vocal: wide pitch range/wide dynamic range • organ style influential • distinctive guitar style (e.g. phrasing / harmonic / tonal choices) • extended solos /virtuosic playing • Albums: <i>Shades of Deep Purple, The Book of Taliesyn, Deep Purple, In Rock, Fireball, Machine Head, Made in Japan, Who Do We Think We Are, Burn, Stormbringer, Come Taste the Band</i> 	

Question Number	Question	Mark
6(a)	What degree of the minor scale is used for much of the melody line?	1
	Acceptable Answers	
	5 th / fifth / V / 5 / five / dominant	

Question Number	Question	Mark
6(b)	Which of the following best describes the range of the bass part?	1
	Acceptable Answers	
	B Perfect 5th	

Question Number	Question	Mark
6(c)	Listen to the phrase "Welcome to Jamrock" between 1'15" and 1'23". How has the 'telephone effect' been achieved?	1
	Acceptable Answers	
	Low and high frequencies cut/ mid frequencies boosted/band pass filter Allow: high pass filter / cut low frequencies	

Question Number	Question	Mark
6(d)	What is the name for the accented off-beat rhythmic chords that are typically found in reggae music?	1
	Acceptable Answers	
	Skank / chop / ska stroke	

Question Number	Question	Mark
6(e)	Describe the EQ on the bass line.	1
	Acceptable Answers	
	Low frequency boost/low shelving boost/low pass filter/high cut/boosted < 200 Hz	

Question Number	Question	Mark
6(f)	Describe the delay on guitar between 0'08" and 0'27" .	3
	Acceptable Answers	
	<ul style="list-style-type: none"> • Changes (1) / on-off-on (2) • High feedback/many repeats • Delay time not tempo synced / allow: in triplets • Short delay time / 150-400 ms • Loud repeats / high send level / very wet • Repeats decrease in volume • Darker repeats / high frequencies cut on repeats • Analogue/tape delay 	

Question Number	Question	Mark
6(g)	Describe the use of lo-fi sounds between 3'08" and the end.	2
	Acceptable Answers	
	<ul style="list-style-type: none"> • Crackling/vinyl (1) continuously in background (1) dated feel (1) • Piano/keyboard: out of tune (1) toy (1) playing countermelody /simple melody(1) • Clicking/clunky/gun noise (1) used as a rhythmic device (1) and as an ending (1) • Telephone EQ effect/band pass filter (1) • Creates sense of coda 	

Question Number	Question	Mark
6(h)	<p>Select two of the reggae artists below and describe their contribution to reggae music. Support your answer with reference to relevant albums and/or tracks.</p> <p>Acceptable Answers</p> <p>Allow max one mark for naming specific tracks or albums Additional marks for naming tracks/albums if qualified</p> <p>Credit answers that relate to contribution to reggae, not general facts unrelated to their musical output</p> <p>Bob Marley</p> <ul style="list-style-type: none"> • Political lyrics • Rastafarianism • Slow tempo reggae compared to ska • Bob Marley fronted The Wailers • Wailers' first major label album was <i>Catch a Fire</i> (1973) • <i>Catch a Fire</i> recorded on eight-track with high production values • Followed by <i>Burnin'</i>, which included the standout songs "Get Up, Stand Up", and "I Shot the Sheriff"... • <i>Island records wanted a more rocky sound - used English musicians on early Island records</i> • Eric Clapton's cover of "I Shot the Sheriff" raised Marley's international profile • Found fans across both reggae and rock audiences / crossover audience • International breakthrough with "No Woman, No Cry", (1975) • Breakthrough album in the United States, <i>Rastaman Vibration</i> (1976) • <i>Exodus</i> included four UK hit singles: "Exodus", "Waiting in Vain", "Jamming", and "One Love" • Showed strong opposition to South African apartheid in his song "War" in 1976. • <i>Uprising</i> (1980) was Bob Marley's final studio album, and is one of his most religious productions; it includes "Redemption Song" and "Forever Loving Jah" • <i>Confrontation</i>, released posthumously in 1983, contained unreleased material recorded during Marley's lifetime, including the hit "Buffalo Soldier" and new mixes of singles previously only available in Jamaica • Worked with Lee "Scratch" Perry and Coxone Dodd at Studio One 	10

Lee 'Scratch' Perry

- Dub
- Writer/producer - one of the first
- Elevated the profile of the mixing engineer to a more creative role
- Used long reverb times
- Used high feedback delay
- Use of phaser and flanger
- Did dub mixes / cut out vocal
- Innovative studio techniques and production values.
- Perry has worked with Bob Marley & the Wailers, Junior Murvin, The Congos and Max Romeo.
- His first major single was "People Funny Boy"
- Innovative use of found sounds/samples (e.g. a crying baby) ...
- ... using tape
- Popular in both Jamaica and internationally
- Achieved his own sound using basic recording equipment.
- The Black Ark - own studio
- Own house band (Upsetters - went on to play with Bob Marley)
- Unusual toasting style and lyrics, quotes from movies, etc.
- In 1998 Perry reached a wider global audience as vocalist on the track "Dr. Lee, PhD" from the Beastie Boys' album *Hello Nasty*
- In 2003, Perry won a Grammy for Best Reggae Album with the album *Jamaican E. T.*
- Worked with On-U Sound
- Collaborated on several dubstep collaborations

King Tubby

- Dub
- Made own equipment as a radio/studio engineer
- Innovative studio work
- Elevated the profile of the mixing engineer to a more creative role
- Remixes
- Sound systems
- Added delay/reverb to existing tracks
- Used long reverb times
- Used high feedback delay
- Cut the vocal
- Focus on drums and bass
- Any valid description of use of EQ, eg, EQ sweeps
- Bringing instruments and vocals in and out of the mix
- Was able to 'play' the mixing desk like an instrument
- Tubby engineered remixed songs for others to toast over.
- His most famous dub is "King Tubby's Meet The Rockers Uptown".
- Support upcoming artists: Hopeton Brown aka Scientist, Prince Jammy
- Pioneer of Digital Dancehall sound
- Drum machines, synths etc.
- Studio know as Fire House

