# GCE A LEVEL

# MARK SCHEME

**MAXIMUM MARK: 30** 

**SYLLABUS/COMPONENT: 9702/05** 

PHYSICS
Paper 5 (Planning, Analysis and Evaluation)

Page 1	Mark Scheme	Syllabus	Paper
	A and AS LEVEL – Specimen Paper	9702	05

## **Question 1**

Planning (15 marks)  Defining the problem (3 marks)	1	
p is the independent variable OR vary p		
f is the dependent variable OR measure $f$ and $p$		
Variable to be controlled e.g. temperature, frequency of sound source	1	
Methods of data collection (5 marks)		
Workable arrangement Should include container, source of sound, pump, microphone, CRO Doubtful arrangement, poor diagram or one missing detail scores one mark	2	
Method of varying <i>p</i> e.g. use of pump to remove air or valve to allow air in	1	
Method of measuring $p$ e.g. Bourdon gauge/pressure gauge/manometer	1	
Method of measuring $f$ Should include reference to CRO timebase and $f$ = 1/period	1	
Method of analysis (2 marks)		
Plot $f$ against $p^2$	1	
Equation is correct if graph is a straight line through the origin	1	
Safety considerations (1 mark)		
Safety precaution, e.g. screen/goggles/fuses	1	
Additional detail (4 marks)		
Additional details Relevant points might include: Second variable to be controlled Method of controlling variables Specified sound source (e.g. electric bell/buzzer/speaker) Use of signal generator with speaker Difficulty of detecting quiet sounds at low pressures Using CRO y-sensitivity to adjust for sound levels Need to seal points where wires pass through bell jar Monitor temperature with thermometer	4	

Page 2	Mark Scheme	Syllabus	Paper
	A and AS LEVEL – Specimen Paper	9702	05

#### **Question 2**

### Analysis, conclusions and evaluation (15 marks) Approach to data analysis (1 mark)

(a)  $R^2 = c^2 E^3$ , so expect a straight line through the origin

1

### Table of results (2 marks)

Table Column headings  $R^2$  / cm<sup>2</sup> and  $E^3$  / MeV<sup>3</sup> Allow  $R^2$  (cm<sup>2</sup>) and  $E^3$  (MeV<sup>3</sup>)

1

1

Table Values of  $R^2$  and  $E^3$ 

16.0 156 18.9 183 23.0 221 25.5 248 32.5 310

All correct for one mark.

3 significant figures required (allow 4 s.f.)

#### Graph (3 marks)

Graph Points plotted correctly

1

All five required for the mark

1

Graph Line of best fit

Must be within tolerances.

1

Graph Worst acceptable straight line Must be within tolerances.

Widot bo Within to

## Conclusion (4 marks)

(c)(iii) Gradient of best-fit line

1

The hypotenuse of the  $\Delta$  must be greater than half the length of the drawn line. Read-offs must be accurate to half a small square.

Check for  $\Delta y/\Delta x$  (i.e. do not allow  $\Delta x/\Delta y$ ).

(d) Gradient =  $c^2$ 

1

Does not have to be explicitly stated: may be implicit from working

Check in part (a)

(d) Value of c

1

 $= 0.107 (allow \pm 0.007)$ 

(d) Unit of c

1

cm<sup>2</sup> MeV<sup>-3</sup>

Page 3	Mark Scheme	Syllabus	Paper
	A and AS LEVEL – Specimen Paper	9702	05

# Treatment of errors (5 marks)

Table	0.4 0.4 allow 0.5 0.5 allow 0.4 0.5 0.6	1
Graph	Error bars plotted correctly	1
(c)(iii)	Error in gradient  Must be calculated using gradient of worst acceptable straight line	1
(d)	Method of finding error in <i>c</i> i.e. limit of error range in c from square root of limit of error range in gradient Allow 0.5 x percentage error in gradient	1
(d)	Value for error in <i>c</i> 0.007 (allow ±0.001) Allow 7%	1