

Candidate forename		Candidate surname	
-----------------------	--	----------------------	--

Centre number						Candidate number				
------------------	--	--	--	--	--	---------------------	--	--	--	--

**OXFORD CAMBRIDGE AND RSA EXAMINATIONS**  
**A2 GCE**  
**F215**  
**BIOLOGY**

**Control, Genomes and Environment**

**TUESDAY 31 JANUARY 2012: Afternoon**

**DURATION: 2 hours**

**SUITABLE FOR VISUALLY IMPAIRED CANDIDATES**

**Candidates answer on the Question Paper.**

**OCR SUPPLIED MATERIALS:**

**Insert (inserted)**

**OTHER MATERIALS REQUIRED:**

**Electronic calculator**


**Ruler (cm/mm)**

**READ INSTRUCTIONS OVERLEAF**

## **INSTRUCTIONS TO CANDIDATES**

- The Insert will be found in the centre of this document.
- Write your name, centre number and candidate number in the boxes on the first page. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **ALL** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined pages at the end of this booklet. The question number(s) must be clearly shown.

## **INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is 100.
-  Where you see this icon you will be awarded marks for the quality of written communication in your answer.
- You may use an electronic calculator.
- You are advised to show all the steps in any calculations.

**BLANK PAGE**

**Answer ALL the questions.**

**1 Fig. 1.1 opposite, shows a metabolic pathway involving the amino acid, phenylalanine. One of the products of this pathway is melanin, the pigment that gives a brown colour to hair, skin and the iris of the eyes. This metabolic pathway also produces thyroid hormones.**


**(a) Use Fig. 1.1 to name:**

**(i) the ENZYME that catalyses the last step in melanin production**

\_\_\_\_\_ [1]

**(ii) the GENETIC DISORDER resulting from the absence of the enzyme at the start of the metabolic pathway for melanin production.**

\_\_\_\_\_ [1]



Key:  genetic disorder

Fig. 1.1

**(b) Phenylalanine and tyrosine are both amino acids.**

**Explain why phenylalanine and tyrosine are classified as amino acids.**

---

---

---

---

---

---

---

---

[2]

**(c) One effect of thyroid hormones is to increase the activity of mitochondria within cells. Suggest how the metabolism of a person with the condition congenital hypothyroidism might differ from that of a person who does not have this condition.**

---

---

---

---

---

---

---

---

[3]

**(d) Albinism is a genetic disorder in which a person lacks melanin pigment in their skin, hair and the iris of their eyes. A person with this disorder is called an albino. The genotype of an albino has two copies of a recessive allele of the gene for an enzyme involved in melanin production.**

**(i) State the term used to describe a genotype that has two copies of the same allele at a particular gene locus.**

\_\_\_\_\_ [1]

**(ii) Explain what is meant by the following terms:**

**genotype** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**allele** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ [4]

**(e) The Hardy-Weinberg principle can be used to predict the expected frequencies of albino and non-albino alleles in a population. However, this principle can only be applied to populations which fulfil all of the following criteria:**

- sexually reproducing organisms**
- diploid organisms**
- large populations**
- randomly-mating populations.**

**The tiger, an endangered species of mammal, is undergoing a worldwide captive breeding programme in zoos.**

**Suggest why the Hardy-Weinberg principle cannot be used to predict the expected frequencies of albino and non-albino alleles in the worldwide zoo population of tigers.**

---

---

---

---

---

---

---

---

---

---

**[2]**



- (f) A change in allele frequencies in a population is described as an evolutionary change.**

**List TWO factors that might cause allele frequencies to change from generation to generation in a population that meets the Hardy-Weinberg criteria.**

---

---

[2]

[Total: 16]

**QUESTION 2 STARTS ON PAGE 10**

**2 Animals respond to frightening or stressful stimuli in their environment.**

**This question is about the ‘fight or flight’ response in mammals.**

**Fig. 2.1 (ON THE INSERT) shows a husky dog in a calm state.**

**Fig. 2.2 (ON THE INSERT) shows a different husky displaying external signs of the ‘fight or flight’ response.**

**(a) Describe THREE features in the external appearance of the husky in Fig. 2.2 that are due to the ‘fight or flight’ response.**

**1** \_\_\_\_\_

\_\_\_\_\_

**2** \_\_\_\_\_

\_\_\_\_\_

**3** \_\_\_\_\_

\_\_\_\_\_ **[3]**

**(b) The ‘fight or flight’ response is brought about by the hormone adrenaline and the autonomic nervous system working together. As well as causing external differences in appearance, the ‘fight or flight’ response causes numerous changes in the functioning of the internal organs.**

**Complete Table 2.1 to describe how TWO internal organs would function differently in a calm mammal compared to a frightened mammal.**

**Table 2.1**

<b>internal organ</b>	<b>calm mammal</b>	<b>frightened mammal</b>

**[6]**

**(c) The differences you described in part (b) are coordinated by the AUTONOMIC nervous system. The autonomic nervous system has two divisions, each of which uses a different neurotransmitter to bring about effects in the internal organs.**

**In the table below, state which division of the autonomic nervous system will be active in each case, and name the NEUROTRANSMITTER that will be secreted by neurones into the organs.**

	<b>calm mammal</b>	<b>frightened mammal</b>
<b>division of the autonomic nervous system activated</b>		
<b>name of neurotransmitter secreted by neurones</b>		

**[4]**

**(d) State precisely where in the body adrenaline is produced.**

**[2]**



- (ii) The second messenger system is a multi-step mechanism. It enables large changes in cell metabolism to occur rapidly, although only relatively small numbers of adrenaline molecules are involved.**

**Suggest how having a number of steps in the signalling pathway enables a small number of adrenaline molecules to rapidly cause large effects.**

---

---

---

---

[2]

**[Total: 21]**

- 3 (a) Organisms do not live in isolation, but interact with other organisms and with their physical environment.**

**State the word used to describe:**

- (i) the study of the interactions between organisms and their environment**

\_\_\_\_\_ [1]

- (ii) the physical (non-living) factors in the environment**

\_\_\_\_\_ [1]

- (iii) a physical area that includes all the organisms present AND their interactions with each other AND with the physical environment.**

\_\_\_\_\_ [1]

**(b) State and describe TWO TYPES of ecological interaction that can occur between different species in a habitat.**

**As part of each description, you should NAME the two species involved in your chosen example.**

**1** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**2** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**[6]**



**(c) Plants are able to respond to changes in their environment.**

**(i) Describe TWO ways in which hormones may alter a plant's growth in response to overcrowding by other plants.**

---

---

---

---

---

---

---

---

---

---

---

**[4]**

**(ii) Suggest how hormones alter a plant's growth if the top of the plant shoot is eaten by an animal.**

---

---

---

---

---

---

---

---

**[3]**

**(d) The distribution and abundance of plants in a habitat can show how a physical factor varies across the habitat.**

**Describe how you would measure the distribution and abundance of plants over a distance of 100 metres.**



**In your answer you should make clear the sequence of procedures you would follow.**

---

---

---

---

---

---

---

---



**4 (a) Genetic modification of organisms uses a “toolkit” that includes:**

- **enzymes that cut DNA**
- **enzymes that join sections of DNA together**
- **vectors that introduce DNA into new host cells.**

**Some of the enzymes and vectors that are important in genetic modification are given an identifying letter in Table 4.1.**

**Table 4.1**

<b>enzymes</b>		<b>vectors</b>	
<b>A</b>	<b>reverse transcriptase</b>	<b>J</b>	<b>plasmid</b>
<b>B</b>	<b>DNA polymerase</b>	<b>K</b>	<b>virus</b>
<b>C</b>	<b>DNA ligase</b>	<b>L</b>	<b>Agrobacterium tumefaciens</b>
<b>D</b>	<b>restriction endonuclease</b>	<b>M</b>	<b>BAC</b>
<b>E</b>	<b>RNA polymerase</b>	<b>N</b>	<b>bacteriophage</b>

Select ONE correct letter from Table 4.1 to fit each of the following statements.

An enzyme that cuts DNA \_\_\_\_\_

An enzyme that joins sections of DNA together \_\_\_\_\_

A vector to introduce foreign DNA into bacteria \_\_\_\_\_

A vector to introduce foreign DNA into plant cells \_\_\_\_\_

A vector to introduce foreign DNA into animal cells \_\_\_\_\_ [5]

**(b) Discuss the POTENTIAL BENEFITS to mankind and the ETHICAL CONCERNS raised by the following examples of genetically modified organisms:**

- rice modified for increased vitamin A content ('Golden Rice™')**
- humans having somatic gene therapy treatment for a genetic disease.**



**In your answer you should give a balanced account of the benefits and concerns for each example of genetic modification.**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



5 Fig. 5.1 is a crossword that should contain five words relating to the use of microorganisms by humans.




Fig. 5.1

[5]



**Use the clues opposite to write the five appropriate words in the correct spaces on Fig. 5.1.**

**ACROSS**

**5 Microbial culture method in which nutrients are added and the product harvested throughout the fermentation process.**

**DOWN**

**1 Technique that makes enzymes more thermostable and allows them to be re-used.**

**2 The industrial use of living organisms to produce food, drugs or other products.**

**3 Sterile technique that prevents the growth of undesirable microorganisms.**

**4 Kingdom of eukaryotic microorganisms with cell walls made of chitin.**

**[Total: 5]**

- 6 A long-term breeding experiment to investigate the GENETIC basis of tame (friendly) behaviour was carried out in a population of silver foxes. The foxes were bred each year and the resulting young foxes assessed each month between the ages of 1 and 8 months to see how tame they were.**

**Table 6.1 shows how the foxes were put into categories according to their tameness.**

**Table 6.1**

<b>tameness class</b>	<b>description of behaviour towards humans</b>
<b>3</b>	<b>Not tame – these foxes run away from humans or bite when handled.</b>
<b>2</b>	<b>Neutral – these foxes allow handling by humans but show no emotionally friendly response.</b>
<b>1</b>	<b>Tame – these foxes are friendly to humans. They wag their tails and whine for attention.</b>
<b>elite</b>	<b>Very tame – these foxes are eager for human contact. They whimper to attract attention and sniff and lick humans.</b>

**The tamest 5% of the male foxes and the tamest 20% of the female foxes in each generation were used for breeding to produce the next generation. This was repeated for over forty generations.**

- (a) (i) State the name given to the process in which only a certain percentage of adult foxes were chosen by humans to breed in each generation.**

\_\_\_\_\_ [1]

- (ii) Suggest why 20% of the female foxes were used for breeding but only 5% of the male foxes.**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_ [2]

(b) Table 6.2 shows the number of foxes in the elite tameness class during the long-term experiment.

**Table 6.2**

<b>number of generations</b>	<b>foxes in elite class (%)</b>
<b>10</b>	<b>18</b>
<b>20</b>	<b>35</b>
<b>35</b>	<b>75</b>

**Discuss what the results shown in Table 6.2 suggest about the CAUSES OF THE VARIATION in tameness behaviour in silver foxes.**

---

---

---

---

---

---

---

---

---

---

**[3]**

**BLANK PAGE**

**QUESTION 6(c) STARTS ON PAGE 30**

**(c) As tameness increased in the silver fox population over the years, it was noticed that other phenotypic traits also became more common.**

**Table 6.3 compares the frequency of these traits in a control group of silver foxes that had not been used in this long-term breeding experiment and in the tame population of foxes.**

**Table 6.3**

<b>phenotypic trait</b>	<b>animals showing trait (per 100 000)</b>		<b>percentage increase in trait</b>
	<b>control population</b>	<b>tame population</b>	
<b>white patch of fur on head</b>	<b>710</b>	<b>12 400</b>	<b>1 646</b>
<b>floppy ears</b>	<b>170</b>	<b>230</b>	<b>35</b>
<b>short tail</b>	<b>2</b>	<b>140</b>	<b>6 900</b>
<b>curly tail</b>	<b>830</b>	<b>9 400</b>	<b>1 033</b>

**Students were asked to suggest a variety of genetic hypotheses to explain why these traits become more common in tame foxes. Their suggestions were:**

**LINKAGE**

**EPISTASIS**

**INBREEDING**

**GENETIC DRIFT**

**Select ONE hypothesis from the list and explain how it could account for the data in Table 6.3.**

---

---

---

---

---

---

**[2]**

- (d) Similar changes in tameness, colour and body shape are believed to have occurred in the 11 000 year period during which the grey wolf species, *Canis lupus*, evolved into the domesticated dog species, *Canis familiaris*.**

**Suggest how different types of isolating mechanism allowed dogs to evolve separately to wolves.**

---

---

---

---

---

---

---

---

---

---

---

---

**[3]**



**(e) Interbreeding between members of the wolf species and some dogs has been reported. However, there are some large breeds of dogs that cannot breed successfully with small dog breeds.**

**Use this information and your own knowledge to explain the problems of classifying wolves and different dog breeds according to:**

- the biological species concept  
AND**
- the phylogenetic species concept.**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

**[4]**

**[Total:15]**

**7 Homeobox genes show astonishing similarity across widely different species of animal, from fruit flies, which are insects, to mice and humans, which are mammals. The sequences of these genes have remained relatively unchanged throughout evolutionary history and the same genes control embryonic development in flies and mammals.**

**(a) State what is meant by a homeobox gene.**

---

---

---

---

---

**[2]**

**(b) Homeobox genes show ‘astonishing similarity across widely different species of animal’.**

**Explain why there has been very little change by mutation in these genes.**

---

---

---

---

---

**[2]**

- (c) Frogs reproduce by laying eggs in water. Each egg develops into a tadpole, which has external gills to extract oxygen from the water, and a tail to help it swim. The tadpole gradually changes into an adult frog as it grows. During this time its gills and tail disappear.**

**List TWO cellular processes that must occur during the development of a tadpole into a frog.**

\_\_\_\_\_ [2]  
\_\_\_\_\_

- (d) Name another kingdom of organisms, other than animals, that have similar homeotic genes.**

\_\_\_\_\_ [1]

**[Total: 7]**

**END OF QUESTION PAPER**

## **ADDITIONAL PAGE**

**If additional space is required, you should use the lined pages below. The question number(s) must be clearly shown.**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

## ADDITIONAL PAGE

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---





# ADDITIONAL PAGE



## Copyright Information

**OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.**

**If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.**

**For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.**

**OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.**