



Rewarding Learning

**ADVANCED SUBSIDIARY (AS)
General Certificate of Education
2012**

Physics

Assessment Unit AS 3

Practical Techniques (Internal Assessment)

Session 1

[AY131]

FRIDAY 11 MAY, MORNING

MARK SCHEME

General Instructions for Internal Assessment

- 1 Mark strictly according to this mark scheme.** Do not agonise over awarding “charity” or “benefit of doubt” marks. Give credit for numerical answers only if they are within the ranges indicated in this mark scheme. Remember, every script will be checked later to ensure that candidates are not disadvantaged.
- 2 Mark in red ball-point pen.** For each correct point in the scheme you are rewarding, place a tick in the text of the script; for each incorrect point, place a cross. Then add up the ticks for each part of a question for which there is a sub-total in square brackets, and write this total in the “Teacher Mark” column to the right of the text. When you have finished marking a question, write the total for the question as a ringed mark at the beginning of the question and in the appropriate box on the front of the script.
- 3 In marking graphs you will have to exercise some professional judgment, but other features must be marked strictly according to the scheme.** In labelling the axes, candidates should give the label/unit. The mark for “Scales” is normally awarded only if the plotted points occupy at least half of the printed graph along each axis. In addition, the scale must be to an easily manageable factor, such as 1:2, 1:4, 1:5, 1:10, 1:20. A factor of, for example, 10 mm to represent 30 cm does not score because of the difficulty of accurately plotting or reading off values.

The credit for plotting the points is, following the normal tariff, 2 marks for plotting 5 points correctly and 1 mark for plotting 4. “Correctly” means to within one small square (± 2 mm) on the printed grid in either x - or y -direction. The marker’s professional judgment comes in here. One tick is to be awarded for drawing the best straight line through the points. Do not agonise over scoring (or not) this mark; your professional judgment will allow you to come to a decision very quickly.

In measuring the gradient, one mark is reserved for a “large triangle”. This means that either rise or run (or both) must be at least 5 cm on the printed graph grid. Some candidates do not draw their triangle, but use points read off from the line. Provided the rise and/or run in this virtual triangle meet the 5 cm criterion, the mark is scored. Beware of candidates who read off their gradient points directly from a table. The marker must check that the points used actually **lie on the line** and meet the 5 cm test.

- 4** When you have finished marking the paper, add up the marks for the questions in the “Teacher Mark” column in the box on the front page of the booklet and enter the total. Check this total by adding up all the sub-total marks for parts of questions throughout the script (**not** the ringed total question marks). The totals arrived at in these two different ways should agree. If you cannot get agreement after a re-count, go back to counting the individual ticks throughout the text of the script.

Apply the same d.p penalty once per question unless otherwise directed

					AVAILABLE MARKS	
1	(a) (i)	4.1 to 4.4 cm to 1 dp		[1]	5	
		(ii) Measures diameters 1–3 to 0.01 cm 2 dp essential		[1]		
	Mean diameter given		[1]			
	Mean diameter quality: 4.20 cm to 4.40 cm 2 dp essential		[1]	[3]		
(b)	Centre value \pm 0.03g (typical range 45.9– 44.6)		1 or 2 dp	[1]		
2	(a) (i)	3.10–4.10 mA	1 or 2 dp	[1]	5	
		(ii) 0.17 V–0.37 V	2 dp	[1]		
	(b) (i)	Centre value \pm 3mA	} 1 or 2 dp	[1]		
		(ii) Value < (b)(i) (not zero or negative)		[1]		
	(c)	1.30 V–1.80 V	2 dp	[1]		
	3	Table for results: check labels and structure				[1]
Multiple oscillations (\geq 5) timed to 2 dp essential			[1]			
Repeat (\geq 2) multiple oscillations timed			[1]			
Period between 1.30s–1.40s 2 dp essential			[2]	[5]		
Consistent (1.20s–1.50s [1]) ignore sf						
4	(a)	1.8–2.2 N (adjusted value)	1 dp essential	[2]	5	
		(2.3–2.7 N [1])	ignore sf			
	(b) (i)	Correct subtraction of volume values		[1]		
		(Value only award [0])				
(ii)	$W_2 < W_1$	consistent dp	[1]			
(c)	R value consistent		ignore sf	[1]		

			AVAILABLE MARKS		
5	(a)	(i) 3 significant figures	[1]		
		(ii) 176 (kW) 3 sf	[1]		
		(iii) No mistake (Trial 1) value is very different/a rogue/ anomalous	[1]		
			[1] [2]		
		(iv) No, doesn't pass through (0,0)/different ratio	[1]		
		(v) Large triangle gradient showing $\Delta y/\Delta x$ correct values $n = 3$ (allow 2.8–3.2) S.E. $n = 3000$ award [2]	[1]		
			[1]		
			[1]		
			[3]		
		(vi) $c = -0.50$ $k = 0.3(2)$ ecf for their c ; ignore sf	[1]		
			[1] [2]		
		(b)	(i) 1. 3 allow 3 : 1 or 3/1 2. 9 allow 9 : 1 or 9/1	[1]	
				[1] [2]	
			(ii) $x = 2$	[1]	
		(iii) $P/d^2 = 0.15$ or ratio method (ecf for x) 133 (kW) ± 2 kW ignore sf	[1]		
[1] [2]					
(c)	(i) 1. $\pm 5\%$ (5.03%) 2. ± 0.04 (kg m^{-3}) accept 0.0387 or correct value in g cm^{-3}	[1]			
		[1] [2]			
	(ii) Re-arranging Equation 5.4 and substituting into it 0.59 or 5.9×10^{-4} ignore units (\pm) 10% (ecf for % uncertainty in P_{max})	[1]			
		[1]			
		[1] [3]	20		
Total			40		