

Modified Enlarged 24 pt

**OXFORD CAMBRIDGE AND RSA
EXAMINATIONS**

Monday 16 May 2022 – Afternoon

Level 3 Cambridge Technical in Engineering

05822/05823/05824/05825/05873

Unit 1: Mathematics for engineering

**Time allowed: 1 hour 30 minutes plus your
additional time allowance**

You must have:

the Formula Booklet for Level 3

**Cambridge Technical in Engineering
(with this document)**

a ruler (cm/mm)

a scientific calculator

Please write clearly in black ink.

**Centre
number**

--	--	--	--	--

**Candidate
number**

--	--	--	--

First name(s) _____

Last name _____

**Date of
birth**

D	D	M	M	Y	Y	Y	Y
---	---	---	---	---	---	---	---

READ INSTRUCTIONS OVERLEAF

INSTRUCTIONS

Use black ink. You can use an HB pencil, but only for graphs and diagrams.

Write your answer to each question in the space provided. You can use extra paper if you need to, but you must clearly show your candidate number, the centre number and the question numbers.

Answer ALL the questions.

Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

Give your final answers to a degree of accuracy that is appropriate to the context.

INFORMATION

The total mark for this paper is 60.

The marks for each question are shown in brackets [].

ADVICE

Read each question carefully before you start your answer.

Answer ALL the questions.

1 (a) Multiply out $2(3x - 4y)$.

[2]

(b) Factorise $x^2 - 7x + 12$.

[2]

(c) Write as a single fraction

$$\frac{x+2}{4} + \frac{3-x}{3}.$$

[3]

(d) Rearrange the following formula so that k is the subject.

$$T = 2\pi \sqrt{\frac{m}{k}}$$

[2]

2 You are given the cubic function

$$f(x) = x^3 - 6x^2 + 11x - 6.$$

(i) Show that $f(2) = 0$.

[2]


(ii) Hence factorise $f(x)$.

[3]

(iii) Solve the equation $f(x) = 0$.

[1]

- 3 (a) The graph of the line $2x + 3y = 25$ is shown on the grid below.



- (i) On the same grid plot the line with equation $y = 3x + 1$. [2]
- (ii) Hence write down the solution to the simultaneous equations $y = 3x + 1$ and $2x + 3y = 25$.

[1]

- (b) A cylinder has a radius r cm and height h cm.

The surface area is given by the formula

$$A = 2\pi r^2 + 2\pi r h.$$

A particular cylinder has height 12 cm and a surface area 300 cm^2 .

- (i) Show that the radius satisfies the equation


$$3.14r^2 + 37.7r - 150 = 0$$

where the coefficients are given to 3 significant figures.

[2]

- 4 (a) On the grid below, sketch the graph of

$$y = (x - 2)^2 + 3. [2]$$




(b) On the grid below, sketch

(i) the graph of

$$y = 2\cos x \text{ for } 0^\circ \leq x \leq 360^\circ, [2]$$

(ii) the graph of

$$y = 2 + 2\cos x \text{ for } 0^\circ \leq x \leq 360^\circ. [1]$$



(c) You are given that $\sin x = p$ where $-1 \leq p \leq 1$.

Find expressions for

(i) $\sin(-x)$,

[1]

(ii) $\cos x$.

[2]

- 5 (a) Use calculus to determine the coordinates of the stationary point on the curve $y = x^2 - 4x + 7$.

[4]

- (b) The voltage growth in a capacitor can be modelled by the formula

$$V = 12(1 - e^{-\frac{t}{4}})$$

where V is the voltage t seconds after the application of current through the circuit.

- (i) Calculate the voltage in the capacitor after 5 seconds.

[2]

(ii) Calculate the time taken for the voltage to reach 7V.

[3]


(c) A metal plate, OABC, has three straight edges and one curved edge.

On a coordinate system, O is the origin and the coordinates of A and C are (0,20) and (20,0) respectively.

The curved edge, AB, has equation $y = 20e^{-\frac{x}{20}}$ as shown in the diagram opposite.

Units are millimetres.

15



17

BLANK PAGE

6 A component of a machine is part of a circle which has radius 10 cm.


Two points, A and B, on the circumference of the circle are 12 cm apart, as shown in FIG. 1.

The centre of the circle is O.

The component has a section of the circle above the line AB removed.

This section is shown shaded in FIG. 1.

FIG. 1



Not to scale

- 7 (a) It is known that a particular component in a machine has a probability of failing in the first day of use of 0.2.

If the component fails then the machine fails.

What is the expected number of machines that will fail on the first day in a batch of 50 machines?

[2]

(b) In a bag there are 20 blue balls and 20 red balls, all identical except for their colour.

Two balls are drawn at random from the bag and their colour noted.

Find the probability that both balls will be red if

(i) the first ball is replaced before the second ball is drawn,

[2]

- (ii) the first ball is not replaced before the second ball is drawn.

[3]

END OF QUESTION PAPER

23

BLANK PAGE



Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, OCR (Oxford Cambridge and RSA Examinations), The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.

© OCR 2022

Version 6