
Surname				Other	Names				
Centre Number					Candi	date Number			
Candidate Signature		ure							



General Certificate of Secondary Education June 2008

DESIGN AND TECHNOLOGY (ELECTRONIC PRODUCTS) (SHORT COURSE) Written Paper Foundation Tier

3551/F

F



Monday 9 June 2008 1.30 pm to 3.00 pm

For this paper you must have:

 a pen, a pencil, a ruler, an eraser and a pencil sharpener.

You may use a calculator.

Time allowed: 1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen. Use pencil only for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Answers written in margins or on blank pages will not be marked.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show the working of your calculations.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- A list of formulae and other information, which you may wish to use in your answers, is provided on pages 2 and 3.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use				
Question	Mark	Question	Mark	
1		5		
2		6		
3		7		
4		8		
Total (Co	Total (Column 1)			
Total (Column 2)				
TOTAL				
Examine	r's Initials			


You may need to use one or more of the following formulae when answering questions which include calculations.

Potential Difference = Current \times Resistance $(V = I \times R)$

Series Resistors $R_{total} = R_1 + R_2 + R_3 \text{ etc}$

Electrical Power = Current \times Potential Difference $(P = I \times V)$

Potential Divider



Time Constant \simeq Resistance \times Capacitance $(T \simeq R \times C)$

Astable Frequency for 555 $f = \frac{1.44}{(R_1 + 2R_2) \times C}$

Pulse duration $=\frac{1}{\text{frequency}}$

You may need to use the following information when answering some of the questions.

Capacitor series 10, 22, 47

Resistor Colour Code

Colour	Band 1	Band 2	Band 3 (No. of 0s)	Band 4 (Tolerance)
Black	0	0	None	
Brown	1	1	0	
Red	2	2	00	
Orange	3	3	000	
Yellow	4	4	0000	
Green	5	5	00000	
Blue	6	6	000000	
Violet	7	7	_	
Grey	8	8	_	
White	9	9	_	
				Gold = 5%
				Silver = 10%

Turn over for the first question

Answer all questions in the spaces provided.

1 This question is about research.



A student is designing a road safety product to be positioned on the ground behind a car to warn other motorists that a car has broken down.

The product must be able to be seen in poor light conditions.

1	(a)	Identify two	useful features	for the product	giving a	reason for each one.
---	-----	---------------------	-----------------	-----------------	----------	----------------------

An example has been done for you.

e.g. The product needs to be stable so that it will not be blown over.	
Feature 1	
	(2 marks)
Feature 2	

(2 marks)

Describe two different methods of finding out information about existing road safety products.
Method 1
Method 2
(2 marks)
(2 marks)
Turn over for the next question

2	This	This question is about designing the case of the product.		
2	(a)	In the box below sketch a design idea for the road safety product to be positioned on the ground behind a car.	ie	
		This should show the following aspects:		
		 the specific materials which would be used. how it is made stable whilst standing on the ground. how it is suitable for storing in the car. 		
		(6 ma	rks)	

2	(b)	Using notes and sketches, develop your design for the case of the road safety product, to contain a circuit with six LEDs. Your design must include the following aspects:
		 the position of the six LEDs. how the LEDs are held securely in place. the position of an off/on switch and how it is fitted in the case. access to the inside of the case.
		access to the inside of the cuse.
		(10 marks)
		Quality of communication (3 marks)

19

3 This question is about components and systems.

As part of their research the student investigates different components.

3 (a) Look at the electronic component symbols below:

A	В	С	D	Е	F
	-				

Which of the symbols above correspond with the names listed below? Indicate by writing the symbol letter in the box provided. An example has been done for you.

Component Name

- e.g. Thermistor

 (i) Bulb/Lamp

 (ii) Fixed Resistor

 (iii) Buzzer

 (iv) Transistor

 (1 mark)

 (1 mark)

 (1 mark)

 (1 mark)
- 3 (b) Name an electronic component which best fits each of the descriptions given below:

3	(b)	(i) emits light when a current flows from the anode to the cathode.	
			(1 mark)
3	(b)	(ii) its resistance decreases as the temperature increases.	
			(1 mark)

3 (b) (iii) a wire melts when too large a current flows.

(1 mark)

3 (b) (iv) it has three connections called anode, cathode and gate.

.....(1 mark)

3 (c) Identify in which part of the system (input, process or output) the components shown in the table below are usually found. An example is done for you.

	Component	Input	Process	Output
e.g.		Input	Process	Output
(i)		Input	Process	Output
(ii)	R THE	Input	Process	Output
(iii)	<u> </u>	Input	Process	Output
(iv)		Input	Process	Output

 $Images\ reproduced\ by\ kind\ permission\ of\ Rapid\ Electronics\ Ltd\ \underline{www.rapidonline.com}$

(4 marks)


12

Turn over for the next question

4	This	s question is about components and circuits.
4	(a)	A diode is an example of a polarised component.
		Explain what is meant by the term 'polarised component'.
		(2
4	(1.)	(2 marks)
4	(b)	Complete Figure 1 by naming the leads of the diode symbol.
		Figure 1
		(2 marks)
4	(c)	Draw on Figure 2 the means of indicating the positive and negative leads of the diode.
		Figure 2
		Direction
		of current
		(1 mark)

4 (d) Figure 3 shows a basic thyristor latching circuit.

Figure 3



riefly describe how the circuit works.
(4 marks)


Turn over for the next question

5 This question is about an astable circuit.

During their research a student finds a 555 IC astable and decides to connect six LEDs to the ouput:

- three are sinking (on when the astable output is low).
- three are sourcing (on when the astable output is high).

An incomplete circuit diagram is shown in Figure 4.



5 (a) Complete the circuit diagram in **Figure 4** by drawing the connections to make it work as an astable.

(3 marks)

(b)	Describe how the circuit could be changed to make the frequency of the output of the astable adjustable after the circuit is complete.
	(2 marks)
(c)	Each LED has a current limiting resistor connected in series.
	Calculate the value of the resistor R3 in Figure 4 if the LED requires 2V and 20mA to be at full brightness.
	Formula:
	Working:
	Answer (with units): (5 marks)
(d)	When the circuit in Figure 4 was tested the LEDs in the top half were brighter than the LEDs in the bottom half.
	Explain why this has happened and suggest a suitable modification to the circuit.
	Explanation
	(2 marks)
	Modification
	Turn over for the next question (2 marks)
	(c)

6	This	s question is about testing circuits.	
	Circ	uits can be tested using either a breadboard (p	rototype board) or using a computer simulator.
6	(a)	Figure 5 shows a diagram of a common bre	adboard.
		Show clearly how the different holes are con	nnected together.
		Figure 5	5
			(4 marks)
6	(b)	What is the purpose of the shaded area show	vn in Figure 5 ?
			(2 marks)
6	(a)	State two adventages and two disadventages	
6	(c)	State two advantages and two disadvantages	
		Prototyping us	ing breadboards
		Advantages	Disadvantages
		1	1
		2	2
		2	2

6	(d)	Give three reasons a designer would use CAD software to design a circuit board layout.
		Reason 1
		(2 marks)
		Reason 2
		(2 marks)
		Reason 3
		(2 marks)

Turn over for the next question

16


(a)	In the box below use notes and sketches to describe the main steps in producing a mould/former to be used in the vacuum forming process. State the materials you would use and the important details of the mould.

7	(b)	If it did not work correctly what change might be required to be made to the mould?
7	(-)	(2 marks)
7	(c)	Name a suitable plastic which could be shaped using the vacuum forming process.
		(1 mark)
		Turn over for the next question

The	rapid expansion of electronics has greatly improved road safety.
(a)	Describe the impact on road safety of the use of Speed Cameras.
	(6 m anha)
	(6 marks)

A lorry, as shown in **Figure 6**, uses mirrors to allow the driver to have a clear vision of their position in relation to other road users.

Figure 6



8	(b)	Describe ways in which electronic products could be used to improve the vision of the driver.

(6 marks)

 $\left\| \frac{1}{12} \right\|$

END OF QUESTIONS

