



# Thursday 19 June 2014 - Afternoon

# GCSE GATEWAY SCIENCE FURTHER ADDITIONAL SCIENCE B

**B762/01** Further Additional Science modules B6, C6, P6 (Foundation Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:

None

Other materials required:

- Pencil
- Ruler (cm/mm)

**Duration:** 1 hour 30 minutes



Candidate forename					Candidate surname				
Centre numb	oer					Candidate nu	umber		

### **INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

# **INFORMATION FOR CANDIDATES**

- The quality of written communication is assessed in questions marked with a pencil (🔊).
- A list of equations can be found on page 2.
- The Periodic Table can be found on the back page.
- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is 85.
- This document consists of 32 pages. Any blank pages are indicated.



## **EQUATIONS**

$$\begin{array}{c} \text{specific} \\ \text{energy} = \text{mass} \times \begin{array}{c} \text{heat} \\ \text{capacity} \end{array} \times \begin{array}{c} \text{temperature} \\ \text{change} \end{array}$$

energy = 
$$mass \times specific$$
 latent heat

efficiency = 
$$\frac{\text{useful energy output (} \times 100\%)}{\text{total energy input}}$$

energy supplied = power 
$$\times$$
 time

average speed = 
$$\frac{\text{distance}}{\text{time}}$$

distance = average speed × time

$$s = \frac{(u+v)}{2} \times t$$

$$acceleration = \frac{change in speed}{time taken}$$

force = 
$$mass \times acceleration$$

weight = mass × gravitational field strength

work done = force  $\times$  distance

$$power = \frac{work done}{time}$$

 $power = force \times speed$ 

$$KE = \frac{1}{2}mv^2$$

 $momentum = mass \times velocity$ 

$$force = \frac{change in momentum}{time}$$

$$GPE = mgh$$

$$resistance = \frac{voltage}{current}$$

$$v = u + at$$

$$v^2 = u^2 + 2as$$

$$s = ut + \frac{1}{2}at^2$$

$$m_1u_1 + m_2u_2 = (m_1 + m_2)v$$

refractive index = 
$$\frac{\text{speed of light in vacuum}}{\text{speed of light in medium}}$$

$$magnification = \frac{image\ size}{object\ size}$$

$$I_e = I_b + I_c$$

power loss = 
$$(current)^2 \times resistance$$

$$V_p I_p = V_s I_s$$

# Answer **all** the questions.

# **SECTION A – Module B6**

1	Insulin is	s a hormone.				
	It can be	e made in factories and u	ısed to treat ı	people who	have diabetes.	
	Boxes A	, <b>B</b> , <b>C</b> and <b>D</b> show some	steps in the	production	of insulin.	
	They are	e in the wrong order.				
		<b>A</b> eria are grown in large nks full of nutrients.			<b>B</b> The gene is taken from human cells.	
	Tł	C ne gene is put into bacteria.			<b>D</b> Bacteria use the gene to make insulin.	
	(a) (i)	Write down the correct		steps in the	process.	
		One has been done for	you.	Α		
						[2]
	(ii)	What is the name of th	s process?			
		Put a tick (✓) in the box	next to the	correct answ	ver.	
		DNA fingerprinting				
		fermenting				


genetic engineering

pasteurising

© OCR 2014 Turn over

[1]

**(b)** Some friends are talking about the process.



Three friends are making statements which are based on scientific facts.

One friend is giving an opinion.

Which friend is giving an opinion?

.....[1]

[Total: 4]

_	A			
7	Antibiotice are	druge that a	ra usad ta kill	microorganisms.
_	Allubiolics ale	uruus iriai a	IE USEU IO NIII	millorooruanisms.

They are used to treat some diseases.

(a)	Which two	of these	diseases	could be	successfully	treated with	n antibiotics?
-----	-----------	----------	----------	----------	--------------	--------------	----------------

Put ticks  $(\checkmark)$  in the boxes next to the **two** correct answers.

chickenpox	
cholera	
food poisoning	
influenza	

[1]


(b) Some bacteria are resistant to antibiotics.

What does this mean?

.....[1]

**(c)** The graph shows data about the use of one antibiotic in different countries.

It shows the percentage of bacteria that have developed resistance to the antibiotic.



Write about the	pattern s	hown in 1	the graph.
-----------------	-----------	-----------	------------

[Total: 3]

**Turn over** 

3 This article appeared in a recent newspaper.

# Worry over school in America

There has been concern recently about a school in America.

The school was built on top of an old rubbish dump.

The dump contained rubbish such as dead plants and animal waste.

Now gases from the dump have been detected in the school buildings.

Scientists say that the school is safe at the moment but they are monitoring the gases.

Some people are concerned about the gases detected in the school.
Write about how these gases may have been made and why some people are concerned.
[2]
[3]
[Total: 3]

# 7 BLANK PAGE

Question 4 begins on page 8

PLEASE DO NOT WRITE ON THIS PAGE

4 Tim has grown some peaches in his garden.

He gets peach juice from his peaches.

Tim knows that wine is usually made from grapes but he wants to make some wine using the peach juice.


This is possible because his peach juice contains sugar.

	[2]
(a)	Explain why sugar is needed for making wine.
<b>/</b> _\	Explain why average is precided for modeling wine

(b) Tim wants to find out how much sugar is in his peach juice.

He uses a device called a hydrometer.

The hydrometer floats in a sample of the juice.



Tim can read from the scale the level of the hydrometer in the juice.

He can use this reading to find out about the juice and the wine he can make.

Look at the table.

# It shows:

- the sugar content of the juice before making wine
- the maximum alcohol content of wine this juice can make.

Reading from hydrometer	Sugar content of juice in grams per litre	Maximum % alcohol content in the wine
1.07	183	9.2
1.08	208	10.6
1.09	240	12.0
1.10	265	13.4
1.11	290	14.9
1.12	315	16.3
1.13	340	17.7

	What does the hydrometer reading shown in the diagram tell Tim about his juice and wine?
	[2]
(c)	Tim makes his wine and waits until it stops fermenting.
	He wants to know if all the sugar from the juice has turned to alcohol.
	This means the maximum alcohol content has been reached.
	He uses the hydrometer this time to test his wine.
	The hydrometer reading this time is <b>1.02</b> .
	The actual alcohol content can be worked out using this formula:
	actual % alcohol = (hydrometer reading of juice – hydrometer reading of wine) $\times$ 131
	Tim concludes that not all the sugar from the peach juice has turned to alcohol.
	Use a calculation to find out if Tim is correct.

	[Total: 8]
	[2]
	Explain how wine can be changed to make a spirit.
(d)	Spirits can <b>not</b> be made by just using fermentation.


A factory uses sugar to make sweets.					
The factory buys sucrose but turns it into other sugar	rs to make the sweets.				
(a) Why does the factory use other sugars and not	sucrose in the sweets?				
Put a tick (✓) in the box next to the correct reason.					
The other sugars do not dissolve in water.					
The other sugars taste sweeter.					
The other sugars are different colours.					
The other sugars contain gel.	[1]				

**(b)** The factory owners use an enzyme to turn sucrose into other sugars.

The enzyme can be used in a liquid or it can be immobilised.

Look at the graph.

It shows how temperature affects the breakdown of sucrose using each type of enzyme.



The factory owners want to:

- make lots of sugar that is as pure as possible
- use as little energy as possible to heat the reaction.

Write about how enzymes can be immobilised.

Discuss the advantages and disadvantages to the factory owners of using the **immobilised** enzyme.

The quality of written communication will be assessed in your answer to this quest	
	[6]
[Total	al: 7]

# **SECTION B – Module C6**

**6** This question is about ethanol.

Look at the displayed formula for ethanol.

Ethanol is <b>not</b> a hydrocarbon.
Explain why.
[1]
Ethanol is used to make alcoholic drinks.
Write down two <b>other</b> uses of ethanol.
1

2 ......

[Total: 3]

[2]

7	This	s questior	n is about electrolysis.			
	Gin	a wants to	o electrolyse dilute sulfu	ric acid.		
	(a)	Draw a I	abelled diagram of the a	pparatus that Gina car	n use.	
		Label th	e anode and the cathode	e clearly.		
						[3]
	(b)	Gina's te	eacher electrolyses some	e molten salts.		
	()		e lead bromide, sodium o		odide.	
		-	te the table to show the s			node.
			s been done for you.			
				Cubatanaa		
			Molten electrolyte	Substance	anode	
			lead bromide	lead	bromine	
			sodium chloride			
			calcium iodide			
						[2]
	(c)	Solid lea	ad bromide cannot be el	ectrolysed but molten	lead bromide can be	e electrolysed.
		Explain	why.			


.....[2]


[Total: 7]

Turn over

8 This question is about CFCs.

Look at the displayed formulas of some compounds.





(a)	Which	compound	is	а	CF	C?
-----	-------	----------	----	---	----	----

Choose from A, B, C or D.

answer	[1]	I

(b) How many different elements are there in compound A?

answer	[1]
anowor	L • J

(c) Write down the molecular formula of compound A.

·	4.7
	71
I	
	4

(d) CFCs were used as refrigerants and in aerosols.

Write down two properties of CFCs.

......[2]

[Total: 5]

**9** Gill and Rob investigate the displacement reactions of four metals.

The metals are magnesium, zinc, copper and iron.

They dip the metals into solutions of metal salts and observe what happens.

Look at the table. It shows their results.

✓ = reaction

X =no reaction

Metal	Metal salt solution				
Metal	magnesium sulfate	zinc sulfate	copper sulfate	iron(II) sulfate	
magnesium	×	✓	✓	<b>✓</b>	
zinc	×	X	✓	✓	
copper	×	Х	×	×	
iron	×	Х	✓	×	

Write the four metals in order of their reactivity (most reactive first).

Use information in the table to explain how you reached this conclusion.

Write a word equation for the reaction between magnesium and copper sulfate solution.
The quality of written communication will be assessed in your answer to this question.

.....[6]

[Total: 6] Turn over

10	vegetable oils are important raw materials for the chemical industry.	
	Write down <b>two</b> uses for vegetable oils.	
	[2	<b>!]</b>
	[Total: 2	<u>?]</u>
11	In a fuel cell hydrogen, H <sub>2</sub> , reacts with oxygen, O <sub>2</sub> .	
	Water, H <sub>2</sub> O, is the only product made.	
	Write a <b>balanced symbol</b> equation for this reaction.	
	[2	<b>']</b>
	[Total: 2	<u>!]</u>

### **SECTION C - Module P6**

- 12 There are many different types of electronic components.
  - (a) Capacitors are electronic components.
    - (i) Draw the symbol for a capacitor.


(ii) What does a capacitor do?

.....[2]

(b) Diodes can also be used in circuits.

Look at the diagrams.

This diagram shows how an AC voltage changes with time.



Diodes can be used to change the AC voltage.

This diagram shows how the voltage is changed by an arrangement of four diodes.

voltage

Describe and name the process shown by these diagrams.


.....[2]

[Total: 5]

[1]

13 This question is about the voltage-current characteristics of two conductors.

Look at the voltage-current graphs.



Describe how the voltage varies with current for each conductor.

Use this to compare the resistances of  ${\bf A}$  and  ${\bf B}$  as the current changes and identify each conductor.

The quality of written communication will be assessed in your answer to this question.	
[6	o I

# 21 BLANK PAGE

Question 14 begins on page 22

PLEASE DO NOT WRITE ON THIS PAGE


- 14 Many electronic devices contain logic gates.
  - (a) Look at the truth table.

Input	Output
1	0
0	1

Write down the name of the logic gate that produces this truth table.

.....[1]

(b) Logic gates can be combined together.



(i) Which letters represent the input signals to the AND gate?

Choose from

A and B	A and C	B and C	C and D	C and E	
answer					[1]
Complete the se	ntence.				

(ii)

The three letters that represent output signals from the gates are

..... and ..... and ..... [1]

(iii) Here is part of the truth table for the combination of gates shown.

Α	В	С	D	E	F
0	0	0	0	0	0
0	0	1	0	0	0
0	1	1			
1	1	1			


Complete the truth table.

[2]

(c) A light-emitting diode (LED) is connected to the output from a logic gate on a microchip.




The LED is removed and a bulb is connected to the same output from the logic gate.



(i)	Explain why the bulb does <b>not</b> light up.
	[1]
(ii)	The output from the logic gate is used to light a bulb in a separate circuit.
	What component is needed between the output of the logic gate and the separate circuit to make the bulb work?
	Choose from
	capacitor LDR relay
	[1]
	[Total: 7]


- **15** Louise wants to find out how resistors and potential dividers work.
  - (a) She connects a circuit with two resistors in series. Louise keeps R1 the same but changes R2.



Complete the table and use it to describe the relationship between R1, R2 and the total resistance,  $R_T$ .

R1 in $\Omega$	R2 in $\Omega$	$R_{T}$ in $\Omega$
3.6	3.2	6.8
3.6		6.6
3.6	3.6	

(b) Louise connects a circuit for a potential divider.



	[2]
Write down the name of component <b>R4</b> and describe how it changes the output voltage.	

(c) Louise changes R4 for a light dependent resistor (LDR).

The resistance of an LDR changes as the light level changes.

Look at the information for one type of LDR.

Light level in lux	Resistance in $\mathbf{M}\Omega$
100	10.0
200	5.0
800	1.0
900	0.5
1000	0.4

Write about how thigh light levels.	the resistance changes with light levels, and why this LDR is less useful	at
	[	31
	······································	~]

[Total: 7]

### **SECTION D**

- 16 Some bacteria and fungi make useful products and some make harmful products.
  - (a) One useful product is yoghurt.


Yoghurt is made by adding bacteria to milk.

The bacteria change the sugar in milk into lactic acid.

Bacteria A, B and C can all be used to make yoghurt from milk.

Look at the graph.

It shows how bacteria A, B and C change the pH of milk.



(i) What is the pH of milk before bacteria are added?

pH = ......[1]

(ii) Adding bacteria changes the pH of the milk over time.

Look at the graph.

Describe the change in the pH of the milk after bacteria **B** is added.

.....

mical called aflatoxin.  inated animal food.  owly builds up in its tissues.  e milk of cows after eating contaminated food.  mal.  ration of aflatoxin allowed in animal food.  i the animal lograms  Aflatoxin allowed in animal food in parts per billion  120  200
inated animal food.  well builds up in its tissues.  e milk of cows after eating contaminated food.  mal.  ration of aflatoxin allowed in animal food.  the animal lograms  Aflatoxin allowed in animal food in parts per billion
mical called aflatoxin.  inated animal food.  owly builds up in its tissues.  e milk of cows after eating contaminated food.  mal.  ration of aflatoxin allowed in animal food.  i the animal lograms  Aflatoxin allowed in animal food in parts per billion
inated animal food.  well builds up in its tissues.  e milk of cows after eating contaminated food.  mal.  ration of aflatoxin allowed in animal food.  the animal lograms  Aflatoxin allowed in animal food in parts per billion
e milk of cows after eating contaminated food.  mal.  ration of aflatoxin allowed in animal food.  f the animal lograms  Aflatoxin allowed in animal food in parts per billion
e milk of cows after eating contaminated food.  mal.  ration of aflatoxin allowed in animal food.  the animal lograms  Aflatoxin allowed in animal food in parts per billion
ration of aflatoxin allowed in animal food.  The animal Aflatoxin allowed in animal food in parts per billion
ration of aflatoxin allowed in animal food.  the animal Aflatoxin allowed in animal food in parts per billion
ration of aflatoxin allowed in animal food.  The animal Aflatoxin allowed in animal food in parts per billion
the animal Aflatoxin allowed in animal food in parts per billion
the animal Aflatoxin allowed in animal food in parts per billion
lograms in animal food in parts per billion
120 200
2 100
700 300
700 20
2 100

(c) When humans drink contaminated milk they take in aflatoxin.

The allowed concentration for aflatoxin in milk is **0.50** parts per billion (ppb).

Scientists think that adding bacteria A, B or C can make milk safer to drink.

Bacteria A, B and C were added to samples of milk that contained 1.00 ppb of aflatoxin.

After some time, the aflatoxin levels in the milk were measured.

The experiment was carried out 3 times with each type of bacteria.

The results are shown in the table.

	Concentration of aflatoxin in ppb				
Bacteria	First trial	Second trial	Third trial	Mean	
Α	<b>A</b> 0.45		0.55	0.45	
В	0.50	0.48	0.58		
С	0.49	0.56	0.51	0.52	

(i) Calculate the mean (average) concentration after treatment with bacteria **B**.

	answer ppb	[1]
(ii)	The results of this experiment are useful for farmers who want to sell the cows.	milk from their
	Explain why.	
		[2]
		[Total: 10]

# 29 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

# 30 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

# PLEASE DO NOT WRITE ON THIS PAGE



### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2014

# The Periodic Table of the Elements

<u> </u>						
0 <b>He</b> Hetium 2	20 <b>Ne</b> neon 10	40 Ar argon 18	84 <b>Kr</b> krypton 36	131 Xe xenon 54	[222] Rn radon 86	ot fully
7	19 F fluorine 9	35.5 Cl chlorine 17	80 Br bromine 35	127 I iodine 53	[210] At astatine 85	orted but no
9	16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84	ve been repo
.c	14 N nitrogen 7	31 P phosphorus	75 As arsenic 33	122 Sb antimony 51	209  Bi  bismuth  83	rs 112-116 hav authenticated
4	12 C carbon 6	28 Si siticon	73 <b>Ge</b> germanium 32	119 <b>Sn</b> tin 50	207 <b>Pb</b> tead 82	Elements with atomic numbers 112-116 have been reported but not fully authenticated
m	11 <b>B</b> boron 5	27 A1 aluminium	70 <b>Ga</b> gallium 31	115 In indium 49	204 Tt thallium 81	nts with ato
			65 <b>Zn</b> zinc 30	112 Cd cadmium 48	201 <b>Hg</b> mercury 80	Eleme
			63.5 Cu copper 29	108 <b>Ag</b> silver 47	197 <b>Au</b> gold 79	Rg roentgenium 111
			59 <b>Ni</b> nicket 28	106 Pd palladium 46	195 Pt platinum 78	[271] Ds darmstadtium 110
			59 Co cobalt 27	103 <b>Rh</b> rhodium 45	192 <b>Ir</b> iridium 77	[268] Mt meitnerium 109
T hydrogen			56 <b>Fe</b> iron 26	101 Ru ruthenium 44	190 <b>Os</b> osmium 76	[277] Hs hassium 108
			55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] <b>Bh</b> bohrium 107
	mass ool number		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	Sg seaborgium 106
Key	ve atomic omic symb name (proton) r		51 V vanadium 23	93 <b>Nb</b> niobium 41	181 Ta tantalum 73	[262] <b>Db</b> dubnium 105
	relati <b>atc</b> atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72	[261] Rf nutherfordium 104
			45 Sc scandium 21	89 <b>Y</b> yttrium 39	139 La* lanthanum 57	[227] Ac* actinium 89
2	9 <b>Be</b> berytlium 4	24 Mg magnesium 12	40 <b>Ca</b> calcium 20	Sr strontium 38	137 <b>Ba</b> barium 56	[226] Ra radium 88
<del>-</del>	7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87
		23 24 Na Mg sodium magnesium 11 12	40         45         48         51         52         55         56         59         59           Ca         Sc         Ti         V         Cr         Mn         Fe         Co         Ni           calcum         scandum         titanium         vanadum         chromium         manganese         iron         cobat         nickel           20         21         22         23         24         25         26         27         28	88         89         91         93         96         [98]         101         103         106           Sr         Y         Zr         Nb         Mo         Tc         Ru         Rh         Pd           strontum         yttrium         zirconlum         niobium         rechnetium         ruchemium         rhodium         palladium           38         39         40         41         42         43         44         45         46	137         139         178         181         184         186         190         192         195           Ba         La*         Hf         Ta         W         Re         Os         Ir         Pt           barrum         lanthanum         hafnlum         tantalum         tungsten         rhentum         osmium         iridium         platinum           56         57         72         73         74         75         76         77         78	[226]         [227]         [261]         [262]         [265]         [264]         [277]         [268]         [271]           Ra         Ac*         Rf         Db         Sg         Bh         Hs         Mt         Ds           radium         actinium         uutherfordium         dubmium         seaborgium         bohrlum         hassium         methnerium         damstaadtum

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.