

**GENERAL CERTIFICATE OF SECONDARY EDUCATION  
MATHEMATICS C (GRADUATED ASSESSMENT)  
MODULE M10 – SECTION B**

**B280B**



Candidates answer on the Question Paper

**OCR Supplied Materials:**

None

**Other Materials Required:**

- Geometrical instruments
- Tracing paper (optional)
- Scientific or graphical calculator

**Monday 8 March 2010**

**Morning**

**Duration: 30 minutes**



Candidate  
Forename

Candidate  
Surname

Centre Number

Candidate Number

**INSTRUCTIONS TO CANDIDATES**


- Write your name clearly in capital letters, your Centre Number and Candidate Number in the boxes above.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Show your working. Marks may be given for a correct method even if the answer is incorrect.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Write your answer to each question in the space provided, however additional paper may be used if necessary.

**INFORMATION FOR CANDIDATES**


- The number of marks is given in brackets [ ] at the end of each question or part question.
- Section B starts with question 7.
- You are expected to use a calculator in Section B of this paper.
- Use the  $\pi$  button on your calculator or take  $\pi$  to be 3.142 unless the question says otherwise.
- The total number of marks for this Section is **25**.
- This document consists of **8** pages. Any blank pages are indicated.

## Formulae Sheet

**Area of trapezium** =  $\frac{1}{2}(a + b)h$



**Volume of prism** = (area of cross-section)  $\times$  length




In any triangle  $ABC$

**Sine rule**     $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$


**Cosine rule**    $a^2 = b^2 + c^2 - 2bc \cos A$

**Area of triangle** =  $\frac{1}{2}ab \sin C$




**Volume of sphere** =  $\frac{4}{3}\pi r^3$

**Surface area of sphere** =  $4\pi r^2$



**Volume of cone** =  $\frac{1}{3}\pi r^2 h$

**Curved surface area of cone** =  $\pi r l$



### The Quadratic Equation

The solutions of  $ax^2 + bx + c = 0$ , where  $a \neq 0$ , are given by

$$x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$$

**PLEASE DO NOT WRITE ON THIS PAGE**

- 7 In 1961 the world population was 3·1 billion, correct to 2 significant figures.  
For the next 10 years, the population increased by approximately 2% per year.

Work out an estimate of the population of the world in 1971.

Write your answer in billions correct to 2 significant figures.

Show your method clearly.

.....billion [2]


- 8 The expression  $x^2 - 6x + 14$  can be written in the form  $(x - a)^2 + b$ .

(a) Find the values of  $a$  and  $b$ .

(a)  $a = \dots$   $b = \dots$  [3]

(b) Hence find the minimum value of  $x^2 - 6x + 14$ .

(b) ..... [1]

**9**

Calculate the length PR.

..... cm [3]

**10** Solve.


$$3x^2 - 8x + 2 = 0$$

Give your answers correct to 2 decimal places.

..... [3]

- 11 Jodi has a set of 13 cards. There are 3 picture cards and 10 number cards.  
 Jodi picks out one card at random and keeps it.  
 She then picks another card at random.

(a) Complete the tree diagram to show the probabilities.



[2]

(b) Work out the probability that **at least one** of Jodi's two cards is a picture card.


(b) ..... [3]

- 12 This table shows the percentage of students who gained level 5 or higher in Mathematics in each of the last few years at Lord's Hill School.

Year	2001	2002	2003	2004	2005	2006	2007
Percentage of students	55	58	67	64	70	73	79

These results are plotted on the graph below.

The graph also shows the 3-year moving averages of these percentages.



- (a) One of the moving averages has been plotted at M.

Show how this moving average has been calculated.

.....

.....

[1]


- (b) The percentage of students for 2008 has been omitted.

Use the graph to help you calculate the percentage of students for 2008.  
Show your method clearly.


(b) .....% [3]

**TURN OVER FOR QUESTION 13**

- 13 This diagram shows a sector of a circle, centre O.  
The radius of the circle is 8 cm and reflex angle AOB is  $250^\circ$ .



A cone is made from this sector by joining OA and OB.



Calculate  $r$ , the radius of the base of the cone.

..... cm [4]

#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.