

Candidate forename						Candidate surname					
Centre number						Candidate number					

OXFORD CAMBRIDGE AND RSA EXAMINATIONS
GENERAL CERTIFICATE OF SECONDARY EDUCATION

B279B

MATHEMATICS C
(GRADUATED ASSESSMENT)

MODULE M9 – SECTION B

TUESDAY 1 MARCH 2011: Morning

DURATION: 30 minutes

SUITABLE FOR VISUALLY IMPAIRED CANDIDATES

Candidates answer on the question paper.

OCR SUPPLIED MATERIALS:

None

OTHER MATERIALS REQUIRED:

Geometrical instruments

Tracing paper (optional)

Scientific or graphical calculator

READ INSTRUCTIONS OVERLEAF

INSTRUCTIONS TO CANDIDATES


- Write your name, centre number and candidate number in the boxes on the first page. Please write clearly and in capital letters.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Show your working. Marks may be given for a correct method even if the answer is incorrect.
- Answer ALL the questions.

INFORMATION FOR CANDIDATES


- The number of marks is given in brackets [] at the end of each question or part question.
- Section B starts with question 7.
- You are expected to use a calculator in Section B of this paper.
- Use the π button on your calculator or take π to be 3.142 unless the question says otherwise.
- The total number of marks for this Section is 25.

FORMULAE SHEET

Area of trapezium $= \frac{1}{2} (a + b)h$



Volume of prism $= (\text{area of cross-section}) \times \text{length}$




In any triangle ABC

Sine rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$


Cosine rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle $= \frac{1}{2} ab \sin C$




Volume of sphere $= \frac{4}{3}\pi r^3$

Surface area of sphere $= 4\pi r^2$



Volume of cone $= \frac{1}{3}\pi r^2 h$

Curved surface area of cone $= \pi r l$



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$, where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

- 7 The momentum, I , of a moving object is given by this formula.

$$I = m \times v$$

- I is the momentum in Newton seconds
- m is the mass in kilograms
- v is the velocity in metres per second

An object has a mass of 8.6 kg and a velocity of 12.8 metres per second.


Both measurements are given correct to one decimal place.

Calculate the LOWER BOUND of the momentum of the object. [2 marks]

_____ Newton seconds

BLANK PAGE

8 Use the diagram below to answer the questions that follow.




(a) Calculate the length AB. [3 marks]

(a) _____

(b) The equation of the line AC is $y = 6 - 2x$.

**Show that the line AB is perpendicular to line AC.
[3 marks]**

- 9 Use the diagram below to answer the questions that follow.**



B, D and E are points on a circle.

EDC is a straight line.

ABC is the tangent to the circle at B.

Angle ABE = 80° and angle CBD = 42° .

Find angle BCD.

Give a reason for each step of your answer. [4 marks]

10 The headteacher of a school wants to set up an after-school club for Year 7 students.

He wants to find out whether the way they travel to school will affect their decision to attend.

This table shows how all the students from Year 7 travel to school.

<u>Walk</u>	<u>Bus</u>	<u>Car</u>
68	119	13

He decides to sample the views of 40 students from Year 7 by taking a representative stratified sample.

How many of the students who travel to school by bus should be in the sample? [2 marks]

11 The table shows the values of two variables x and y .


x	1.2	2	2.8
y	3.6	10	19.6

**(a) Show that y is directly proportional to the square of x .
[3 marks]**

(b) Calculate y when $x = 2.4$. [1 mark]

(b) _____


- 12** The two quadrilaterals, ABCD and PQRS, are similar.
The area of ABCD is 97.5 cm^2 .



Calculate the area of PQRS. [3 marks]

_____ cm^2

13 OABCD is a rectangular based pyramid.



**The vertex O is vertically above P, the centre of the base.
 $AB = 15\text{ cm}$, $BC = 12\text{ cm}$, $OP = 18\text{ cm}$.**

**Show that $\text{angle OCP} = 61.9^\circ$, correct to one decimal place.
[4 marks]**

BLANK PAGE

BLANK PAGE

BLANK PAGE

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.