Centre No.						Paper	Referen	ice (cor	nplete	below)	Surname		Initial(s)
Candidate No.									/		Signature		
		15	r Reference(/5H	1		0/31		_			Exami	ner's use only

Edexcel GCSE

Science: Double Award A [1522]

Paper 5H

Chemistry A [1530]

Paper 3H

Higher Tier

Wednesday 13 June 2007 - Morning

Time: 1 hour 30 minutes

Materials required for examination	Items included with question paper
Calculator	Nil

Instructions to Candidates

In the boxes above, write your centre number, candidate number, the paper reference, your surname, initial(s) and signature.

The paper reference is shown above. If more than one paper reference is shown, you should write the one for which you have been entered.

Answer **ALL** questions in the spaces provided in this book.

Show all stages in any calculations and state the units. Calculators may be used.

Include diagrams in your answers where these are helpful.

Information for Candidates

The marks for the various parts of questions are shown in round brackets: e.g. (2). This paper has eight questions. There are no blank pages.

Advice to Candidates



This symbol shows where the quality of your written answer will also be assessed.

his publication may be reproduced only in accordance with dexcel Limited copyright policy. v2007 Edexcel Limited.

N25788A W850/R1522/57570 5/6/6/2/18,000



Turn over



Team Leader's use only

Question Number

1

2

3

4

5

6

7

8

Total

•	Helium	Neon 10		 	-	Radon 86			
7		19 Fluorine	35.5 CI Chlorine		127 I lodine				
9		Oxygen 8	32 Sulphur	Selenium	Te Tellurium	Polonium 84			
w		Nitrogen 7	31 Phosphorus	AS Arsenic	Sb Antimony	Bismuth			
4		12 Carbon	$rac{28}{ ext{Silicon}}$	Germanium	Sn Tin	Pb Lead			
ю		Boron 5	27 A1 Aluminium	Gallium	Indium	TI Thallium			
						Hg Mercury			
				63.5 Cu Copper	Ag Silver	Au Gold			
Group				Nickel	Pd Palladium	Platinum 78			
						I 192 I ridium		ſ _α	
Group	1 H Hydrogen 1				Ruthenium			Key Relative atomic mass	Symbol Name Atomic number
ij.	H H			55 Mn danganese	Technetium	Rhenium		Relative	S. Atom
				Ę	96 Mo	184 W Tungsten			
				S1 Vanadium C	Nobium M	Ta Tantalum			
				E	1 5	Hf Hafmium 72			
				Ε		La	Actinium		
7		$\mathop{Be}_{\text{Beryllium}}^9$	$\stackrel{24}{Mg}_{Magnesium}$	$\frac{40}{\text{Calcium}}$			Radium A		
1		$\begin{array}{c c} 7 & & \\ \hline Li & & \\ 13 & & \\ \end{array}$. =	. ∈	E	Е	Francium F		
	Period 1	2	€.	4	v,	<u> </u>	7		

Leave	
blank	

. /		ne soluti		dium chloride solutio	on produces two ga	ses and an
	(i) N	Name the	green gas produce	ed at the positively ch	arged electrode.	
	••					(1)
	(ii) N	Name the	colourless gas pro	oduced.		
						(1)
	(iii) N	Name the	alkaline solution	formed.		
						(1)
(b)	Brom	ine com	pounds are often fo	ound in sea water.		(1)
(b)	Brom	ine has t	two different atoms	s, A and B . The num		
(b)	Brom	ine has t	two different atoms			
(b)	Brom	ine has t	two different atoms	s, A and B . The num		
(b)	Brom	ine has t	two different atoms a	s, A and B . The num re shown in the table.		
(b)	Brom	ine has t	two different atoms a electrons	s, A and B . The num re shown in the table.	protons	
(b)	Brom	A B	electrons 35 35	s, A and B . The numre shown in the table. neutrons 44	protons 35 35	eutrons and
(b)	Brom	A B	electrons 35 35	neutrons 44 46	protons 35 35	eutrons and

(i)	Write a balanced equation for this	reaction, including state symbols.
		(3
(ii)	The diagram shows the electrons bromine atom.	in the outer shells of a sodium atom and
	sodium atom	bromine atom
	Na Na Draw an arrow to show the movem	Br ent of an electron when a sodium atom react
	with a bromine atom.	(1
(iii)	What name is given to atoms that h	· ·
(iv)	What type of bond is formed between	(1) een sodium and bromine in sodium bromide?
		(1

(4)	Describe how sedimentary rocks may be formed on the sea bed.	Leave
6		
	(4)	Q1
	(Total 15 marks)	
	TURN OVER FOR QUESTION 2	

2. Read the following news item that appeared in June 2004.

Leave blank

Wales is likely to become the first country in the world to mass-produce a new fuel called hithane. Hithane is a mixture of hydrogen and methane. Burning hithane instead of petrol would produce a third less carbon dioxide. Under the Kyoto treaty on reducing greenhouse gases, European governments have agreed to reduce carbon dioxide emissions.

- (a) When hydrogen burns, it reacts with oxygen in the air to produce water.
 - (i) Balance the equation and fill in the missing state symbols.

 $H_2(g) + O_2() \rightarrow H_2O()$ (2)

(ii) Give the name of the type of bonding between hydrogen and oxygen atoms in a water molecule.

(iii) Draw a dot and cross diagram of a water molecule, showing only the outer

electrons.

(2)

- (b) Methane, CH₄, is a hydrocarbon.
 - (i) What is meant by the term **hydrocarbon**?

(2)

(ii) Name a natural source of methane.

(1)

1	Evaluin the dangers of earlier moneyide in englased spaces
	Explain the dangers of carbon monoxide in enclosed spaces.
	(3)
	Suggest why the use of hithane instead of petrol would reduce carbon dioxide emissions.
	emissions.
	emissions.

- **3.** When a piece of heated potassium is put into a gas jar of chlorine, potassium chloride is formed.
 - (a) Complete the table to show the relative mass, relative charge and position in an atom of an electron, a neutron and a proton.

particle	relative mass	relative charge	position in the atom
electron	negligible	-1	orbiting the nucleus
neutron		0	in the nucleus
proton	1		

(3)

(3)

(b) A potassium atom has an atomic number of 19 and a mass number of 39. Write down the number of each type of particle in this atom of potassium. number of electrons number of neutrons number of protons (c) Give the electronic structure for an atom of potassium. **(2)** (d) Chlorine has seven electrons in its outer shell. What information does this give about its position in the periodic table? **(1)**

	(2)
f)	Bromine is below chlorine in the halogen group.
	Describe how the electronic structures of chlorine and bromine atoms are similar.
	(2)
	(Total 13 marks)
	(Total 13 marks)




a)	Bro	mine is extracted by bubbling chlorine gas through sea water.
u)		
	(i)	Explain why chlorine is used.
		(2
	(;;)	·
	(11)	Write the balanced equation for the reaction between chlorine and sodium bromide solution.
		(3
))	Des	cribe how bromine water is used to distinguish between saturated and unsaturated
,		error now oromine water is used to distinguish between subtracted and distinguished
	nya	rocarbons.
	nya	rocarbons.
		rocarbons.
e)		
:)		mine can be converted into hydrogen bromide solution.
;)	 	(3
;)	 	mine can be converted into hydrogen bromide solution.
;)	 Bro	mine can be converted into hydrogen bromide solution. Suggest a pH value for hydrogen bromide solution. (1
;)	 Bro	mine can be converted into hydrogen bromide solution. Suggest a pH value for hydrogen bromide solution.
;)	 Bro	mine can be converted into hydrogen bromide solution. Suggest a pH value for hydrogen bromide solution. (1



()	
(a)	Draw the structural formula of a molecule of ethene, showing all covalent bonds.
(I-)	This walk was visation and he considered at a term and the of the of 90 90.
(D)	This polymerisation can be carried out at a temperature of about 80 °C.
	Explain, in terms of particles, why the reaction is faster at 80 °C than it is at room temperature.
	(3)
(c)	What is the empirical formula of poly(ethene)?
	(1)

(d) Part of the structure of a polymer is shown below.

Leave blank



In the box, draw the structure of the monomer molecule from which this polymer is made.

Q6

(2)

(Total 8 marks)

TURN OVER FOR QUESTION 7

fori	vgen was released into the early atmosphere when plants evolved. Some of this oxygen ned the gas ozone, O_3 . Ozone protects the Earth from ultraviolet radiation (which can se fatal cancers in animals).
(a)	When oxygen forms ozone, an equilibrium is established.
	Write the balanced equation for this reaction.
	(3)
(b)	Suggest reasons, using the information above, why the evolution of animals could not have happened until after plants evolved.
	(3)
(c)	When magnesium reacts with oxygen, it forms magnesium oxide. This reaction involves both oxidation and reduction.
(c)	When magnesium reacts with oxygen, it forms magnesium oxide. This reaction
(c)	When magnesium reacts with oxygen, it forms magnesium oxide. This reaction involves both oxidation and reduction.
(c)	When magnesium reacts with oxygen, it forms magnesium oxide. This reaction involves both oxidation and reduction.
(c)	When magnesium reacts with oxygen, it forms magnesium oxide. This reaction involves both oxidation and reduction.
(c)	When magnesium reacts with oxygen, it forms magnesium oxide. This reaction involves both oxidation and reduction.
(c)	When magnesium reacts with oxygen, it forms magnesium oxide. This reaction involves both oxidation and reduction.
(c)	When magnesium reacts with oxygen, it forms magnesium oxide. This reaction involves both oxidation and reduction.
(c)	When magnesium reacts with oxygen, it forms magnesium oxide. This reaction involves both oxidation and reduction.

Oxygen is formed when lithium nitrate is heated. Calculate the mass of oxygen that is formed by the complete decomposition of 10 g of lithium nitrate. $2LiNO_3 \rightarrow 2LiNO_2 + O_2$	 d) Oxygen is formed when lithium nitrate is heated. Calculate the mass of oxygen that is formed by the complete decomposition of 10 g of lithium nitrate. 2LiNO₃ → 2LiNO₂ + O₂ (Relative atomic masses: Li = 7.0; N = 14; O = 16) 	blar
of lithium nitrate. $2LiNO_3 \rightarrow 2LiNO_2 + O_2$	of lithium nitrate. $2LiNO_3 \rightarrow 2LiNO_2 + O_2$	
Relative atomic masses: Li = 7.0; N = 14; O = 16)	(Relative atomic masses: $Li = 7.0$; $N = 14$; $O = 16$)	
answer = g (3)		Q
(Total 12 marks)		

	minium is produced by the electrolysis of molten aluminium oxide.
(a)	Iron could be produced by electrolysis.
	Why is iron produced by reduction with carbon monoxide instead of by electrolysis?
(b)	Suggest why aluminium cannot be produced by reacting aluminium oxide with carbon monoxide.
()	(2)
(c)	Complete the equations showing the reactions at the electrodes in aluminium extraction.
	at the cathode: $Al^{3+} + $
	at the anode: O^{2-} \rightarrow $+$
(d)	(4) 100 g of an oxide of iron is found to contain 70 g iron.
(d)	
(u)	
(u)	Calculate the empirical formula of this oxide.
(u)	
(u)	Calculate the empirical formula of this oxide.
(u)	Calculate the empirical formula of this oxide.
(u)	Calculate the empirical formula of this oxide.
(u)	Calculate the empirical formula of this oxide.
(u)	Calculate the empirical formula of this oxide.
(u)	Calculate the empirical formula of this oxide.