Surname	Centre Number	Candidate Number
Other Names		0



### **GCSE**

4472/01

### ADDITIONAL SCIENCE/CHEMISTRY

# CHEMISTRY 2 FOUNDATION TIER

A.M. THURSDAY, 15 May 2014

1 hour

## Suitable for Modified Language Candidates

For Examiner's use only				
Question	Maximum Mark	Mark Awarded		
1.	3			
2.	4			
3.	7			
4.	5			
5.	10			
6.	7			
7.	5			
8.	6			
9.	7			
10.	6			
Total	60			

### **ADDITIONAL MATERIALS**

In addition to this paper you will need a calculator and a ruler.

### **INSTRUCTIONS TO CANDIDATES**

Use black ink or black ball-point pen.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all questions.

Write your answers in the spaces provided in this booklet.

### INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

You are reminded of the necessity for good English and orderly presentation in your answers.


Assessment will take into account the quality of written communication (QWC) used in your answer to question **10**.

The Periodic Table is printed on the back cover of the examination paper and the formulae for some common ions on the inside of the back cover.

3

### Answer all questions.

1. The diagrams below show three methods, **A**, **B** and **C**, used to separate mixtures.



(a) The names of the separation methods and some of the pieces of apparatus used are given in the box below.


beaker	distillation	chromatography
condenser	filter funnel	filtration


Choose the answers to parts (i) and (ii) from the box.


(i)	Name apparatus <b>X</b> .	[1]
(ii)	Give the name of method <b>B</b> .	[1]
Give	the <b>letter</b> of the method you would use to separate ethanol from water.	[1]


© WJEC CBAC Ltd. (4472-01)

(b)









D

(a) Give the letter of the structure which represents diamond.

[1]

4472 010003

.....

(b) Name an element that has the structure **D**.

[1]

.....

(c) Give the letter of a structure which is able to conduct electricity.

[1]

.....

(d) Give the letter of the structure that represents sodium chloride.

[1]

.....


ָני.


4


Turn over.


3. (a) The following diagrams represent atoms of 5 different elements, A, B, C, D and E.A, B, C, D and E are not chemical symbols.











- (i) Give the electronic structure of **E**. [1]
- (ii) Which letter represents aluminium? [1]
- (iii) Give the letters of the **two** elements which are found in the same group of the Periodic Table. Give a reason for your choice. [2]

Calculate the relative formula mass  $(M_r)$  of sodium hydroxide, NaOH. (b)

[1]

$$A_{r}(Na) = 23$$
  $A_{r}(O) = 16$   $A_{r}(H) = 1$ 

$$A_{\rm r}({\rm O}) = 16$$

$$A_{\rm r}({\rm H}) = 1$$

Relative formula mass = .....


Using your answer to part (i), calculate the percentage by mass of oxygen in sodium hydroxide, NaOH.

Percentage by mass of oxygen = ..... %

**4.** (a) (i) Ammonia, NH<sub>3</sub>, is a compound that contains the elements nitrogen and hydrogen. The electronic structure for each element is given below.

N 2,5 H 1


State which of the following dot and cross diagrams, **A**, **B** or **C**, represents the bonding in a molecule of ammonia.



(ii) Give the **name** of the substance represented by the following dot and cross diagram.



(b) The dot and cross diagram for a molecule of ethane is given below:




- (i) State the total number of atoms in a molecule of ethane. [1]
- (ii) State the number of bonds that can be formed by a carbon atom. [1]
- (iii) Give the molecular formula for ethane. [1]

# **BLANK PAGE**

© WJEC CBAC Ltd. (4472-01) Turn over.

5. (a) Zinc reacts with dilute hydrochloric acid to produce hydrogen gas.

The diagram below shows apparatus that can be used to investigate the rate of the reaction between zinc and hydrochloric acid. A small amount of copper sulfate is added because it acts as a catalyst for the reaction.




A few pieces of zinc were placed in excess dilute hydrochloric acid. The volume of hydrogen produced was recorded every 10 seconds. The experiment was carried out at room temperature. The results obtained are shown below.

Time (s)	0	10	20	30	40	50	60	70
Volume of hydrogen (cm <sup>3</sup> )	0	8	33	40	45	48	49	49

(1)	is lower than expected		aitei 10 Si	[1]

(ii) Plot **all** the results from the table on the grid below and draw a suitable line. [3]





- Use your graph to give the volume of hydrogen expected after 10 seconds. (iii) [1]
- How does the graph show that the reaction has stopped? (iv) [1]

..... cm<sup>3</sup>

	(v)	Choose statements from the box below to complete the following sentences.					
		less time	more time	the same time			
		Each statement ma	y be used once, m	ore than once or not at al	I. [2]		
		Using zinc <b>powder</b> in	nstead of the larger	pieces of zinc the reaction t	akes		
		When the experimen takes	t is repeated withou	t the copper sulfate catalys	the reaction		
(b)	A che	emical reaction takes t	wice as long if the	emperature is decreased by	y 10°C.		
	At 30	)°C, milk undergoes a	chemical reaction t	hat makes it go sour in 1 da	y.		
	Calc	ulate how long it will ta	ke milk to go sour a	at 10 °C.	[2]		

# **BLANK PAGE**

© WJEC CBAC Ltd. (4472-01) Turn over.

[1]

**6.** (a) Draw a line to link each type of substance to the property that best describes it.

Type of substance

shape memory polymer

does not change when heated


thermoplastic

regains original shape when heated

thermoset

softens when heated


(b) The structural formulae of four organic compounds are shown below.



H H C = C | H H

Α

В



D

- (i) Give the chemical name of compound **B**.
- (ii) Give the letter of the compound that is **not** a hydrocarbon and give a reason for your answer. [2]

(iii) Give the letter of the compound that can undergo polymerisation and give a reason for your answer. [2]

(c) The molecular formula of propene is  $C_3H_6$ .

Draw the structural formula of propene.

[1]

[1]

7. (a) The following processes are used in the treatment of our water supply.

State the purpose of each process.  Sedimentation  Filtration  Chlorination  (b) Drinking water can be obtained by desalination.	
Filtration  Chlorination  (b) Drinking water can be obtained by desalination.	[3]
Chlorination  (b) Drinking water can be obtained by desalination.	
Chlorination  (b) Drinking water can be obtained by desalination.	••••••
(b) Drinking water can be obtained by desalination.	
(b) Drinking water can be obtained by desalination.	
State what is meant by desalination and name a process by which it can be carrie	d out. [2]

8. Potassium reacts vigorously with water.

(a) (i) Describe what you would **observe** when potassium reacts with water. [3]

(ii) During a class demonstration the potassium exploded. Suggest what might have caused this to happen. [1]

(b) Complete and balance the symbol equation for the reaction between potassium and water. [2]

2K + 2H<sub>2</sub>O + .....

9. The table below shows the amount of soap solution required by different samples of water to form a permanent lather. In each case  $25\,\mathrm{cm}^3$  of the water samples were used and the soap solution was added  $1\,\mathrm{cm}^3$  at a time.

	Volume of soap solution added (cm <sup>3</sup> )					
Sample	Test 1	Test 2	Test 3	Test 4	Mean	
distilled water	2	2	2	2	2	
Α	8	8	9	7	8	
В	11	18	12	13		
С	15	14	14	13	14	
A after boiling	8	7	9	8	8	
<b>B</b> after boiling	6	5	6	7	6	
C after boiling	2	2	2	2	2	

(a)	Two pupils, David and Haf, calculated the mean value for sample <b>B</b> . David calculated value of 13.5 and Haf calculated a value of 12. Show how both values were obtain State which is the better value to use and give a reason for your choice.	
(b)	State which of water samples <b>A</b> , <b>B</b> and <b>C</b> is the <b>least</b> hard.	[1]
(2)	State William of Water samples A, B and S to the reast hard.	ניו
	Water sample	
(c)	State which of water samples <b>A</b> , <b>B</b> and <b>C</b> contains <b>both</b> temporary and permar hardness. Give the reason for your answer.	nent [2]
	Water sample	
	Reason	
(d)	Name an ion which causes hardness in water.	[1]

7

10.	An atom	of element	E is r	epresented	as follows.
	/ III atom	OI CICITION		CPICOCITICA	ao ionowo.

35 17

State and explain what information this gives you about element <b>E</b> .
You may wish to refer to the key on the Periodic Table to help you answer this question. [6 QWC]

### **END OF PAPER**

# **BLANK PAGE**

### FORMULAE FOR SOME COMMON IONS

POSITIV	E IONS	NEGATIV	VE IONS
Name	Formula	Name	Formula
Aluminium	Al <sup>3+</sup>	Bromide	Br <sup>-</sup>
Ammonium	NH <sub>4</sub> <sup>+</sup>	Carbonate	CO <sub>3</sub> <sup>2-</sup>
Barium	Ba <sup>2+</sup>	Chloride	CI <sup>-</sup>
Calcium	Ca <sup>2+</sup>	Fluoride	F <sup>-</sup>
Copper(II)	Cu <sup>2+</sup>	Hydroxide	OH <sup>-</sup>
Hydrogen	H <sup>+</sup>	lodide	I <sup>-</sup>
Iron(II)	Fe <sup>2+</sup>	Nitrate	NO <sub>3</sub>
Iron(III)	Fe <sup>3+</sup>	Oxide	O <sup>2-</sup>
Lithium	Li <sup>+</sup>	Sulfate	SO <sub>4</sub> <sup>2-</sup>
Magnesium	Mg <sup>2+</sup>		
Nickel	Ni <sup>2+</sup>		
Potassium	K <sup>+</sup>		
Silver	$Ag^{+}$		
Sodium	Na <sup>+</sup>		
Zinc	Zn <sup>2+</sup>		

# PERIODIC TABLE OF ELEMENTS

_	7					Gro	roup					က	4	2	9	_	0
								Ţ									<sup>4</sup> <sub>2</sub> He
								Hydrogen			'						Helium
7 Li	<sup>9</sup> <sub>4</sub> Be						•					11 B	12 C	N 41 7	16 8	19 <b>円</b> 9	<sup>20</sup> Ne
Lithium	Beryllium											Boron	Carbon	Nitrogen	Oxygen	Fluorine	Neon
23 <b>Na</b>	24 Mg										•	27 AI	28 Si	31 <b>P</b>	32 <b>S</b>	35 CI	40 Ar
Sodium	Magnesium											Aluminium	Silicon	Phosphorus	Sulfur	Chlorine	Argon
39 <b>K</b>	40 Ca	45 SC	48 Ti	51 V 23	52 Cr	55 Mn	56 <b>Fe</b>	<sup>59</sup> Co	59 Ni	64 Cu	65 Zn 30 Zn	70 Ga	73 Ge 32 Ge	75 AS	<sup>79</sup> <sub>34</sub> Se	80 Br	84 Kr 36 Kr
Potassium	Calcium	Scandium	Titanium	Vanadium	Chromium	Manganese	Iron	Cobalt	Nickel	Copper	Zinc	Gallium	Germanium	Arsenic	Selenium	Bromine	Krypton
86 Rb	88 38 <b>S</b> r	89 ★	91 Zr 40	93 Nb	96 Mo	99 Tc	101 <b>Ru</b>	103 Rh	106 Pd 46 Pd	108 Ag	112 Cd	115 <b>In</b> 49 <b>In</b>	119 Sn 50 Sn	122 Sb	128 <b>Te</b>	127   53	<sup>131</sup> Xe <sub>54</sub> Xe
Rubidium	Strontium	Yttrium	Zirconium	Niobium	Molybdenum	Technetium	Ruthenium	Rhodium	Palladium	Silver	Cadmium	Indium	Tin	Antimony	Tellurium	lodine	Xenon
133 CS 55 CS	137 <b>Ba</b> 56	139 La 57 La	179 Hf	<sup>181</sup> Ta	184 W	<sup>186</sup> Re	190 OS	192 <b>   </b> 77	195 <b>Pt</b>	197 Au	<sup>201</sup> Hg	204 <b>TI</b>	<sup>207</sup> Pb	209 <b>Bi</b>	<sup>210</sup> <sub>84</sub> Po	<sup>210</sup> At 85	<sup>222</sup> Rn
Caesium	Barium	Lanthanum	Hafnium	Tantalum	Tungsten	Rhenium	Osmium	Iridium	Platinum	Gold	Mercury	Thallium	Lead	Bismuth	Polonium	Astatine	Radon
223 <b>Fr</b> 87	226 <b>Ra</b> 88	<sup>227</sup> <sub>89</sub> Ac															
Francium	Radium	Actinium			Key:												
					Mass	Mass number	_	< ^ ↑	×	– Eleme	Element Symbol	<b>-</b> 00					
					Atomic n	ic number		N Z	 6 8		ı						
								<u>א</u>	Name								

© WJEC CBAC Ltd.

(4472-01)