	Centre Number	Candidate Number
Candidate Name		

International General Certificate of Secondary Education CAMBRIDGE INTERNATIONAL EXAMINATIONS CO-ORDINATED SCIENCES PAPER 2

OCTOBER/NOVEMBER SESSION 2002

2 hours

Candidates answer on the question paper. No additional materials are required.

TIME 2 hours

INSTRUCTIONS TO CANDIDATES

Write your name, Centre number and candidate number in the spaces at the top of this page. Answer **all** questions.

Write your answers in the spaces provided on the question paper.

INFORMATION FOR CANDIDATES


The number of marks is given in brackets [] at the end of each question or part question.

A copy of the Periodic Table is printed on page 20.

FOR EXAMI	NER'S USE
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
TOTAL	

Local Examinations Syndicate


1 Fig. 1.1 shows a food web for an ecosystem in Africa.



(c)	The	arrows on the	food web diagrar	n show the d	irection of ener	gy flow.	
	(i)	Describe how	energy enters the	e ecosystem			
							[2]
	(ii)	Describe how	energy passes fr	om the rabbi	t to the black-b	acked jackal.	
							[2]
	(iii)	Suggest which a reason for ye	_	animals will	have the small	est population, and	give
		aphid	black-shoulde	red kite	star grass	striped grass mo	ouse
							[2]

0654/2/O/N/02

2 A stuntman jumps from a platform to which he is attached by a strong elastic rope. Fig. 2.1 shows what happens.



Stage **A**A stuntman jumps from a platform

(a)

Stage **B**The rope is straight but not stretched

Stage **C**The rope
is stretched

Stage **D**The rope has pulled the stuntman back

Fig. 2.1


(i)	Describe the forces acting on the stuntman at stage B .
(ii)	Describe the forces acting on the stuntman at stage C.
	[2]

(b)	At which stage A, B, C or D does the stuntman have the most kinetic energy?
	Explain your answer.


stage	
explanation	
	[2]

(c) The rope is elastic and behaves like a spring.

On the axes below, sketch a line to show the relationship between the force applied to a spring and its extension.



3 The diagrams A to E in Fig. 3.1 show the displayed formulae of some hydrocarbon molecules.






Fig. 3.1

(a) Give the letter of the diagram that shows a molecule of

methane,	
an unsaturated hydrocarbon,	
an alkane which has a branched chain of carbon atoms.	 [3]

(b) Methane is the main compound in natural gas. Natural gas is a fossil fuel.
Biogas is another source of methane. Biogas is produced by the action of bacteria on animal and plant waste.

(i)	Explain briefly why natural gas is called a fossil fuel.
	[2

(ii) A student carried out two experiments to compare the properties of natural gas and biogas.

In the first experiment he bubbled each gas separately through limewater.

In the second experiment he measured the heat energy released when $1.0\,\mathrm{dm^3}$ of each gas was burnt.

His results are shown in Fig. 3.2.

	reaction with limewater	heat energy released when 1.0 dm ³ is burned/J
natural gas	no reaction	37 000
biogas	cloudy	22 250

Fig. 3.2

	Explain these results.
	[2]
(c)	Much of the ethene produced by the petrochemical industry is used to make poly(ethene) which is a thermoplastic polymer.
	Explain the meaning of the term thermoplastic polymer.
	[C]

4 (a) Fig. 4.1 shows a bean seed, cut in half.




Fig. 4.1

(i)	Name the parts labelled A and B .	
	A	
	В	[2]
(ii)	From which part of the bean flower has the seed formed?	
		[4]

(b) An experiment was carried out to find the conditions that mustard seeds need for germination. Four sets of mustard seeds, all of the same age and taken from the same plant, were placed on damp cotton wool in petri dishes. The dishes were left in different conditions, as shown in Fig. 4.2.




Fig. 4.2

The seeds in dishes A, B and D germinated, but those in C did not.

	What conclusions can be made from these results?
	[2]
ii)	After one week, the seedlings in dish A and dish B had grown tall and thin.
	Describe and explain ${\bf one}$ difference you would expect between the seedlings in dish ${\bf A}$ and those in dish ${\bf B}$.
	description
	explanation
	[2

5 Some power stations burn fossil fuels to generate electricity. The energy released is used to boil water and turn it into steam. The moving steam turns a turbine which drives a generator to produce electricity.

This is shown in Fig. 5.1.




Fig. 5.1

- (a) The turbine in a power station has an efficiency of 40%.
 - (i) Calculate the energy input per second if the turbine output is 100 megajoules per second.(1 megajoule = 1 000 000 joules).

		megajoules per second [1]
	(ii)	What happens to the energy which is not usefully converted by the turbine?
		[1]
	(iii)	What is the power output of the turbine?
		megawatts [1]
(b)	(i)	State two reasons, other than cost, why engineers are developing alternatives to fossil fuels as sources of energy to generate electricity.
		1
		2[2]
	(ii)	State one alternative energy source and briefly describe how it can be used to generate electricity.
		energy source
		description
		[2]
(c)		electrical output from the generator is at a low voltage. For transmission, this age must be increased.
	(i)	Name the device which does this.
		[1]
	(ii)	Explain why the electricity is transmitted at a high voltage.

.....[1]

6	The full chemical s	ymbols of atoms of	copper and	rubidium are	shown below.

63	\cap	85 Rb
29	Cu	37 I 1D


(a)	State the number of			
		protons in the copper atom,		
		neutrons in the rubidium atom,		
		electrons in the copper atom,		
		electrons in the outer shell of the rubidium atom.		[4]
(b)	(i)	Rubidium is a member of the family of alkali metals. To what family of metals does copper belong?		
				[1]
	(ii)	Suggest one difference, apart from colour, in the proper rubidium.	rties of copper	and
				[1]
(c)	Cop	per can be produced by heating a mixture of copper oxide and	carbon.	
	(i)	Complete the word equation for the reaction		
		copper oxide + carbon \rightarrow		[1]
	(ii)	Explain briefly why 80.0 g of copper oxide gives only 64.0 g of	copper metal.	

A student is investigating some properties of metals.

7

(a)	An i	ron rod is heated at one end.
	(i)	Describe what happens to the atoms in the iron, when it is heated.
		[2]
	(ii)	Explain how the iron atoms transfer heat energy along the rod.
		[2]
(b)	The diffi	student tries to stretch an iron rod. Explain, in terms of the atoms, why this is very cult.
		[1]
(c)	He	student measured the specific heating capacity of a block of copper of mass 0.5 kg. found it to be 400 J/kg °C. The student repeated the experiment using a block of per of mass 1 kg.
	Pred bloc	dict the value for the specific heating capacity that the student would find for this k.
	Exp	lain your answer.
	pred	dicted value
	exp	anation
	••••	[2]
(d)	tem	student heated a block of copper until it melted. While it was melting, the perature of the copper did not change, even though it was still being heated. Explain this happened.
		[2]
		[2]

8 Fig. 8.1 shows a sperm cell.



Fla. 8.1

		Fig. 6.1
(a)	Nar	me the part labelled A , and describe its function.
		[2]
(b)	(i)	Draw a label line to the part of the sperm cell that contains chromosomes, and label it B . [1]
	(ii)	Most cells in the human body contain 46 chromosomes, but human sperm cells contain only 23 chromosomes.
		Explain why this is so.
		[2]
	(iii)	Chromosomes contain DNA.
		Describe the functions of DNA in a cell.
		[2]
(c)	(i)	Name the part of the human body in which sperm cells are made.
	.,	[1]
	(ii)	This part of the body also secretes the hormone testosterone.
	(11)	Describe one function of testosterone.
		F.43

steel

- **9** The Earth provides raw materials which can be processed into useful products.
 - (a) Choose products from the list to complete the right hand column of the table, Fig. 9.1. The first one has been done for you.

aluminium	bleach	ceramics	fuels	glass	paper
		raw material		eful product his raw mater	rial
		petroleum		fuels	
		wood			
		clay			
		iron ore			


sand and metal oxides

Fig. 9.1 [4]

(b)		is a mixture of elements and compounds. Nitrogen is produced by the fractional llation of air which has been liquefied.
	(i)	State one difference between a mixture of two elements and a compound of the same elements.
		[1]
	(ii)	Suggest, in terms of changes in pressure and temperature, how air may be liquefied.
		[2]
	(iii)	Explain briefly why it is possible to separate the components in liquefied air by fractional distillation.
		[4]
		[1]
(c)	Nitro	ogen is used to make ammonia, NH ₃ , by reacting it with hydrogen.
	(i)	The reaction requires a catalyst.
		State the purpose of a catalyst in chemical reactions.
		[1]

(ii)	The reaction also requires a high temperature and a high pressure.
	Explain why these conditions are needed.
	[1]

10 An electric light bulb is marked '110 V, 100 W'. It contains a length of fine tungsten wire about 1 metre long. The wire is wound in a coil, as shown in Fig. 10.1.






Fig. 10.1

(a)	State the power consumption of this light bulb.
	[1]
(b)	When the bulb is switched on, the resistance of the wire is about 600Ω . If the bulb was made with only half the length of tungsten wire, what effect would it have on the resistance?
	[1]
(c)	The bulb is on. Describe the energy transfers that are taking place in the light bulb by completing the sentence.
	energy is transferred into energy
	and energy. [3]
(d)	Visible light is one part of the electromagnetic spectrum. Name one other part of the electromagnetic spectrum and give a use for it.
	part of the electromagnetic spectrum
	use [2]

11 (a) A tube made from a partially permeable membrane was filled with a mixture of water, starch and glucose. The tube was then placed in a beaker of water, as shown in Fig. 11.1.





Fig. 11.1

The apparatus was left for one hour. The contents of the tube and the water in the beaker were then tested for starch and for reducing sugar. The table shows the results.

test	result		
lest	contents of tube	water in beaker	
starch	blue-black	orange-brown	
reducing sugar	brick red precipitate	brick red precipitate	

(i)	Name the reagent that would be used for the starch test.
		[1]
(i	i)	Explain why the results of the starch test for the contents of the tube and for the water in the beaker are different.
		[2]
(ii	i)	Explain why the results of the reducing sugar test for the contents of the tube and for the water in the beaker are the same.
		[2]
(b) T	The	enzyme amylase is found in saliva.
	Des	cribe the function of amylase in the human digestive system.
		[2]

12 A student uses pH and temperature sensors connected to a computer to investigate four liquids. The apparatus is shown in Fig. 12.1.



		Solution Solution					
		Fig. 12.1					
(a)	(i) Predict the pH value shown on the computer screen when the pH sen into the water in tube B .						
		[1]					
	(ii)	The student places both the temperature and pH probes together into the hydrochloric acid in tube ${\bf A}.$					
(iii) hydrochlo (b) Pr		She then adds the potassium hydroxide solution from tube C slowly into tube A . Describe and explain the pH and temperature changes which she observes.					
		pH					
		temperature					
		[4]					
	(iii)	Complete the word equation for the reaction					
hydrochloric acid + potassium hydroxide →							
		[2]					
(b)	cha	dict and explain briefly what would be observed, other than pH or temperature nges, when some fresh hydrochloric acid is added to the potassium carbonate tion in tube D .					
		[2]					

BLANK PAGE

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	4 He lium 2	20 Neon 10 A A Argon 18	Krypton 36 Krypton 36 X & X & X & X & X & X & X & X & X & X	Radon 86		Lu Lutetium 71	Lr Lawrencium 103
Group	=		19 Fluorine 9 35.5 C1 Chlorine 17	Bromine 35 127 I I I I I I I I I I I I I I I I I I I	At Astatine 85		Yb Ytterbium 70	
	5	-	16 O Oxygen 8 32 Sulphur 16	Selenium 34 Tel Tellurium 52	Po Polonium 84		169 Tm Thulium 69	Mendelevium
	>		Nitrogen 7 Nitrogen 8 31 8 Phosphorus 15	As Arsenic 3 122 Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium
	≥		Carbon 6 Carbon 7 Silicon 14	73 Germanium 32 119 Sn Tin 50	207 Pb Lead 82		165 Ho Holmium 67	Einsteinium 99
	≡		Boron 27 All		204 T1 Thallium 81		Dy Dysprosium 66	
			ю 55	65 Zinc 3 2 L12 Cd 48 Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	Berkelium 97
				Cu Copper 29 108 Ag Silver 47	197 Au Gold 8		Gadolinium 64	Cm Curium 96
				Nickel 28 106 Pdl adianum 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95
				CO Cobalt 27 103 Rh Rhodium 45	192 Ir Iridium 77		Samarium 62	Pu Plutonium 94
		1 T Hydrogen		56 Fe 100 26 100 26 8	190 OS Osmium 76		Pm Promethium	
		<u> </u>]	Manganese 25 TC TC Technetium 43	186 Re Rhenium 75		Neodymium 60	238 C Uranium
				Chromium 24 Wolybdenum 42	184 W Tungsten 74		Praseodymium 59	Pa Protactinium 91
				51 V Vanadium 23 93 93 Niobium 141	Tan Tantalum		140 Cerium 58	232 Th Thorium
				48 Titanium 22 91 Stroonium 40	178 Hf Hafnium 72	L	·	
				Scandium 21 89 Yttrium 39 Yttrium 39	*	AC Actinium 89 +	series eries	 a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Beryllium 4 24 Mgg Magnesium 12	Ca Calcium 20 88 Sr Strontium 38	137 Ba Barium 56	Radium 88	Inthanoid Actinoid s	a X
	_		7 Lithium 3 23 Na Sodium 11	39 Repair Potassium 19 85 Rb Rubidium 37	133 CS Caesium 55	Francium 87	*58-71 Lanthanoid series †90-103 Actinoid series	Key

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).