



CO-ORDINATED SCIENCES

0654/32

Paper 3 Theory (Core)

May/June 2017

MARK SCHEME

Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© IGCSE is a registered trademark.

This document consists of **10** printed pages.

Question	Answer	Marks
1(a)(i)	B – stomach ; G – large intestine ;	2
1(a)(ii)	D ; F ;	2
1(b)	taking substances into the body ; through the mouth ;	2
1(c)	<pre> graph LR P[protease] --- F[fats] P --- PR[proteins] L[lipase] --- F A[amylase] --- S[starch] F --- FG[fatty acids and glycerol] PR --- G[glucose] PR --- AA[amino acids] S --- AA </pre> <p style="text-align: right;">⋮</p>	3

Question	Answer	Marks
2(a)(i)	nucleus ;	1
2(a)(ii)	proton ; neutron ;	2
2(a)(iii)	atomic number / proton number / number of protons in one atom ;	1
2(a)(iv)	N / nitrogen ;	1
2(b)(i)	H ₂ O ₂ ;	1
2(b)(ii)	(anhydrous) cobalt chloride (paper) ; (blue to) pink ; or (anhydrous) copper(II) sulfate ; (white to) blue ;	2
2(c)	kills harmful microorganisms / sterilises the water ; make it safe to drink / avoid (waterborne) diseases / owtte ;	2

Question	Answer	Marks
3(a)(i)	iron ;	1
3(a)(ii)	copper ; (allow aluminium)	1
3(a)(iii)	uranium ;	1
3(a)(iv)	lead ;	1
3(b)	<u>temperature</u> at which (all of) a liquid turns to gas ;	1
3(c)(i)	gases take up all the space available ; gas particles free to move / constantly moving and hitting the lid ;	2
3(c)(ii)	force / weight ; area ;	2

Question	Answer	Marks
4(a)(i)	sweating ; vasodilation / more blood flows (close) to the surface of the skin ; hair lies flat ;	max 2
4(a)(ii)	vasoconstriction / more blood flows (close) to internal organs / away from skin ; hair stands on end ; reduction in sweating ;	max 2
4(b)(i)	speed up reactions ;	1
4(b)(ii)	pH / substrate concentration ;	1
4(c)	carbon, hydrogen, oxygen, nitrogen ;	1

Question	Answer	Marks								
5(a)(i)	parts of the flower labelled ;;;	3								
5(a)(ii)	<table border="1"> <thead> <tr> <th><i>part of flower</i></th> <th><i>function</i></th> </tr> </thead> <tbody> <tr> <td><i>ovary</i></td> <td>produces, ovules / female sex cells / female gametes</td> </tr> <tr> <td><i>petal</i></td> <td>attract insects</td> </tr> <tr> <td><i>sepal</i></td> <td>protects flower (bud)</td> </tr> </tbody> </table> ;;;	<i>part of flower</i>	<i>function</i>	<i>ovary</i>	produces, ovules / female sex cells / female gametes	<i>petal</i>	attract insects	<i>sepal</i>	protects flower (bud)	3
<i>part of flower</i>	<i>function</i>									
<i>ovary</i>	produces, ovules / female sex cells / female gametes									
<i>petal</i>	attract insects									
<i>sepal</i>	protects flower (bud)									
5(b)	anther ; stigma ;	2								
5(c)	bees / wasps / flies / insects ;	1								

Question	Answer	Marks
6(a)	hydrocarbon and methane ;	1
6(b)	reference to release / build-up of carbon dioxide / carbon monoxide ; reference to dangers of poisoning / suffocation / death ;	2
6(c)(i)	(catalytic) cracking ;	1
6(c)(ii)	ethene molecules join together / form (long) chains ;	1
6(c)(iii)	no reaction ; no colour change / stays orange ;	1
6(d)(i)	iron ;	1
6(d)(ii)	air / oxygen ; water ;	2
6(d)(iii)	any reasonable source of damage / cause of paint removal ;	1

Question	Answer	Marks
7(a)(i)	no of waves / second ;	1
7(a)(ii)	piano ; highest frequency ;	2
7(a)(iii)	20 000 Hz and 20 Hz ;	1
7(b)	density = mass / volume ; = 1200 / 160 = 7.5 ; g / cm ³ ;	3
7(c)(i)	(named) electromagnetic wave / water waves ;	1
7(c)(ii)	transverse waves oscillate at right angles to direction of wave / energy transfer or longitudinal waves oscillate parallel to direction of wave / energy transfer ;	1
7(d)(i)	speed = distance / time ; = 150 / 0.5 = 300 (m / s) ;	2
7(d)(ii)	vibration of air molecules produced ;	1
7(e)(i)	angle of incidence correctly labelled ;	1
7(e)(ii)	40° ; angle of incidence = angle of reflection ;	2

Question	Answer	Marks															
8(a)	reference to release of carbon dioxide / carbon dioxide turns limewater milky ; carbon (more reactive than copper) so can remove/take oxygen from copper oxide / owtte ; carbon (less reactive than magnesium) so cannot remove / take oxygen from magnesium oxide / owtte ;	3															
8(b)(i)	<table style="width: 100%; border: none;"> <tr> <td></td> <td style="text-align: center;">solid reacts and dissolves</td> <td style="text-align: center;">gas given off</td> </tr> <tr> <td>copper</td> <td style="text-align: center;">x</td> <td style="text-align: center;">x ;</td> </tr> <tr> <td>copper oxide</td> <td style="text-align: center;">✓</td> <td style="text-align: center;">x ;</td> </tr> <tr> <td>(magnesium</td> <td style="text-align: center;">✓</td> <td style="text-align: center;">✓)</td> </tr> <tr> <td>magnesium oxide</td> <td style="text-align: center;">✓</td> <td style="text-align: center;">x ;</td> </tr> </table>		solid reacts and dissolves	gas given off	copper	x	x ;	copper oxide	✓	x ;	(magnesium	✓	✓)	magnesium oxide	✓	x ;	3
	solid reacts and dissolves	gas given off															
copper	x	x ;															
copper oxide	✓	x ;															
(magnesium	✓	✓)															
magnesium oxide	✓	x ;															
8(b)(ii)	magnesium chloride + hydrogen ;;	2															
8(b)(iii)	increases ; acidity decreases / acid is used up / acid concentration decreases ;	2															

Question	Answer	Marks
9(a)	252 km / h ;	1
9(b)(i)	diagonal line from 0, 70 ; to 60, 0 ;	2
9(b)(ii)	gravitational (potential) energy ;	1
9(b)(iii)	kinetic energy ;	1
9(b)(iv)	chemical energy ;	1

Question	Answer	Marks
10(a)	watt ;	1
10(b)(i)	melts ; when too much current passes through ;	2
10(b)(ii)	must be higher than 3A / not 3A fuse or else it will blow with normal current ; not 13A fuse as too much current could pass through / damage TV / be a fire risk ;	2
10(c)(i)	gamma to medical tracers microwaves to mobile phone communication X rays to airport security scanners ;;	2
10(c)(ii)	infra-red ;	1
10(d)	formula or $8 + 8$; $= 16 (\Omega)$;	2

Question	Answer	Marks
11(a)(i)	(heart rate) increases then decreases ; additional detail ;	2
11(a)(ii)	5 (minutes) ;	1
11(a)(iii)	5 (minutes) ;	1
11(b)(i)	glucose ;	1
11(b)(ii)	red blood cell ;	1
11(b)(iii)	<i>Accept any two from the following:</i> white blood cell platelets plasma AVP ;;	max 2

Question	Answer	Marks
12(a)(i)	electrolyte ;	1
12(a)(ii)	cathode ;	1
12(b)(i)	reference to formation of copper / a copper layer ;	1
12(b)(ii)	chlorine ; (damp) litmus / (Universal) indicator paper ; bleached ;	3
12(c)(i)	negative ; non-metals form anions / bromine atoms gain (an) electron ;	2
12(c)(ii)	the idea that there is only an electron difference ; electrons have no/negligible mass ;	2

Question	Answer	Marks
13(a)(i)	Sarah ;	1
13(a)(ii)	Jack / Amina / Zayn ;	1
13(a)(iii)	Mei / Ben ;	1
13(b)	(two or more) alternative forms of a gene ;	1
13(c)	parental gametes B, b, b, b ; offspring genotypes Bb, Bb, bb, bb ; phenotypic ratio 1 brown : 1 blue ;	3