



CO-ORDINATED SCIENCES

0654/61

Paper 6 Alternative to Practical

May/June 2017

MARK SCHEME

Maximum Mark: 60

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© IGCSE is a registered trademark.

This document consists of **7** printed pages.

Question	Answer	Marks																
1(a)	Benedict's test ;	1																
1(b)	1 mark per column ;; <table border="1" data-bbox="349 323 1288 549"> <thead> <tr> <th></th> <th>Benedict's test</th> <th>biuret test</th> <th>iodine test</th> </tr> </thead> <tbody> <tr> <td>banana</td> <td>yellow/green/orange/red</td> <td>blue</td> <td>blue-black</td> </tr> <tr> <td>chickpea</td> <td>blue</td> <td>blue</td> <td>blue-black</td> </tr> <tr> <td>egg white</td> <td>blue</td> <td>purple</td> <td>brown</td> </tr> </tbody> </table>		Benedict's test	biuret test	iodine test	banana	yellow/green/orange/red	blue	blue-black	chickpea	blue	blue	blue-black	egg white	blue	purple	brown	3
	Benedict's test	biuret test	iodine test															
banana	yellow/green/orange/red	blue	blue-black															
chickpea	blue	blue	blue-black															
egg white	blue	purple	brown															
1(c)	same volume of apple juice ; same volume / concentration of Benedict's solution / excess Benedict's ; same temperature / same time ; yellow/green = less (concentrated) / orange/red = more (concentrated) ;	max 3																
1(d)	(dissolve in) ethanol ; (add) water ; cloudy / emulsion ;	3																

Question	Answer	Marks
2(a)	(solution H could be) barium nitrate (or) silver nitrate ; (solution J could be) ammonia (or) sodium hydroxide ;	2
2(b)(i)	add excess copper oxide to sulfuric acid in a beaker (and stir) ; warm ; filter / filtrate is copper sulfate solution ;	3
2(b)(ii)	H is barium nitrate (solution) ; J is ammonia (solution) ;	2
2(c)	(iron(III) sulfate) gives same result / brown ppt. with both sodium hydroxide and ammonia ; so does not test/distinguish between sodium hydroxide and ammonia ; it would identify barium nitrate/ H / still gives white ppt. with H ;	3

Question	Answer	Marks
3(a)	0.36 (V) ;	1
3(b)(i)	2.00 ; 6.78 ;	2
3(b)(ii)	choice of scales and linear ($\geq \frac{1}{2}$ the grid used) ; plots correct to $\frac{1}{2}$ small square ; good best-fit straight line judgement ;	3
3(c)(i)	candidate's R value at $l = 10$ cm ;	1
3(c)(ii)	(directly) proportional (if through origin) ;	1
3(d)	reading meter scale ; observe perpendicularly / repeat / digital meter ; OR measuring the length of wire ; observe perpendicularly / repeat (for decreasing lengths of wire) ; OR wire gets hot / resistance changes ; switch off between readings ;	max 2

Question	Answer	Marks
4(a)	wear gloves / safe disposal of needle / use sterilised/clean needle/equipment ;	1
4(b)(i)	line to a red blood cell and labelled ; line to a platelet and labelled ;	2
4(b)(ii)	quality drawing more than half of box with nucleus ; irregular cell (freehand) with nucleus – 3 lobes ; two of: nucleus labelled ; cytoplasm labelled ; (cell) membrane ;	4
4(c)(i)	measurement 8(.0)/8.5/9(.0)/9.5/10(.0)mm ;	1
4(c)(ii)	measurement to the nearest 0.5 mm AND larger than (c)(i) ;	1
4(c)(iii)	magnification correctly calculated to the nearest whole number ;	1

Question	Answer	Marks
5(a)	label syringe/measuring cylinder/burette ; drawing of gas syringe/burette/up-turned measuring cylinder or graduated test-tube filled with water and in water ;	2
5(b)	6, 13.5, 28, 54.5, 65 ;	1
5(c)	2.5 AND largest volume of gas/most gas (collected in 2 minutes/same amount of time) ;	1
5(d)(i)	stop watch/clock ;	1
5(d)(ii)	pipette/burette ;	1
5(e)(i)	temperature ;	1
5(e)(ii)	reliability / to take an average / spot anomalies ;	1
5(f)	CO ₂ ; turns limewater milky ;	2

Question	Answer	Marks
6(a)	clamp/retort (stand) ;	1
6(b)	don't touch the (hot) lamp ;	1
6(c)(i)	two plots ;	1
6(c)(ii)	smooth curve (through most of the points) ; not through anomalous point / not taking into account anomalous point ;	2
6(c)(iii)	value from graph ; line / marking on graph ;	2
6(c)(iv)	as height increases temperature decreases ; non-linear / T becomes constant ;	2
6(c)(v)	no further decrease in temperature / temperature stayed the same / reached room temperature ;	1