

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE	
NAME	
CENTRE NUMBER	CANDIDATE NUMBER
CO-ORDINATED SCIENCES	0654/43
Paper 4 (Extended)	May/June 2017
	2 hours
Candidates answer on the Question Paper.	
No Additional Materials are required.	

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB soft pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.



1 Fig. 1.1 is a diagram of the alimentary canal and associated organs.




Fig. 1.1

(a)	Add labels and label lines to Fig. 1.1 to show the liver and the pancreas.	[2]
(b)	The liver produces bile.	
	Describe how bile helps to improve digestion.	
		.[2]
(c)	The liver is also responsible for controlling the glucose concentration of the blood.	
	After eating a meal, a person's blood glucose concentration increases.	
	Describe how the pancreas and the liver act to return the blood glucose concentration normal.	ı to

(d)	Control of blood glucose concentration is an example of negative feedback.						
	(i)	Explain what is meant by the term negative feedback.					
			[2]				
	(ii)	Name one other example of negative feedback.					

## **BLANK PAGE**

2 (a) Table 2.1 shows information about atoms of the elements hydrogen and nitrogen.

Complete Table 2.1.

Table 2.1

element	atomic number	mass number	number of protons	number of neutrons
hydrogen			1	0
nitrogen	7	14		

[2]

**(b)** In the Haber process, nitrogen and hydrogen combine to form ammonia.

Fig. 2.1 shows gas particles flowing through the reaction vessel.




Fig. 2.1 (not to scale)


The mixture of gas particles flowing through the reaction vessel contains argon atoms as an impurity.

(i)	On Fig. 2.1, label one of the argon <b>atoms</b> .	[1]
(ii)	Explain your answer to (b)(i).	
	Use ideas about the electronic structure of argon atoms in your answer.	
		[2]
(iii)	State the purpose and describe the effect of the pieces of iron in the Haber process.	
	purpose	
	effect	

(c) The maximum mass of ammonia that dissolves in 100 cm<sup>3</sup> of water is called the solubility of ammonia.

[2]

Fig. 2.2 shows the solubility of ammonia at different temperatures.



(i)	Describe the trend shown in Fig. 2.2.
	[1]
(ii)	Use steps 1, 2 and 3 to calculate the maximum volume of ammonia that dissolves in $100\mathrm{cm}^3$ of water at a temperature of $16^\circ\mathrm{C}$ .
	Show your working in each step.
	Step 1 State the maximum mass of ammonia that dissolves in 100 cm <sup>3</sup> of water at 16 °C.
	mass of ammonia =g
	Step 2 Calculate the number of moles of ammonia, $NH_3$ , contained in the mass from Step 1.  [ $A_r$ : N, 14; H, 1 ]
	[ / Tr , 14, 14, 11, 1 ]
	moles of ammonia =
	Step 3 Calculate the volume in dm <sup>3</sup> occupied by the ammonia you calculated in Step 2.
	Assume that one mole of ammonia occupies 24 dm <sup>3</sup> .
	volume of ammonia = dm <sup>3</sup> [4]

**3** Fig. 3.1 is a diagram of the gas exchange system.




Fig. 3.1

(a) The alveoli form the gas exchange surface.

The walls of the alveoli are only one cell thick.

(i)	Describe the advantage of thin walls in a gas exchange surface.
	[1]
(ii)	State <b>two</b> ways, apart from thin walls, in which gas exchange surfaces are adapted for their function.
	1
	2
	[2]

(b) The airways that lead to the alveoli are lined with cilia and goblet cells.

The goblet cells produce mucus.

Fig. 3.2 is a diagram of the cells lining the airways.





Fig. 3.2

	(i)	Describe how mucus and cilia work to protect the gas exchange system.
		[2]
	(ii)	Cigarette smoke destroys cilia.
		Describe the effect this would have on the gas exchange system.
		[2]
(- <b>)</b>	0:	
(c)	Ciga	arette smoke contains many toxic components including tar. Tar also destroys cilia.
	Des	cribe another effect that tar has on the gas exchange system.
		[1]

4 (a) A polar bear of mass 400kg is swimming in the sea.






Fig. 4.1

(i) Calculate the distance travelled by the polar bear over the 300 s.

Show your working.

distance = ..... m [2]

	(ii)	Calculate the acceleration of the polar bear at 25 seconds.
		Show your working.
		, 2 ro
		m/s² [2]
	(iii)	Calculate the maximum kinetic energy of the polar bear.
		State the formula you use and show your working.
		formula
		working
		kinetic energy = J [3]
(b)		
יעו	The	nolar hear has a waight of 4000N
\~ <i>j</i>		polar bear has a weight of 4000N.
\ <del>~</del> /	The	polar bear has a weight of $4000\text{N}$ . polar bear stands with all four feet in contact with the ice. Each foot of the polar bear has area of $0.035\text{m}^2$ .
(~)	The an a	polar bear stands with all four feet in contact with the ice. Each foot of the polar bear has
\~/	The an a	polar bear stands with all four feet in contact with the ice. Each foot of the polar bear has area of 0.035 m <sup>2</sup> .
\~/	The an a	polar bear stands with all four feet in contact with the ice. Each foot of the polar bear has area of 0.035 m <sup>2</sup> .  culate the pressure exerted by the polar bear on the ice.  te the formula you use and show your working.
\~/	The an a	polar bear stands with all four feet in contact with the ice. Each foot of the polar bear has area of 0.035 m <sup>2</sup> .  culate the pressure exerted by the polar bear on the ice.  te the formula you use and show your working.
\~/	The an a Cald	polar bear stands with all four feet in contact with the ice. Each foot of the polar bear has area of 0.035 m <sup>2</sup> .  culate the pressure exerted by the polar bear on the ice.  te the formula you use and show your working.
(~)	The an a Cald	polar bear stands with all four feet in contact with the ice. Each foot of the polar bear has area of 0.035 m <sup>2</sup> .  culate the pressure exerted by the polar bear on the ice.  te the formula you use and show your working.
(-)	The an a Cald	polar bear stands with all four feet in contact with the ice. Each foot of the polar bear has area of 0.035 m <sup>2</sup> .  culate the pressure exerted by the polar bear on the ice.  te the formula you use and show your working.
	The an a Cald	polar bear stands with all four feet in contact with the ice. Each foot of the polar bear has area of 0.035 m <sup>2</sup> .  culate the pressure exerted by the polar bear on the ice.  te the formula you use and show your working.

		IZ .
(c)		cent research suggests that the audible frequency range for polar bears is between $50\mathrm{Hz}$ 35 000 Hz.
	(i)	Ultrasound waves have a very high frequency that cannot be heard by humans. Devices which emit ultrasound waves have been tested to see if they can keep polar bears away from people.
		Suggest a suitable frequency for the waves emitted by such a device.
		Hz [1]
	(ii)	A polar bear hears a sound.
		Fig. 4.2 represents the sound wave travelling through the air as a series of compressions <b>(C)</b> and rarefactions <b>(R)</b> .
	C	R C R C R C R C
		Fig. 4.2
		Describe <b>two</b> differences between a region of compression and a region of rarefaction.
		1
		2
		[2]
(d)	Scie	entists use thermal imaging cameras to detect polar bears travelling on the ice.
		rmal imaging cameras use infra-red radiation. Infra-red radiation is part of the ctromagnetic spectrum.
	Nar	ne <b>one</b> radiation in the electromagnetic spectrum that has a lower frequency than


© UCLES 2017 0654/43/M/J/17

infra-red radiation.

Question 5 starts on page 14.

5 Human activities and natural events cause air pollution.

Fig. 5.1 shows some of the gases that pass into the air during a volcanic eruption.



(a)	(i)	Water	vapour	is a	greenhouse	gas	which	contributes	to	global	warming.
-----	-----	-------	--------	------	------------	-----	-------	-------------	----	--------	----------

State which **one** of the other gases in Fig. 5.1 also contributes to global warming.

(ii)	Describe how human activity	causes the release of carbon <b>monoxide</b> .

.....[2]

(b) Complete the dot-and-cross diagram in Fig. 5.2 to show all of the outer-shell electrons in a molecule of carbon dioxide.




Fig. 5.2

[2]

(c) Table 5.1 shows the pH values of three colourless liquids contained in test-tubes A, B and C.

Table 5.1

test-tube	colourless liquid	рН
A	A acid rain	
В	water	7
С	dilute sulfuric acid	1

A student compares the rate of reaction at constant temperature between these three liquids and magnesium.

Fig. 5.3 shows what the student observes.




Fig. 5.3

Use the information in Table 5.1 to explain the differences in the rates of reaction the student observes in Fig. 5.3.

Your answer should refer to collisions between reacting particles.	
	[O]

6 A student cuts a seed in half. Fig. 6.1 shows a drawing that the student made of this seed.




Fig. 6.1

(a)	Iden	tify the parts of the seed labelled <b>X</b> and <b>Y</b> in Fig. 6.1.	
	X		
	Υ		 [2]
(b)	Stat	e the conditions necessary for the germination of seeds.	
			[1]
(c)	(i)	Describe how the food stores in the cotyledon are transported to the growing plumule	
			••••
			[3]
	(ii)	Suggest <b>one</b> reason why seeds planted too deeply in the soil do not survive.	
			[1]

(u)	3011	ne seeds rely on animals for dispersal.
	(i)	Describe <b>one</b> way that seeds are dispersed by animals.
		[1]
	(ii)	Suggest <b>one</b> way in which seeds are adapted for the method of dispersal you describe in <b>(d)(i)</b> .
		[1]

(a)	A driver gets out of his truck after a journey and receives an electric shock.
	The electric shock is caused by a current of 0.003A passing for 0.15 ms.
	Calculate the charge that passes.
	State the formula you use, show your working and state the unit of your answer.
	formula
	working
	charge = unit [3]
(b)	When the truck stops, the engine cooling system contains 40 kg of water at 90 $^{\circ}$ C which then cools to 70 $^{\circ}$ C.
	Calculate the thermal energy lost from the water.
	The specific heat capacity of water is 4200 J/kg °C.
	State the formula you use and show your working.
	formula
	working
	energy lost =

8 (a) Black ink in marker pens is a mixture of several dyes (coloured compounds).

A student places a spot of black ink on a pencil line on a piece of chromatography paper and dips the paper into water in a test-tube.

Fig. 8.1 shows the positions of the dyes after 10 minutes.




Fig. 8.1

Dyes which dissolve more easily in water move up the chromatography paper more quickly.

(i)	Suggest why some dyes do <b>not</b> move up the paper.	
	[1]	
(ii)	The student concludes that the original black ink contains only four dyes.	
	Explain why this conclusion may be incorrect.	
	[1]	
(iii)	Explain why the separation of the dyes in the black ink is a physical change and <b>not</b> a chemical change.	
	[1]	

**(b)** Table 8.1 shows descriptions of three types of chemical reaction.

The name of one type of reaction is shown.

Complete Table 8.1 by naming the other two types of reaction.

Table 8.1

description	type of reaction
acid reacting with a base	neutralisation
alkenes being produced by heating alkanes with a catalyst	
proteins breaking down into amino acids by heating with aqueous acid	

[2]

(c) Magnesium reacts with chlorine to form magnesium chloride.

The electronic structure of a magnesium atom and of a chlorine atom are shown in Table 8.2.

Table 8.2

atom electronic structure	
Mg	2,8,2
Cl	2,8,7

(i) Describe the transfer of electrons that occurs when magnesium and chlorine react to form magnesium chloride.

You may wish to draw a diagram to help you answer this question.

	[2]

(ii) State the formula of magnesium chloride.

.....[1

(d) (i) Fig. 8.2 shows the electrolysis of dilute aqueous magnesium chloride.




Fig. 8.2

Predict the names of gases P and Q.

Р	 
Q	
	[1]

(ii) In an industrial process, magnesium metal is produced from magnesium chloride using electrolysis.

Suggest how the electrolyte used in the industrial process is different from the electrolyte used in Fig. 8.2.

11	1
11	П

**9** Fig. 9.1 shows the average number of species of fish found in lakes of different pH in New York state, USA.




Fig. 9.1

(a)	Des	scribe the effect of pH on the average number of species of fish.	
		[i	2]
(b)	Mar	ny lakes have been polluted by acid rain.	
	(i)	Describe how acid rain is formed.	
		[:	21

(11)	Describe <b>two</b> effects of acid rain on the environment.	
	1	
	2	
		[2]
		[-]
(iii)	Describe <b>one</b> way to reduce the incidence of acid rain.	
		[1]

**10** A student investigates how the masses of six potato cubes change when they are immersed in different concentrations of salt solution.

The student records the mass of each potato cube at the start of the investigation and after the cubes have been immersed for one hour. The student calculates the percentage change in mass.

Table 10.1 shows the student's results.

**Table 10.1** 

concentration of salt solution/mol per dm <sup>3</sup>	mass of cube at start/g	mass of cube after one hour/g	% change in mass
0.0	2.5	3.1	+24.0
0.2	2.4	2.8	+16.7
0.4	2.5	2.5	0.0
0.6	2.4	2.2	-8.3
0.8	2.6	2.2	-15.4
1.0	2.5	2.0	-20.0

			2.0	2.0	20.0	
(a)	(i)	Another potato	cube is immersed in a	salt solution with a cond	entration of 0.9 mol per c	m <sup>3</sup> .
		Use the data in	Table 10.1 to predict	the percentage change	in mass after one hour.	
					%	6 [1]
	(ii)	State which co cube.	ncentration of salt so	lution has the same w	ater potential as the po	tato
		Explain your an	nswer.			
		concentration	mol	per dm <sup>3</sup>		
		explanation				
						[2]
(b)		plain why the mass concentration of 0		ncreases when it is imn	nersed in a salt solution	with
						[3]

			23
11	(a)		ouse is situated in a country where the climate is very sunny and hot during the day, and cold at night.
			ain how painting the house white helps to keep a comfortable temperature during both day and the night.
		durii	ng the day
		durii	ng the night
			[2]
	(b)	Fig.	11.1 shows a woman standing in front of a mirror mounted on a wall in the house.
			mirror
			Fig. 11.1
		(i)	On Fig. 11.1, draw a cross (X) to show the position of the image of her nose. [2]
		(ii)	On Fig. 11.1, using your knowledge of the law of reflection, draw a ray of light from the woman's shoe to the bottom of the mirror and then reflecting from the mirror. Use a ruler to help you.
		(iii)	Use your answer to <b>(b)(ii)</b> to explain why the woman cannot see the reflection of her shoe in the mirror.
			[1]

(c) The house has an emergency generator in case there is a power cut.

Fig. 11.2 shows a simple generator.




Fig. 11.2

(i) The voltage output is measured using a voltmeter.

On Fig. 11.2, complete the diagram to show how to connect a voltmeter to measure the voltage output.

Use the correct circuit symbol for a voltmeter.

[2]

(ii) On the grid in Fig. 11.3, sketch a graph of voltage output against time for the generator when the coil is rotating at constant speed.




Fig. 11.3

[2]

(iii)	Describe how the rotation of the coil in the magnetic field and the use of significant produce an alternating current.	lip rings
		[3]

**12** Fig. 12.1 shows part of a wave-powered electrical generator.

At the bottom, the sea water is able to flow in and out.

At the top, air is either pushed out or drawn in.




Fig. 12.1

(a)	Using the information in Fig. 12.1, describe the energy transfers and transformations that are involved in the generation of electrical energy.							
	[3]							

( )	The distance between two waves on the surface of the ocean is 12m. The waves travel at 2.0 m/s along the surface of the ocean.
	Calculate the frequency of the waves.
	State the formula you use and show your working.
	formula
	working
	frequency = Hz [2]
(c)	Water vapour is produced by the evaporation of water from the ocean.
(c)	
(c)	Water vapour is produced by the evaporation of water from the ocean.  Describe the process of evaporation in terms of the movement and energy of water molecules
(c)	Water vapour is produced by the evaporation of water from the ocean.  Describe the process of evaporation in terms of the movement and energy of water molecules and the forces between water molecules.
(c)	Water vapour is produced by the evaporation of water from the ocean.  Describe the process of evaporation in terms of the movement and energy of water molecules and the forces between water molecules.
(c)	Water vapour is produced by the evaporation of water from the ocean.  Describe the process of evaporation in terms of the movement and energy of water molecules and the forces between water molecules.

- 13 Ethanol is an organic compound with the formula  $\rm C_2H_6O$ .
  - (a) Complete the diagram in Fig. 13.1 to show the structure of one molecule of ethanol.



Fig. 13.1

[2]

**(b)** Fig. 13.2 shows apparatus a student uses to investigate the combustion of ethanol.




Fig. 13.2

Shortly after the ethanol burner is lit, a colourless liquid collects inside the U-tube and the limewater becomes milky.

(i)	Describe a chemical test to show that the colourless liquid inside the U-tube is water	
	test	
	result	
		[2

(ii) State an energy transformation that occurs when ethanol burns in air.



[1]

(iii) Complete the balanced symbolic equation for the complete combustion of ethanol.

$$C_2H_6O + .... + .... H_2O$$
 [2]

(c) Fig. 13.3 shows laboratory apparatus that a student uses to separate a mixture of ethanol and water using fractional distillation.




Fig. 13.3

ruggest and explain, in terms of boiling point and the attractive forces between molecularly the liquid that collects first in the beaker contains mainly ethanol.	es
	•••
	[3

The Periodic Table of Elements

	=	2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ā	bromine 80	53	Н	iodine 127	85	Αŧ	astatine -			
	5				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Po	polonium	116		livermorium -
	>				7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>B</u>	bismuth 209			
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Ρl	flerovium –
	≡				5	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ű	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group											28	Z	nickel 59	46	Pd	palladium 106	78	풉	platinum 195	110	Ds	darmstadtium -
Gre											27	රි	cobalt 59	45	格	rhodium 103	22	'n	iridium 192	109	¥	meitnerium –
		1	I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						lod	ass				24	ဝ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	23	Та	tantalum 181	105	Op	dubnium –
						ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	R	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium _
	-				က	:=	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	S S	rubidium 85	55	S	caesium 133	87	Ļ	francium —

71	Γn	lutetium 175	103	۲	lawrencium	I
20	Υp	ytterbium 173	102	9 N	nobelium	I
69	Ш	thulium 169	101	Md	mendelevium	I
89	ш	erbium 167	100	Fm	fermium	I
29	운	holmium 165	66	Es	einsteinium	ı
99	ò	dysprosium 163	86	ರ	californium	ı
65	Д	terbium 159	97	Æ	berkelium	ı
64	gg	gadolinium 157	96	Cm	curium	ı
63	En	europium 152	92	Am	americium	I
62	Sm	samarium 150	94	Pu	plutonium	I
61	Pm	promethium	93	ď	neptunium	I
09	ρN	neodymium 144	92	$\supset$	uranium	238
29	ቯ	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	Ч	thorium	232
25	Гa	lanthanum 139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.)

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.