

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
* 7 6	MATHEMATICS		0580/42
85405294*	Paper 4 (Extende	bd)	May/June 2010
			2 hours 30 minutes
	Candidates answ	er on the Question Paper.	
	Additional Materia	als: Electronic calculator Geometrical instrume Mathematical tables (optional) Tracing paper (option	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.Write in dark blue or black pen.You may use a pencil for any diagrams or graphs.Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be clearly shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For π use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 130.

This document consists of 19 printed pages and 1 blank page.



UNIVERSITY of CAMBRIDGE

[Turn over

© UCLES 2010


1

0580/42/M/J/10

For


Examiner's

NWW_XTREMEPAPERS_NET



IREMEPA

[Turn over



4

© UCLES 2010


0580/42/M/J/10

WWW_XTREMEPAPERS_NET


(b)		spinner is now spun twice. I the probability that the total of the two numbers is	For Examiner's Use
	(i)	20,	
	(ii)	<i>Answer(b)</i> (i) [2] 11.	
		Answer(b)(ii) [2]	
(c)	(i)	The spinner stops on a shaded section.	
		Find the probability that this section is numbered 2.	
		$Answer(c)(i) \qquad [1]$	
	(ii)	The spinner stops on a section numbered 2.	
		Find the probability that this section is shaded.	
(d)		Answer(c)(ii) [1] spinner is now spun until it stops on a section numbered 2. probability that this happens on the <i>n</i> th spin is $\frac{16}{243}$.	
	Finc	I the value of <i>n</i> .	
		Answer(d) n = [2]	

WWW_XTREMEPAPERS_NET

[Turn over



WWW_XTREMEPAPERS_NET




[Turn over

WWW_XTREMEPHPERS_NET



[4]



8

The diagram shows some straight line distances between Auckland (A), Hamilton (H), Tauranga (T) and Rotorua (R).

AT = 180 km, AH = 115 km and HT = 90 km.

(a) Calculate angle *HAT*. Show that this rounds to 25.0° , correct to 3 significant figures.

Answer(a)

(b)	The	bearing of H from A is 150°.		
	Fine	d the bearing of		
	(i)	T from A ,		
			Answer(b)(i)	 [1]
	(ii)	A from T.		
			Answer(b)(ii)	 [1]

0580/42/M/J/10

	9		
(c)	Calculate how far <i>T</i> is east of <i>A</i> .		For Examiner's Use
(d)	Angle $THR = 30^{\circ}$ and angle $HRT = 70^{\circ}$. Calculate the distance TR .	c) km [3	3]
(e)	<i>Answer(</i> On a map the distance representing <i>HT</i> is 4.5cm. The scale of the map is 1 : <i>n</i> . Calculate the value of <i>n</i> .	<i>d)</i> km [:	3]
	Answer(e) n = [2	2]

- 6 A spherical ball has a radius of 2.4 cm.
 - (a) Show that the volume of the ball is 57.9 cm^3 , correct to 3 significant figures.

[The volume V of a sphere of radius r is $V = \frac{4}{3}\pi r^3$.]

Answer(a)

(b)

NOT TO **SCALE** Six spherical balls of radius 2.4 cm fit exactly into a **closed** box. The box is a cuboid. Find (i) the length, width and height of the box, *Answer(b)*(i) cm, cm, cm [3] (ii) the volume of the box, Answer(b)(ii) cm³ [1] (iii) the volume of the box **not** occupied by the balls, Answer(b)(iii) cm³ [1] (iv) the surface area of the box.

Answer(b)(iv) cm^2 [2]

0580/42/M/J/10

For


Examiner's Use

[2]





(c)



0580/42/M/J/10

[Turn over

For

Use

7 200 students were asked how many hours they exercise each week.

The table shows the results.

Time (<i>t</i> hours)	0< <i>t</i> ≤5	5< <i>t</i> ≤10	10< <i>t</i> ≤15	15< <i>t</i> ≤20	20< <i>t</i> ≤25	25< <i>t</i> ≤30	30< <i>t</i> ≤35	35< <i>t</i> ≤40
Number of students	12	15	23	30	40	35	25	20

(a) Calculate an estimate of the mean.

Answer(a)

(b) Use the information in the table above to complete the cumulative frequency table.
--

Time (<i>t</i> hours)	<i>t</i> ≤ 5	<i>t</i> ≤ 10	<i>t</i> ≤ 15	<i>t</i> ≤ 20	<i>t</i> ≤ 25	<i>t</i> ≤ 30	<i>t</i> ≤ 35	<i>t</i> ≤ 40
Cumulative frequency	12	27	50	80	120			200


[1]

Use

For

Examiner's

0580/42/M/J/10



[Turn over

WWW_XTREMEPHPERS_NET

8 (a) y is 5 less than the square of the sum of p and q.Write down a formula for y in terms of p and q.

Answer(a) y =[2]

(b) The cost of a magazine is \$x and the cost of a newspaper is \$(x - 3).
The total cost of 6 magazines and 9 newspapers is \$51.
Write down and solve an equation in x to find the cost of a magazine.

Answer(b) \$ [4]

0580/42/M/J/10

(c) Bus tickets cost \$3 for an adult and \$2 for a child.
There are *a* adults and *c* children on a bus.
The total number of people on the bus is 52.
The total cost of the 52 tickets is \$139.
Find the number of adults and the number of children on the bus.

Answer(c) Number of adults =


Number of children = [5]


[Turn over

For

Examiner's Use

0580/42/M/J/10






es net

WW_XTREMEPAP

[Turn over



The diagrams show some polygons and their diagonals.

(a) Complete the table.

Number of sides	Name of polygon	Total number of diagonals
3	triangle	0
4	quadrilateral	2
5		5
6	hexagon	9
7	heptagon	14
8		

[3]

- (b) Write down the total number of diagonals in
 - (i) a decagon (a 10-sided polygon),

Answer(b)(i) [1]

(ii) a 12-sided polygon.

Answer(b)(ii) [1]

0580/42/M/J/10

WWW.XTREMEPAPERS.NET

(c) A polygon with *n* sides has a total of $\frac{1}{p}n(n-q)$ diagonals, where *p* and *q* are integers.

(i) Find the values of p and q.

	Answer(c)(i) p =	
	q =	[3]
	(ii) Find the total number of diagonals in a polygon with 100 sides.	
	Answer(c)(ii)	[1]
	(iii) Find the number of sides of a polygon which has a total of 170 diagonals.	
	Answer(c)(iii)	[2]
(d)	A polygon with $n + 1$ sides has 30 more diagonals than a polygon with n sides.	
	Find <i>n</i> .	
	Answer(d) $n =$	[1]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

0580/42/M/J/10