# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CHEMISTRY 5070/02

Paper 2

October/November 2004

1 hour 30 minutes

Candidates answer on the Question Paper. Additional Materials: Answer Paper.

## **READ THESE INSTRUCTIONS FIRST**

Write your name, Centre number and candidate number in the spaces provided at the top of this page and on any separate answer paper used.

Write in dark blue or black pen in the spaces provided on the Question Paper.

You may use a pencil for any diagrams, graphs, or rough working.

You may use a calculator.

Do not use staples, paper clips, highlighters, glue or correction fluid.

#### Section A

Answer all questions.

A copy of the Periodic Table is printed on page 16.

## Section B

Answer three questions.

Write your answers on any line pages provided and/or a separate answer paper.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.


For Examiner's Use		
Section A		
В7		
В8		
В9		
B10		
TOTAL		

This document consists of **14** printed pages and **2** lined pages.



## **Section A**

A1 The diagram shows where five water samples, A to E, were taken from a river.



The table shows information about the water samples.

sample	temperature / °C	dissolved oxygen / ppm
Α	6	15
В	5	13
С	6	13
D	13	12
E	8	

	iver to the sea.
	[1]
erti	liser enters the river as it flows past the farmland.
i)	Suggest the oxygen content of water sample E.
i)	Explain your reasoning.
ij	)

(c) Samples **B** was taken before and sample **C** was taken after the water was treated for use as the water supply for the town. Complete the table to show how the contents change when the water is treated.

contents	change (increases / decreases / stays the same)
dissolved minerals	stays the same
suspended particles	
dissolved oxygen	stays the same
living microbes (e.g. bacteria)	
chlorine	

[3]

### **A2**

substance	type of bonding	melting point / °C	boiling point /°C
iodine	covalent	114	184
lead(II) bromide	ionic	370	914
methane	covalent	-182	-161
bromine	covalent	-7	59
silicon dioxide	covalent	1610	2230
lithium	metallic	180	1360

Use the substances named in the table to answer the following questions.

(a) Name the substances that are **not** solids at room temperature and pressure.

[1]

(b) Which substance is a liquid over the largest temperature range?

[1]

(c) Name the substances that are non-metallic elements.

[1]

(d) Which **two** substances conduct electricity when molten?

[1]


(e) Explain, using ideas about structure, why methane and silicon dioxide have different melting points.

[2]

(f) Describe a method for making lead from lead(II) bromide.

[1]

**A3** This is the structure of an ester made in a reversible reaction between a carboxylic acid and an alcohol.



(a)	(i)	State the conditions for this reaction.

.....[2]

(ii) Draw the structure of the carboxylic acid used in the reaction.

(iii)	Write an equation for this reaction.	
		. [2]

**(b)** A student carried out some experiments to compare the relative strengths of dilute ethanoic acid with dilute hydrochloric acid.


di	lute hydrochloric acid.	
	[2	2]

(i) Describe a test that can be used to distinguish between dilute ethanoic acid and

(ii) Name a solid substance that will react with both acids. Describe what you will **see** during the reaction.

substance		 	 	
observatio	ns	 	 	
		 	 	[2]

A4 Carbon monoxide detectors can be used in the home.



The orange spot turns black if there is a high concentration of carbon monoxide in the air.

(a)	Why is c	arbon	monoxide	hazardou	s'
(a)	VVIII IS C	aibuii	IIIOIIOXIGE	Hazaruot	J

**(b)** The spot turns black when palladium(II) chloride reacts with carbon monoxide to form palladium metal.

$$\mathsf{PdC}l_{\,2}(\mathsf{s}) + \boxed{ + \mathsf{CO}(\mathsf{g}) \to \mathsf{Pd}(\mathsf{s}) + 2\mathsf{HC}l_{\,}(\mathsf{g}) + \mathsf{CO}_{2}(\mathsf{g})}$$

- (i) Complete the equation by writing the formula of the missing reactant in the box.
- (ii) Complete the table to show the oxidation states of palladium and carbon before and after the reaction takes place.


element	oxidation state before reaction	oxidation state after the reaction
palladium		
carbon		

	(iii)	Use information from the table to explain why this is a redox reaction.	
(c)	Nar	me <b>one</b> industrial process that uses carbon monoxide as a reducing agent.	[5]
			[1]

A5 (a) Write an ionic equation for the reaction between zinc and aqueous copper(II) sulphate.

.....[1]

This reaction can be used to generate electricity in a cell.



- (b) Drawn an arrow on the diagram to show the direction of the flow of electrons in the wire. [1]
- (c) The voltage of the cell was measured when the following metals were used as electrode 2.

copper iron lead zinc

Complete the table by entering the metals in the correct order.

meter reading / V	metal
1.10	
0.78	
0.21	
0.00	

-		-
	_	

(d) When **metal M** was used as electrode 2, it produced a higher voltage than zinc. Suggest a name for **metal M**.

\_\_\_\_\_[1]

(a) For each salt, suggest the name of the missing reagent and briefly describe how to

**A6** This question is about making salts.

	obta	in the solid product from the reaction mixture.
	(i)	Salt to be made: lithium chloride.
		reagent 1: dilute hydrochloric acid
		reagent 2:
		I could obtain solid lithium chloride by:
	(ii)	Salt to be made: barium sulphate.
		reagent 1: aqueous potassium sulphate
		reagent 2:
		I could obtain solid barium sulphate by:
(	(iii)	Salt to be made: blue copper(II) sulphate crystals.
		reagent 1: dilute sulphuric acid
		reagent 2:
		I could obtain blue copper(II) sulphate crystals by:
		[6]
(b)	Amı	monium sulphate can be made by reacting aqueous ammonia with dilute sulphuric
	acio	
		$2NH3(aq) + H2SO4(aq) \rightarrow (NH4)2SO4(aq)$
	Cald	culate the mass of ammonium sulphate that can be made from 51 g ammonia.
	••••	[3]

#### **Section B**

Answer **three** questions from this section. Tie the extra sheets used loosely to this booklet.

**B7** Magnesium carbonate decomposes when it is heated.


$$MgCO_3(s) \rightarrow MgO(s) + CO_2(g)$$

In an experiment, 10.5 g of magnesium carbonate was heated to a constant mass.

- (a) Sketch a graph to show how the volume of carbon dioxide collected changes with time. Explain your answer. [3]
- (b) Calculate the maximum volume of carbon dioxide, at room temperature and pressure, that can be formed from 10.5 g of magnesium carbonate. [3]
- **(c)** The experiment was repeated under the same conditions using zinc carbonate instead of magnesium carbonate.
  - (i) Describe how the rates of the reactions would be different. Explain your answer.
  - (ii) The same mass (10.5 g) of zinc carbonate was used. Would the total volume of carbon dioxide formed be the same? Explain your answer. [4]

[Total: 10 marks]

**B8** This diagram shows a fractionating column for the separation of crude oil.



The following fractions leave the column.

fraction	number of carbon atoms	boiling range / °C
naptha	7 – 14	90 – 150
paraffin	9 – 16	150 – 240
diesel oil	15 – 25	220 – 250

- (a) Which fractions leave the column at each of the points A, B and C? [1]
- **(b)** Explain how the fractionating column separates the crude oil mixture. [3]
- (c) Octane, C<sub>8</sub>H<sub>18</sub>, is a hydrocarbon in petrol. Hexadecane, C<sub>16</sub>H<sub>34</sub>, is one of the hydrocarbons in ship fuel.
  - (i) Show by calculation that hexadecane contains a higher percentage of carbon by mass than octane.

This is the equation for the complete combustion of octane.

$$2 \text{C}_8 \text{H}_{18} \text{(I)} + 25 \text{O}_2 \text{(g)} \rightarrow 16 \text{CO}_2 \text{(g)} + 18 \text{H}_2 \text{O(g)}$$


- (ii) Write an equation for the complete combustion of hexadecane.
- (iii) Use the equations to explain why hexadecane burns with a smokier flame than octane.

[5]

(d) Name two fuels, suitable for cars, which do not come from crude oil. [1]

[Total: 10 marks]


**B9** Iron from the Blast Furnace contains carbon as an impurity. To remove the carbon, oxygen is blown on the molten iron in a large vessel known as a converter. The carbon is oxidised to carbon dioxide.




- (a) The temperature of the molten iron increases as the oxygen is blown onto it. Explain why. [1]
- (b) During the oxygen blow, some of the molten iron is oxidised to iron(III) oxide. Write an equation for this reaction. State symbols are not required. [2]

## **B9 CONTINUES OVERLEAF.**

**(c)** Scrap steel is recycled by being added, as a solid, to the molten iron, before the oxygen blow. The graph below shows how the temperature of the molten iron changes during the oxygen blow.



- (i) Describe how the temperature of the molten iron changes during the oxygen blow. Explain why the solid scrap steel affects the temperature change during the oxygen blow.
- (ii) Give a reason why it is important to recycle steel.
- (d) The diagram shows the arrangement of atoms in pure iron.



Draw similar diagrams to show the arrangement of atoms in

- (i) low carbon steel alloy,
- (ii) high carbon steel alloy.
- (iii) How do the properties of the two types of steel differ? Use your diagrams to explain why the properties are different. [4]

[Total: 10 marks]

[3]

**B10** Electroplating can be used to coat nickel with a thin coating of silver.

- (a) Draw a labelled diagram of an apparatus that can be used to electroplate silver onto nickel. [3]
- **(b)** Write equations, with state symbols, for the reactions at the anode and cathode. [2]
- (c) Solutions of two salts, **A** and **B**, were electrolysed using carbon electrodes. The following products were collected.

salt	products
Α	oxygen and hydrogen
В	chlorine and hydrogen

- (i) Suggest the names of the two salts, A and B.
- (ii) Describe tests to confirm the identifies of the three gases collected.

[Total: 10 marks]

[5]

The Periodic Table of the Elements DATA SHEET

	0	4	무	Helium 2	20	Ne	Neon 10	40	Αľ	Argon 18	8	궃	Krypton 36	131	Xe	Xenon 54		R	Radon 86				175		- 7	-	_	I minoralina
	₹				19	ш	Fluorine 9	35.5	75	Chlorine 17	80	Ā	Bromine 35	127	Ι	lodine 53		Αt	Astatine 85				173	Λb	Ytterbium	2	Z	2
	5				16	0	Oxygen 8	32		_	62		_		<u>e</u>	Tellurium 52			Polonium 84				169		Thulium		2	
	>				14	z	Nitrogen 7	31	۵	Phosphorus 15				122	Sp	Antimony 51	209	Ξ	Bismuth 83				167	ш	Erbium	90	<u>8</u>	<b>■</b>
	≥				12	ပ	Carbon 6	58	S	Silicon 14	73	Ge	Ε		Sn		207	Pb	Lead 82				165	운	Holmium	/0	Ц	î
	≡				1	Ω	Boron 5		Αſ	Aluminium 13		Ga	31	115	П	Indium 49	204	11	Thallium 81				162	۵	Dysprosium	90	5	5
											92	Zu	Zinc 30	112	ဦ	_		Ę	Mercury 80				159	q	Terbium	CO	ä	ב ב
											26	Cn	Copper 29	108	Ag	Silver 47	197	Αn	Gold 79				157	g	Gadolinium	64	2	5
Group												Z	Nickel 28	106	Pd	Palladium 46	195	풉	Platinum 78				152	E	Europium	20	2	Ī,
ຜັ້					7						29	ပိ	Cobalt 27	103	絽	Rhodium 45	192	ŀ	Iridium 77				150		E		٥	ב י
		-	I	Hydrogen 1								æ			Bu	Ruthenium 44	190	Os	Osmium 76					Pm	<u>т</u> ?	_	Ž	2
											55	M	Manganese 25		ဥ	Technetium 43	186	Be	Rhenium 75				144	2	Neodymium	00	538	<b>כ</b>
											52	ప	Chromium 24	96	Mo	Molybdenum 42	184	>	Tungsten 74				141	<u>ڄ</u>	Praseodymium	SC SC	Q	ב
											51		Vanadium 23		qN	Niobium 41	181	Та	Tantalum 73				140	Çe	Cerium		Z3Z	<b>=</b>
											48		Ε		Ż	Zirconium 40	178	Ξ	Hafnium 72							nic mass	<u>-</u>	5
											45	Sc	Scandium 21	88	>	Yttrium 39	139	Ľ	Lanthanum 57 *	227	Ac	Actinium 89 †		Selles	series	a = relative atomic mass	X = atomic symbol	
	=				6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Sa	Calcium 20	88	Š	Strontium 38	137	Ва	Barium 56	226	Ва	Radium 88	0.00	30-71 Lantinariold series	T90-103 Actinoid series	a a		
	_				_	=	Lithium 3	53	Na	Sodium 11	39	¥	Potassium 19	82	Rb	Rubidium 37	133	S	Caesium 55		ì.	Francium 87	* 74	30-/-OC	T90-103		Kov	NC.

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Einsteinium 1

Californium 1

Curium 96

90

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.