

#### GEOGRAPHY

2217/22 October/November 2018

Paper 2 Investigation and Skills MARK SCHEME Maximum Mark: 90

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2018 series for most Cambridge IGCSE<sup>™</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

### **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit
  is given for valid answers which go beyond the scope of the syllabus and mark scheme,
  referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

## Section A

Question	Answer	Marks
1(a)	Church Sports ground Line of trees	3
1(b)(i)	Flows north west then north <u>One main</u> tributary / confluence / River Oder is main tributary (Many small) tributaries Meanders Ox-bow lakes / cut-off meanders Island / braiding Variable / increasing width	5
1(b)(ii)	764282	1
1(c)	High <u>er</u> land Spur / between two valleys / rivers Gently sloping / <u>relatively</u> flat Above 140 m / below 150 m / height within this range Above floodplain / valley floor / flooding / dry point site Water supply Defensive Building materials / fuel / wood from forest Road access / 247 road / main road (Jobs at) industrial sites Farmland	6
1(d)(i)	5800–6000	1
1(d)(ii)	Starts on gentle slope Uphill / hill / high / mountain (Increasingly) steep To top (of ridge) Ridge Up and down (along ridge) 243 / 274 spot height Forest Farmland Industry Settlement	4

Question	Answer	Marks
2(a)(i)	Birth rate minus death rate Number of births minus number of deaths	1
2(a)(ii)	Migration	1
2(b)	Line extended to 2100	1
2(c)(i)	Africa / Australasia	1
2(c)(ii)	2050–2058	1
2(c)(iii)	2000–2004	1
2(c)(iv)	Africa	2
	Continuing the trends will cause the lines to cross Africa has the fast <u>est</u> increase Asia is decreasing and Africa is increasing	

Question	Answer	Marks
3(a)	Residential / apartments / flats Close together Tall / many storeys Flat roofs Concrete Brown / grey Balconies Rectangular / glass windows Air con units / satellite dishes	4
3(b)	Advantages: Close to neighbours Close to work place / amenities / schools etc. Air conditioning Satellite TV / internet / phone Disadvantages: Too close to neighbours / noisy No garden / garage Stairs / lift to reach apartment Unsafe communal areas / lobbies Fires spread easily / may collapse in earthquake	4

Question	Answer	Marks
4(a)	Wind vane Rain gauge	2
4(b)	Six boxes shaded R written in four boxes	2
4(c)(i)	South	1
4(c)(ii)	West and south west	1
4(c)(iii)	Lake / sea / water body Sea and land different temperatures Sea breezes / direction brings warm air Air rising up hill / relief rainfall Air cooling / condensation Weather systems coming from W / SW	2

Question	Answer	Marks
5(a)(i)	Both plates moving NW / same direction North American plate moves 1 cm per year + Pacific plate moves 6 cm per year / 5 cm per year difference in speeds Pacific plate is moving faster / 6 times as fast / North American plate is moving slower	2
5(a)(ii)	Conservative	1
5(b)(i)	Coastal Close to plate boundary West of California San Francisco / Oakland in the N / NW <u>and</u> Los Angeles in the S / SE San Francisco / Oakland NW of Los Angeles / Los Angeles SE of San Francisco / Oakland San Francisco / Oakland and Los Angeles are 600–700 km apart	2
5(b)(ii)	Coastal location so moderate climate / attractive / sea views /beach Ports / fishing / ocean transport Tourism jobs / high tech industry Family ties to area Cannot afford to go elsewhere Consider benefits to outweigh the risks Buildings built to withstand earthquakes Trust warning systems / emergency procedures Think it will never happen	3

Question	Answer	Marks
6(a)	South / Italy / Greece / near the Mediterranean Mountainous areas / Alps / Pyrenees / Appennines Central areas / named country in centre (Islands in) SE	3
6(b)(i)	Wet winter and dry summer	1
6(b)(ii)	Dry all year	1
6(b)(iii)	Steep slopes Less vegetation / harvesting of trees Relief rainfall / rain shadow Rapid run-off Soils are thin	2
6(c)	Maintaining continuous vegetation cover	1

## Section B

Question	Answer	Marks
7(a)	<u>Commercial</u> : sell produce / aim for profit / for money / resale / market (1) <u>Subsistence</u> : feed family / themselves / not for profit / for survival / personal use (1)	2
	(2 × 1)	
7(b)(i)	155 (thousand tonnes) TICK/CROSS	1
7(b)(ii)	Tea production rose (1) Maize production fell (1)	2
	$\frac{\text{Check years being used in relation to trend stated.}}{(2 \times 1)}$	
7(c)	Athi Kamunyuni / Athi / Kamunyuni	1
7(d)(i)	Examples: TWO ideas looked for: Check if <u>questions</u> are appropriate / change <u>questions</u> if inappropriate / test <u>method</u> / correct errors / make less mistakes / to practise fieldwork (1) Become confident / experienced / prepared in using questionnaire (1) Saves time <u>with real fieldwork</u> if questions are inappropriate (1) Find out how long questionnaire might take (1) Get an idea of how cooperative / willing farmers might be (1) (2 × 1)	2
7(d)(ii)	<u>Credit ONE advantage and ONE disadvantage</u> <u>Advantage:</u> Removes bias / is fair / reliable (1) Can use random numbers to generate order to ask farmers / identify farms (1) Equal chance of being selected (1) <u>Disadvantage:</u> May not result in a representative sample / may not give variety / may not cover area (1) Difficult to organise for sample of 20 if random number table is used (1) (1 + 1)	2

Question	Answer	Marks
7(d)(iii)	ONE mark for sampling method, TWO marks for description If sampling method wrong, can credit description of Systematic or Stratified.	3
	Do NOT credit RANDOM as method or description.	
	<u>Systematic (1)</u> Choose farmers / farms at regular / constant intervals (1) Every fourth/nth farmer they meet / every fourth/nth farm they pass (1) Use grid over area and choose farms in every fourth/nth square (1)	
	OR	
	<u>Stratified (1)</u> Find out gender or age balance of all the farmers in area (1) Ask a balanced number or proportionate number of farmers of different age group (1)	
	1 + (2 × 1)	
7(e)(i)	Data collected for the first time / first hand / by yourself / by students / fieldwork data / raw data / original data / not processed	1
7(e)(ii)	Examples:	2
	Language difficulties (1) Unpredictable hours when available / farmers not in (1) People not willing to answer questions / too busy / may lie / impolite (1) Farmers unwilling to give / may not know precise details about their farm (1) Accessibility / transport issues / large area to cover (1) May take long time to cover area (1) (1 + 1)	
7(f)(i)	If grid is not $3 \times 3$ but is 9 squares can still credit shading	2
	Draw $3 \times 3 = 9$ squares on map using provided axis close to Kaiani (1) Shade any 4 crops and any 5 animals using the provided key (1) (1 + 1)	

	Answer	Marks
7(f)(ii)	<ul> <li>Hypothesis is TRUE – 1 mark reserve.</li> <li><u>Evidence</u> Cattle in north and goats in south (1) North even / similar land area used for crops and animals, south less land used for crops than animals(1) More crops in north / less crops in south (1) More animals in north / less animals in south (1)</li> <li><u>Credit 1 mark MAX for paired data comparing north and south</u>. e.g. 11ha / 13ha crops / animals in north but 3ha / 11ha in south (1) 11ha in north for crops but only 3ha in south (1)</li> <li>Accept use of "ONLY" as "less than" for statement mark</li> </ul>	3
	1HA + (1 + 1)	
7(g)(i)	Completion of pie graph       TICKS/CROSSES         13% slice plotted clockwise at 80% (1)       Correct shading using key provided (1)         If plot wrongly from top i.e. 87% no credit for plot BUT credit shading if large slice and small slice are shaded correctly.       (1 + 1)	2
7(g)(ii)	Hypothesis is <b>FALSE/NOT SUPPORTED</b> – 1 mark reserve <u>Evidence</u> Main difficulties are human / economic / non-environmental / financial (1) Highest / top two difficulties are transport and loans (1) Over half / majority / most of the responses are human / economic / non- environmental / financial difficulties / less than half are environmental (1) <u>Credit 1 mark MAX for supporting data</u> e.g. 55% human / economic and 45% environmental OR 55.5% and 44.5% (1) 76 say issues non-environmental and 61 environmental (1) 42% / 22% and 20% are transport and loan difficulties (1) Accept use of "ONLY" as "Less than" for statement marks. <b>1 HA + (1 + 1 + 1)</b>	4

Question	Answer	Marks
7(h)	Examples: Wells / boreholes (1) Irrigation (1) Using pumps (1) Traditional methods e.g. <i>shaduf</i> / Archimedes screw / sakia (1) Creating boundaries / low walls / bunds <u>to hold water</u> (1) Sprinkler systems (1) Grow drought resistant crops / fast growing crops (1) Pipes / canals from wetter areas (1) Harvest / store / save rainwater / storage tanks (1) Magic stones (1) Transfer water from wetter areas / north to south	3
	(3 × 1)	

Erosion in top box       Deposition in bottom box         8(a)(ii)       Oxbow lake	Question	Answer	Marks
8(b)(i)       Examples:       2         8(b)(i)       Examples:       2         Hold pole of flowmeter <u>at top</u> (1)       Put propeller / flowmeter below surface of water / into the river / in the water / submerged (1)       Propeller must be facing upstream (1)         Allow <u>propeller</u> to rotate / turn (1)       Read number of turns in fixed period / 1 minute (1)       Read number of turns in fixed period / 1 minute (1)         Read number of turns in fixed period / 1 minute (1)       Read adigital screen / velocity display (1)       (2 × 1)         8(b)(ii)       Advantage – accurate / reliable reading / instant reading / quick / no calculating / can save readings (1)       (2 × 1)         B(b)(ii)       Disadvantage – inaccurate in low flow conditions / battery may go flat / may break / cannot use in deep water / obstacles get in way (1)       (1 + 1)         8(c)(ii)       Plotting of correct criss-cross shading for 0.53 at 2.5 m on cross section       7         8(c)(ii)       NOTE: Candidates are told decision re hypothesis is correct. So no need to credit any decision they give.       5         Evidence:       Velocity is highest near to outside bend / by concave bank / at 4 m on meander and highest in centre on straight section (1)       531/0.51-0.6 / below 0.6 m near centre of straight section (1)         Velocity increases more across the meander than across straight section (1)       Stats: Range 0.28 to 0.58 / 0.3 m across meander but only 0.3 to 0.37 / 0.07 m across straight section (1)         Veloci	8(a)(i)	Erosion in top box	1
Hold pole of flowmeter at top (1)         Put propeller / flowmeter below surface of water / into the river / in the water / submerged (1)         Propeller must be facing upstream (1)         Allow propeller to rotate / turn (1)         Read number of turns in fixed period / 1 minute (1)         Read digital screen / velocity display (1)         (2 × 1)         8(b)(ii)         Advantage – accurate / reliable reading / instant reading / quick / no calculating / can save readings (1)         Disadvantage – inaccurate in low flow conditions / battery may go flat / may break / cannot use in deep water / obstacles get in way (1)         8(c)(i)         Plotting of correct criss-cross shading for 0.53 at 2.5 m on cross section         8(c)(ii)         NOTE: Candidates are told decision re hypothesis is correct. So no need to credit any decision they give.         Evidence:         Velocity is highest near to outside bend / by concave bank / at 4 m on meander and highest in centre on straight section / at 2.5 m (1)         Stats: 0.63 / more than 0.6 m close to outside bend on meander but 0.53/0.51-0.6 / below 0.6 m near centre of straight section (1)         Velocity increases more across the meander than across straight section (1)         Velocity increases across meander but only 0.3 to 0.53 / 0.07 m across straight section (1)         Velocity increases across meander but straight section rises and falls around the middle (1)         Stats: Range 0.28 to 0.58 / 0.3 acros	8(a)(ii)	Oxbow lake	1
8(b)(ii)       Advantage – accurate / reliable reading / instant reading / quick / no calculating / can save readings (1)       2         Disadvantage – inaccurate in low flow conditions / battery may go flat / may break / cannot use in deep water / obstacles get in way (1)       (1 + 1)         8(c)(i)       Plotting of correct criss-cross shading for 0.53 at 2.5 m on cross section       7         8(c)(ii)       NOTE: Candidates are told decision re hypothesis is correct. So no need to credit any decision they give.       7         Evidence:       Velocity is highest near to outside bend / by concave bank / at 4 m on meander and highest in centre on straight section / at 2.5 m (1)       Stats: 0.63 / more than 0.6 m close to outside bend on meander but 0.53 / 0.51–0.6 / below 0.6 m near centre of straight section (1)         Velocity increases more across the meander than across straight section (1)       Velocity increases across meander but straight section rises and falls around the middle (1)         Stats: Range 0.28 to 0.58 / 0.3 across meander but rises 0.3 to 0.53 and falls to 0.37 m / s in straight section (1)       Stats: Range 0.28 to 0.58 / 0.3 across meander but rises 0.3 to 0.53 and falls	8(b)(i)	Hold pole of flowmeter <u>at top</u> (1) Put propeller / flowmeter below surface of water / into the river / in the water / submerged (1) <u>Propeller</u> must be facing upstream (1) Allow <u>propeller</u> to rotate / turn (1) Read number of turns in <u>fixed period / 1 minute</u> (1)	2
calculating / can save readings (1)         Disadvantage – inaccurate in low flow conditions / battery may go flat / may break / cannot use in deep water / obstacles get in way (1)         (1 + 1)         8(c)(i)       Plotting of correct criss-cross shading for 0.53 at 2.5 m on cross section         8(c)(ii)       NOTE: Candidates are told decision re hypothesis is correct. So no need to credit any decision they give.         Evidence:       Velocity is highest near to outside bend / by concave bank / at 4 m on meander and highest in centre on straight section / at 2.5 m (1)         Stats: 0.63 / more than 0.6 m close to outside bend on meander but 0.53 / 0.51–0.6 / below 0.6 m near centre of straight section (1)         Velocity increases more across the meander than across straight section (1)         Stats: Range 0.28 to 0.58 / 0.3 m across meander but only 0.3 to 0.37 / 0.07 m across straight section (1)         Velocity increases across meander but straight section rises and falls around the middle (1)         Stats: Range 0.28 to 0.58 / 0.3 across meander but rises 0.3 to 0.53 and falls to 0.37 m / s in straight section (1)			
8(c)(ii)       NOTE: Candidates are told decision re hypothesis is correct. So no need to credit any decision they give.       Evidence:         Velocity is highest near to outside bend / by concave bank / at 4 m on meander and highest in centre on straight section / at 2.5 m (1)       Stats: 0.63 / more than 0.6 m close to outside bend on meander but 0.53 / 0.51 – 0.6 / below 0.6 m near centre of straight section (1)         Velocity increases more across the meander than across straight section (1)       Velocity increases more across the meander than across straight section (1)         Stats: Range 0.28 to 0.58 / 0.3 m across meander but only 0.3 to 0.37 / 0.07 m across straight section (1)       Velocity increases across meander but straight section rises and falls around the middle (1)         Stats: Range 0.28 to 0.58 / 0.3 across meander but rises 0.3 to 0.53 and falls to 0.37 m / s in straight section (1)	8(b)(ii)	calculating / can save readings (1) <b>Disadvantage</b> – inaccurate in low flow conditions / battery may go flat / may break / cannot use in deep water / obstacles get in way (1)	2
credit any decision they give. Evidence: Velocity is highest near to outside bend / by concave bank / at 4 m on meander and highest in centre on straight section / at 2.5 m (1) Stats: 0.63 / more than 0.6 m close to outside bend on meander but 0.53 / 0.51–0.6 / below 0.6 m near centre of straight section (1) Velocity increases more across the meander than across straight section (1) Stats: Range 0.28 to 0.58 / 0.3 m across meander but only 0.3 to 0.37 / 0.07 m across straight section (1) Velocity increases across meander but straight section rises and falls around the middle (1) Stats: Range 0.28 to 0.58 / 0.3 across meander but rises 0.3 to 0.53 and falls to 0.37 m / s in straight section (1)	8(c)(i)	Plotting of correct criss-cross shading for 0.53 at 2.5 m on cross section	1
meander & straight section (1 + 1 + 1)	8(c)(ii)	credit any decision they give. <u>Evidence:</u> Velocity is highest near to outside bend / by concave bank / at 4 m on meander and highest in centre on straight section / at 2.5 m (1) <b>Stats:</b> 0.63 / more than 0.6 m close to outside bend on meander but 0.53 / 0.51–0.6 / below 0.6 m near centre of straight section (1) Velocity increases more across the meander than across straight section (1) <b>Stats:</b> Range 0.28 to 0.58 / 0.3 m across meander but only 0.3 to 0.37 / 0.07 m across straight section (1) Velocity increases across meander but straight section rises and falls around the middle (1) <b>Stats:</b> Range 0.28 to 0.58 / 0.3 across meander but rises 0.3 to 0.53 and falls to 0.37 m / s in straight section (1) <u>Credit 1 mark MAX/RESERVE for paired data to compare <b>velocity</b> on meander &amp; straight section</u>	3

Question	Answer	Marks
8(c)(iii)	Examples: TWO differences required; can be statement or stats.	2
	NOTE Fig 2.4 = now; Fig 2.5 = previous. Accept use of Figs. Do NOT credit comparing individual sites/distances as stats.	
	Higher velocity recorded in students' results now OR more than 0.6 / 0.63 now compared to 0.41–0.5 range before (1)	
	Greater range of velocity in students' results now OR 0.21–0.3 / 0.28 to more than 0.6 / 0.63 compared to 0.21–0.3 to 0.41–0.5 before (1)	
	(1 + 1)	
8(c)(iv)	Examples: TWO separate suggestions needed	2
	More measurements in students fieldwork / 9 now compared to 5 before / different intervals used (1) More rainfall before fieldwork now / less rainfall or drier conditions before (1) Higher discharge before fieldwork now / lower discharge before(1) Measuring errors (1) Floats may become stuck before (1) Different instruments / flowmeter now instead of float / different methods (1)	
	(1 + 1)	
8(d)(i)	Examples: No mark for just stating callipers / pebbleometer.	2
	Put pebble into callipers or pebbleometer / adjust callipers to hold pebble (1) Measured length on scale / measure long axis with ruler or tape measure (1) (1 + 1)	
8(d)(ii)	Plot crosses at 2 m and 4 m as follows. <b>2 m</b> : 0.42 / 12 (1) <b>4 m</b> : 0.62 / 17 (1)	2
	<b>4 m</b> : 0.63 / 17 (1) (1 + 1)	

Question	Answer	Marks
8(d)(iii)	Meander: Hypothesis is <b>TRUE</b> / results support hypothesis – 1 mark reserve	4
	Credit 1 mark for supporting data – need 2 sets of velocity and pebble length measurements e.g. at 0.28 m/s size is 4 cm but at 0.58 m/s size is 15 cm. (1)	
	<u>Straight section:</u> Hypothesis is <b>NOT TRUE/FALSE</b> results do not support hypothesis – 1 mark reserve	
	Credit 1 mark for supporting data – need 2 sets of velocity and pebble length measurements e.g. at 0.30 m/s size is 8 cm but at 0.40 m/s size is 5 cm (1) $2 \times (1HA + 1)$	
	If say FALSE for meander mark X HA = 0 and do not mark evidence. If say TRUE for straight section mark X HA = 0 and do not mark evidence. If say PARTLY TRUE for either mark X HA =0 and do not mark evidence.	
8(e)(i)	Completion of histogram; credit plots ignore shading.	2
	21 at 6–10 cm (1)	
	8 at 11–15 cm (1) (1 + 1)	
8(e)(ii)	Examples:	2
	More pebbles between 1–5 cm downstream <b>OR</b> 9 downstream at 1–5 cm but 4 upstream / 5 more downstream (1) More pebbles between 6–10 cm downstream <b>OR</b> 21 at 6–10 cm downstream but 14 upstream / 7 more downstream(1)	
	Less pebbles between 11–15 cm downstream <b>OR</b> 8 downstream at 11–15 cm but 17 upstream / 9 less downstream (1) Less pebbles between 16–20 cm downstream <b>OR</b> 2 downstream at 16–20 cm but 5 upstream / 3 less downstream (1) (1 + 1)	
8(e)(iii)	Examples: terms must be defined correctly for credit.	2
	Eroded by water for longer time (1) Attrition – pebbles crash into each other (1) Corrosion or solution – dissolves pebbles (1) Abrasion or corrasion – pebbles rub against bed and banks (1) Pebbles are moved further downstream because they are lighter to transport / heavier pebbles were deposited upstream (1)	

Question	Answer		
8(f)	channel depth increases downstream		2
	discharge increases downstream		
	Rows 2 and 4 are correct.	(1 + 1)	