

IMPERIAL COLLEGE LONDON

DEPARTMENT OF ELECTRICAL AND ELECTRONIC ENGINEERING
EXAMINATIONS 2003

LANGUAGE PROCESSORS

Tuesday, 10 June 2:00 pm

Time allowed: 2:00 hours

There are FOUR questions on this paper.

Q1 is compulsory.

Answer Q1 and any two of questions 2-4.

Q1 carries 40% of the marks. Questions 2 to 4 carry equal marks.

Any special instructions for invigilators and information for candidates are on page 1.

Examiners responsible	First Marker(s) :	Y.K. Demiris
	Second Marker(s) :	G.A. Constantinides

QUESTION 1:

- (a) Describe five criteria that can be used to judge the quality of a language processor. [2]
- (b) Briefly describe the types of grammar as defined in Chomsky's hierarchy of grammars, and provide the restrictions that each type imposes on its grammar production rules. [4]
- (c) Provide the transition diagram for a push-down automaton that can be used to recognize the language $\{x^n y^n, n \geq 1\}$. [5]
- (d) Give an example of a language that *cannot* be recognized by a push down automaton. [3]
- (e) Describe how you can remove left-recursion from the production rules of a grammar. [3]
- (f) Specify three techniques for code optimisation, and provide a code example for each. [3]

QUESTION 2:

For a programming language we have the following definitions:

- Identifiers must start with a letter, followed by zero or more letters or digits. Examples include *Temp1*, *index*, *a123*, among others.
- Numbers can be written either in decimal or scientific notation; the format consists of the following parts:
 - [mandatory] one or more digits
 - [optional] a decimal point, followed by one or more digits, optionally followed by "E", an optional plus or minus sign, and one or more digits.

Examples include *26*, *1.234*, *5.2*, *34.4E2*, *6.3E-11*, among others.

- (a) Write the regular expressions for valid identifiers and numbers for this language; define all special characters you used. [6]
- (b) Provide a finite state automaton that, given an input string, will recognize it as either a valid identifier, or as a valid number. Clearly mark all final (accepting) states for the FSA. [14]

QUESTION 3:

Construct the deterministic finite automaton for the regular expression $(a/b)^*c$ by:

- (a) constructing a non-deterministic finite automaton (NFA) using Thompson's algorithm. [10]
- (b) constructing the equivalent DFA using the subset construction algorithm. Explain the intermediate steps you have taken. [10]

QUESTION 4:

- (a) Describe the data structures involved, and the steps performed by the LR parsing algorithm. [10]
- (b) Describe the algorithm for register allocation via graph colouring, including a heuristic algorithm for determining whether a graph G is colourable using a number of colours, K . [10]


E2.15: Language Processors

Model answers to exam questions 2003

Question 1

- (a) [bookwork] Five criteria: correctness of generated code, conformity to the language specification, quality of generated code (size and speed), speed of language processor itself, and user-friendliness (for example the quality of its error reporting).
- (b) [bookwork] Type 0, 1, 2, and 3; 0 (unrestricted grammars), 1 (for all productions $\alpha \rightarrow \beta$, we must have $|\alpha| \leq |\beta|$), 2 or context free grammars (only a single non-terminal may appear on the left-side of a production), and 3 or regular grammars (productions should all be left-linear or right linear)
- (c) [new computed example]

(labels on the arrows: input symbol, stack symbol popped / symbols pushed)



- (d) [bookwork] $\{x^n y^n z^n, n \geq 1\}$

- (e) [bookwork] By changing all the rules of the form

$A \rightarrow A\alpha \mid \beta$

to

$A \rightarrow \beta R$

$R \rightarrow \alpha R \mid \epsilon$

- (f) [bookwork] 1. Removal of unnecessary jumps:

goto L1

goto L2

...

->

...

L1: goto L2

L1: goto L2

2. Constant folding:

$x = \text{constant op constant}$

can be replaced by calculating the result of the operation and replacing the operation with the result

3. Moving loop invariant computations outside the loop

for $l = 1$ to 10

Begin

$A = 2 * \pi$

$Z[l] = A$;

End

$A = 2 * \pi$;

for $l = 1$ to 10

Begin

$Z[l] = A$;

End

=>

$Z[l] = A$;

Question 2


[new computed example]

- (a) identifier: $[a-zA-Z]([a-zA-Z][0-9])^*$

number: $[0-9]+([0-9])^*(E[+]?[0-9])^+?$

[Defining $[a-zA-Z]$ as *letter* and $[0-9]$ as *digit*, and using those in the regular expressions above is fine.]


- (b) [accepting states are marked with double circle]




Question 3:

[new computed example]

(a) Thompson's construction of the NFA:



(b) Resulting DFA:



Steps:

- (1) Calculate start-state of DFA: ϵ -closure of state 0: $\{0,1,2,3,4,5,6,7\} \rightarrow$ state q_0
- (2) Calculate $\text{move}(q_0, a)$, $\text{move}(q_0, b)$, $\text{move}(q_0, c)$
 - $\text{Move}(q_0, a) = \{3\}$
 - ϵ -closure($\{3\}$) = $\{0,1,2,3,4,5,6,7\} = q_0 \rightarrow$ no new state added
 - $\text{Move}(q_0, b) = \{5\}$
 - ϵ -closure($\{5\}$) = $\{0,1,2,3,4,5,6,7\} = q_0 \rightarrow$ no new state added
 - $\text{move}(q_0, c) = \{8\}$
 - ϵ -closure($\{8\}$) = $\{8\} \rightarrow$ new state q_1
- (3) Calculate $\text{move}(q_1, a)$, $\text{move}(q_1, b)$, $\text{move}(q_1, c)$: all $\{\}$. No more states added
- (4) Final state for DFA: any new state containing final states of the NFA $\rightarrow q_1$

Question 4

[bookwork]

- (a) LR parsing involves the use of a parsing table (containing *goto* and *action* entries), and a stack. Given an input string w , the algorithm proceeds as follows:

Set input pointer ip to the first symbol of $w\$$ **Repeat:**Let s be the state on top of the stack, and a the symbol pointed by ip **if** $\text{action}[s, a] = \text{shift } s'$ **then****begin**Push a then s' on top of the stackAdvance ip to the next input symbol**end****else if** $\text{action}[s, a] = \text{reduce } A \rightarrow \beta$ **then begin**Pop $2 \cdot \text{length}(\beta)$ items off the stackLet s' be the state now on top of the stackPush A then $\text{goto}[s', A]$ on top of the stackOutput the production $A \rightarrow \beta$ **end****else if** $\text{action}[s, a] = \text{accept}$ **then return****else error()****end**

(b) By constructing the *interference graph*, where :

1. Variables are nodes in the graph
2. An arc drawn between two nodes indicates that the two nodes cannot share a register, because they are live at the same time.

we map the problem of register allocation to the graph colouring problem in graph theory: how to colour the nodes of a graph with the lowest possible number of colours, such that for each arc the nodes at its ends have different colours.

Heuristic algorithm for determining whether a graph is K-colourable:

For each node n in the graph G that has fewer than k -neighbours, we remove n along with its edges. This results in a graph G' and the problem has been reduced to k -colouring of G' (since G can be coloured by assigning to n one of the colours not assigned to any of its neighbours).

Process is repeated until you get either:

- An empty graph (which means that k -colouring of G is possible)
- A graph in which each node has k or more adjacent nodes (which means that k -colouring may not be possible, and spilling code may be needed).