

Modified Enlarged 24pt
OXFORD CAMBRIDGE AND RSA EXAMINATIONS

Monday 20 June 2022 – Morning

A Level Chemistry A

H432/02 Synthesis and analytical techniques

**Time allowed: 2 hours 15 minutes
plus your additional time allowance**

YOU MUST HAVE:

the Data Sheet for Chemistry A

YOU CAN USE:

**a scientific or graphical calculator
an HB pencil**

Please write clearly in black ink.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

First name(s) _____

Last name _____

READ INSTRUCTIONS OVERLEAF



INSTRUCTIONS

Use black ink. You can use an HB pencil, but only for graphs and diagrams.

Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.

Answer ALL the questions.

Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

The total mark for this paper is 100.

The marks for each question are shown in brackets [].

Quality of extended response will be assessed in questions marked with an asterisk (*).

ADVICE

Read each question carefully before you start your answer.

Answer ALL the questions.

SECTION A

You should spend a maximum of 20 minutes plus your additional time allowance on this section.

Write your answer to each question in the box provided.

- 1 Which statement is correct for the different rates of hydrolysis of RCl and RBr ? [1]
- A RBr is hydrolysed faster because Cl is more electronegative than Br .
- B RBr is hydrolysed faster because the $\text{C}-\text{Cl}$ bond enthalpy is greater than $\text{C}-\text{Br}$.
- C RCl is hydrolysed faster because Cl is more electronegative than Br .
- D RCl is hydrolysed faster because the $\text{C}-\text{Br}$ bond enthalpy is greater than $\text{C}-\text{Cl}$.

Your answer

2 Which statement about absorption of radiation is correct? [1]

- A Infrared radiation can result in the breakdown of the ozone layer.**
- B Ultraviolet radiation can cause some polymers to photodegrade to benefit the environment.**
- C Ultraviolet radiation is linked to global warming.**
- D Ultraviolet radiation is used in modern breathalysers to measure ethanol in the breath.**

Your answer

☐

3 What is the number of sigma bonds in a molecule of methylbenzene? [1]

A 7


B 10

C 12

D 15

Your answer

- 4 The skeletal formula of an organic compound is shown below.




Which functional groups are present?
[1]

- A amide and alcohol
- B amide and carboxylic acid
- C amine and carboxylic acid
- D amine, ketone and alcohol

Your answer

5 The structure of a drug is shown below:



How many chiral carbon atoms are there in a molecule of the drug? [1]

A 5

B 6

C 7

D 8

Your answer

6 Which process has the highest atom economy for preparing ethene, C_2H_4 ?

In each process, assume that ethene is the only product that is used. [1]



Your answer


- 7 Complete combustion of 0.050 mol of an alkane produces 5.40 g of H_2O .

What is the molecular formula of the alkane? [1]



Your answer

- 8 The structure of the painkiller, paracetamol, is shown below.



PARACETAMOL


A tablet contains 3.31×10^{-3} mol of paracetamol.

What is the mass of paracetamol in the tablet? [1]

- A 493 mg
- B 497 mg
- C 500 mg
- D 506 mg

Your answer

- 9 The compound below reacts with hydrogen gas to form a saturated compound.






What is the volume of hydrogen, measured at room temperature and pressure, that reacts with 0.0500 mol of the compound? [1]

- A 2.40 dm³
- B 3.60 dm³
- C 4.80 dm³
- D 6.00 dm³

Your answer


10 Butyl propanoate is hydrolysed by aqueous sodium hydroxide.

Which compound is one of the products of this hydrolysis? [1]



Your answer

11 The infrared spectrum of an organic compound is shown below.




Which compound could have produced this spectrum? [1]



Your answer

12 Which compound produces two triplets in its ^1H NMR spectrum? [1]



Your answer

☐

13 Which equation(s) could be part of the propagation step in the radical substitution of C_5H_{12} to form $C_5H_{11}Cl$? [1]



A 1, 2 and 3

B Only 1 and 2

C Only 2 and 3

D Only 1

Your answer

☐

14 Which species could react as a nucleophile? [1]



A 1, 2 and 3

B Only 1 and 2

C Only 2 and 3

D Only 1

Your answer

15 Which isomer(s) of $\text{C}_5\text{H}_{12}\text{O}$ has/have 4 peaks in its/their ^{13}C NMR spectrum? [1]

1 3-methylbutan-2-ol

2 2-methylbutan-2-ol

3 2-methylbutan-1-ol

A 1, 2 and 3

B Only 1 and 2

C Only 2 and 3


D Only 1

Your answer

SECTION B

16 This question is about unsaturated hydrocarbons.

(a) The unsaturated hydrocarbon A, shown below, is reacted with bromine.



HYDROCARBON A


(i) What is the systematic name of hydrocarbon A?

_____ [1]

(ii) Outline the mechanism for the reaction of hydrocarbon A with bromine.

The structure of hydrocarbon A has been provided.

Include curly arrows and relevant dipoles. [3]



(b) Compounds B and C are **BRANCHED** hydrocarbons that are structural isomers of C_6H_{12} .

Compounds B and C both have stereoisomers.

Compound B has *cis* and *trans* isomers but does NOT have optical isomers.

Compound C has optical isomers but does NOT have *cis* and *trans* isomers.

(i) What is meant by the term **STRUCTURAL ISOMERS**?

[1]

(ii) What is meant by the term
STEREISOMERS?

[1]

(iii) Draw structures for the *cis* and
trans isomers of the branched
hydrocarbon B. [2]

<i>cis</i> isomer	<i>trans</i> isomer

- (iv) Draw 3D structures for the optical isomers of compound C. [2]

Optical isomers	

- (v) Compounds D and E are two more structural isomers of C_6H_{12} .

Compounds D and E do NOT show stereoisomerism.

TABLE 16.1 shows NMR and infrared (IR) spectral data for D and E.

TABLE 16.1


	Number of peaks in ^1H NMR spectrum	Number of peaks in ^{13}C NMR spectrum	IR peak at $1620\text{--}1680\text{ cm}^{-1}$
D	1	1	No
E	1	2	Yes

Draw the structures of D and E and explain how the spectral data in TABLE 16.1 provides evidence for the structures. [4]



D	E

(c) 'Ozonolysis' is used in organic synthesis. Ozone breaks C=C bonds to form carbonyl compounds.

For example, the complete ozonolysis of methylbut-2-ene is shown below.





(i) Draw the structures of the products you would expect from the ozonolysis of the TWO compounds below. [2]



(ii) The mechanism for ozonolysis takes place in several steps.

The curly arrows in the first step in the ozonolysis of methylbut-2-ene are shown opposite.

In the box, draw the structure(s) for the product(s) of this step. [1]



17 This question is about an analysis of an unknown organic COMPOUND X.

Some properties of COMPOUND X are shown in the table.

Molecular formula	Functional groups	Chirality
$\text{C}_x\text{H}_y\text{F}_6\text{O}$	$\begin{array}{c} \text{C-F} \\ \text{C-O-C} \end{array}$	1 chiral carbon

At a pressure of $1.07 \times 10^5 \text{ Pa}$ at 30°C , 1.327 g of COMPOUND X is a gas with a volume of 186 cm^3 .

Determine the molar mass of COMPOUND X and its molecular formula.

Draw a possible structure for a molecule of COMPOUND X. [6]

molar mass _____ g mol⁻¹

molecular formula _____

STRUCTURE OF COMPOUND X

18 This question is about carbonyl compounds.

(a) (i) Describe a chemical test to confirm the presence of a carbonyl group.

How could the product of this test be used to identify the carbonyl compound?

Your answer should NOT include spectroscopy.

[3]

(ii) Describe a chemical test that would identify whether a carbonyl compound is an aldehyde.

Your answer SHOULD include the reagent and observations.

[1]


(b) A student is provided with two unknown carbonyl compounds, F and G.

The compounds are analysed and found to have identical percentage compositions by mass:


C: 62.07%; H: 10.34%; O: 27.59%

The mass spectra of the two compounds are shown opposite.

MASS SPECTRUM OF F



MASS SPECTRUM OF G



Use the results to identify the structures of the two compounds.


Include relevant peaks present in the mass spectrum of each compound. [4]

F	G
----------	----------

(c) The organic compound H contains carbon, hydrogen and oxygen only and has an M_r of 114.0.

Compound H has two carbonyl groups and no other functional groups.

The ^1H NMR spectrum of organic compound H is shown below.



The numbers by the peaks are the relative peak areas.

Analyse the spectrum to suggest a possible structure for compound H.

Show all your reasoning. [4]

COMPOUND H

BLANK PAGE

19 This question is about compounds that contain the carboxylic acid functional group.

(a) Carboxylic acids react with alkalis, metals and carbonates to form salts.


Write full equations for the following THREE reactions. Show structures for organic compounds. [4]

the reaction of propanoic acid with aqueous potassium hydroxide:

the reaction of aqueous methanoic acid with magnesium:



the reaction of the α -amino acid, aspartic acid ($R=CH_2COOH$), with an excess of aqueous sodium carbonate, Na_2CO_3 :

(b) The structure of 2-hydroxybutanoic acid is shown below.







2-HYDROXYBUTANOIC ACID

**Fill in the flowchart opposite
for reactions involving
2-hydroxybutanoic acid. [4]**




$\text{C}_6\text{H}_5\text{COOH} /$
 H_2SO_4
reflux

$(\text{CH}_3)_2\text{CHOH}$
 $/ \text{H}_2\text{SO}_4$
reflux



NaBH_4



(c) This part is about polymers derived from carboxylic acid monomers.

(i) Poly(pent-3-enoic acid) is an addition polymer.

Draw the structure of pent-3-enoic acid and TWO repeat units of this polymer. [2]


Pent-3-enoic acid	
TWO repeat units of poly(pent-3-enoic acid)	

(ii) Butanedicarboxylic acid and 1,4-dihydroxy-2-methylbenzene react to form a condensation polymer.

Draw ONE repeat unit of this condensation polymer. [2]



(iii) Three repeat units of a condensation polymer are shown below.



Draw the structure of the monomer required to form this polymer.

Use the space below. [1]

(d) A polymer is formed from 400 molecules of 2-aminopropanoic acid.


(i) Draw ONE repeat unit of this polymer. [1]



(ii) What is the relative molecular mass, M_r , of the polymer?

$M_r =$ _____ **[2]**
49

(e)* A student intends to synthesise compound I.



COMPOUND I

Plan a synthesis to prepare 9.36 g of compound I starting from 2-chloropropanoic acid, $\text{CH}_3\text{CHClCOOH}$. The overall percentage yield of compound I from 2-chloropropanoic acid is 64%.

In your answer, include starting mass of 2-chloropropanoic acid, reagents, conditions and equations where appropriate. [6]

[illegible]


Additional answer space if required.

BLANK PAGE


20 This question is about the chemistry of aromatic compounds.

(a) Compounds J, K and L, shown below, are structural isomers.


COMPOUND J



COMPOUND K



COMPOUND L



- (i) What chemical test(s) could be used to confirm the presence of the phenol group in compounds K and L?**

[1]

- (ii) A student thought that ^{13}C NMR spectroscopy could be used to distinguish between compounds J, K and L.**

Explain, with reasoning, whether the student is correct. [3]

- (iii) Compound J is substituted at the 2- and 4- positions by chlorine in the presence of a catalyst.**

Outline the mechanism for the 4 substitution of compound J by chlorine in the presence of a catalyst.

Show the role of the catalyst.

Use the space opposite. [4]

(b) Compounds K and L react with chlorine much more readily than compound J.

Explain why.

[3]

(c) Compound J, $\text{C}_6\text{H}_5\text{CH}_2\text{CH}_2\text{OH}$, is reacted with acidified potassium dichromate(VI) under reflux to form organic product M.


Write an equation for this reaction.

Use [O] to represent the oxidising agent and show the structure of M.


Use the space below. [2]

(d) A two-stage synthesis of an amine from compound J is shown below.

(i) Add the reagents for each stage of this synthesis. [2]



(ii) Fill in the equation for the reduction stage of this synthesis. [1]




BLANK PAGE

- (e) 1-phenylethanol is a naturally occurring compound found in many vegetables and flowers.

1-phenylethanol can be synthesised from 2-phenylethanol in two stages.

2-PHENYLETHANOL



STAGE 1




Intermediate

STAGE 2



1-PHENYLETHANOL



Suggest reagents, conditions and equations for each stage in the synthesis.

Show structures for organic compounds. [4]

STAGE 1

reagents and conditions

equation:

Use the space below.

STAGE 2

reagents and conditions

equation:

Use the space below.

- (f) Acid anhydrides react in a similar way to acyl chlorides with phenols.**

Benzoic anhydride is the acid anhydride of benzoic acid, $\text{C}_6\text{H}_5\text{COOH}$.

Benzoic anhydride reacts with butan-2-ol to form an ester.

Suggest an equation for this reaction. Show structures for organic compounds. Use C_6H_5 for any phenyl groups.

Use the space below. [2]

21* Carbon-carbon bond formation is used in synthesis to increase the length of a carbon chain.

Describe the formation of carbon–carbon bonds in aliphatic compounds by TWO different mechanisms.

Your answer should include mechanisms for each aliphatic compound. [6]

Additional answer space if required.

END OF QUESTION PAPER

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).

[illegible]

[illegible]



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.