

OXFORD CAMBRIDGE AND RSA EXAMINATIONS
GCSE

A153/02

TWENTY FIRST CENTURY SCIENCE
ADDITIONAL SCIENCE A

Modules B6 C6 P6 (Higher Tier)

THURSDAY 13 JUNE 2013: Morning

DURATION: 1 hour
plus your additional time allowance

MODIFIED ENLARGED 18pt

Candidate forename		Candidate surname	
-------------------------------	--	------------------------------	--

Centre number						Candidate number				
--------------------------	--	--	--	--	--	-----------------------------	--	--	--	--

Candidates answer on the Question Paper.
A calculator may be used for this paper.

OCR SUPPLIED MATERIALS:

None

OTHER MATERIALS REQUIRED:

Pencil


Ruler (cm/mm)

READ INSTRUCTIONS OVERLEAF

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes on the first page. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer ALL the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).

INFORMATION FOR CANDIDATES

- Your quality of written communication is assessed in questions marked with a pencil () .
- The number of marks is given in brackets [] at the end of each question or part question.
- A list of physics equations is printed on pages 4 and 5.
- The Periodic Table is printed on page 35.
- The total number of marks for this paper is 60.
- Any blank pages are indicated.

BLANK PAGE

TWENTY FIRST CENTURY SCIENCE EQUATIONS

USEFUL RELATIONSHIPS

THE EARTH IN THE UNIVERSE

$$\text{distance} = \text{wave speed} \times \text{time}$$

$$\text{wave speed} = \text{frequency} \times \text{wavelength}$$

SUSTAINABLE ENERGY

$$\text{energy transferred} = \text{power} \times \text{time}$$

$$\text{power} = \text{voltage} \times \text{current}$$

$$\text{efficiency} = \frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$$

EXPLAINING MOTION

$$\text{speed} = \frac{\text{distance travelled}}{\text{time taken}}$$

$$\text{acceleration} = \frac{\text{change in velocity}}{\text{time taken}}$$

$$\text{momentum} = \text{mass} \times \text{velocity}$$

$$\frac{\text{change of momentum}}{\text{force}} = \frac{\text{resultant}}{\text{force}} \times \frac{\text{time for which it acts}}{\text{it acts}}$$

$$\frac{\text{work done by a force}}{\text{force}} = \frac{\text{distance moved in the direction of the force}}{\text{direction of the force}}$$

$$\text{amount of energy transferred} = \text{work done}$$

$$\frac{\text{change in gravitational potential energy}}{\text{weight}} = \frac{\text{vertical height difference}}{\text{vertical height difference}}$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times [\text{velocity}]^2$$

ELECTRIC CIRCUITS

$$\text{power} = \text{voltage} \times \text{current}$$

$$\text{resistance} = \frac{\text{voltage}}{\text{current}}$$

$$\frac{\text{voltage across primary coil}}{\text{voltage across secondary coil}} = \frac{\text{number of turns in primary coil}}{\text{number of turns in secondary coil}}$$

RADIOACTIVE MATERIALS

$$\text{energy} = \text{mass} \times [\text{speed of light in a vacuum}]^2$$

BLANK PAGE

Answer ALL the questions.

- 1 Some countries allow soft fruit to be sterilised by radiation so that it has a much longer shelf-life in the shops.**

Food is sterilised by radiation in a processing centre without harming the people who work there.

Explain how food is sterilised by radiation. Include safety aspects.



The quality of written communication will be assessed in your answer.

[6]

[TOTAL: 6]

2 Technetium is often used as a radioactive tracer in hospitals.

(a) Technetium comes from the radioactive decay of molybdenum.

It is important that the technetium is NOT contaminated with molybdenum.

Marie tests the purity of a sample of technetium.

She measures the activity of the sample at five different times.

Marie plots her results on a graph.


Marie uses this graph and the data in the table to make a conclusion.

Material	Half-life in hours
molybdenum	67
technetium	6

Marie concludes that the sample contains no molybdenum.

Is she correct? Justify your answer.

[3]



- (b) Explain the benefit AND risk to patients of being injected with technetium.**

[2]

- (c) Technetium is an emitter of gamma radiation. This means that health workers at the hospital are at risk of contamination and irradiation when they use technetium.**

- (i) Health workers are required to wear rubber gloves when they handle technetium. Explain why this ONLY protects them from contamination.**

[2]

- (ii) Suggest TWO reasons why health workers accept this risk.**

[1]

(iii) The use of radioactive materials in hospitals is strictly controlled by the Government. Here are some ideas about why the regulations are necessary.

ALAN

Workers can't see or feel radioactivity, so they don't assess the risk correctly.

BESS

They save the hospital money by preventing health workers earning more money by doing overtime.

CARLOS

So that visitors who get contaminated accidentally can't sue the hospital for compensation.

DAVINA

They make sure that there is no risk at all to the patients or health workers.

Who is correct?

answer _____ [1]

[TOTAL: 9]

3 Your level of background radiation depends on where you live.

Region of UK	Background radiation dose mSv per year
East Anglia	0.5
Cornwall	8
London	2

- (a) Adele lives in East Anglia for 20 years. The risk of her developing cancer from the background radiation in that time is 5 in 10 000.**

Adele thinks that her risk of getting cancer is proportional to her dose from the background radiation.

Bill lives in Cornwall for only 10 years.

Calculate his risk of developing cancer from the background radiation using Adele's idea.

risk = _____ in 10 000 [1]

(b) The increased risk in Cornwall is from radon-222 gas seeping out of the ground.

- (i) Each nucleus of radon-222 contains protons and neutrons.**


How many neutrons are there in a single nucleus of $^{222}_{86}\text{Rn}$?

Put a ring around the correct answer.

86 136 222 308

[1]

- (ii) Radon emits an alpha particle when it decays to an isotope of polonium. Complete the nuclear equation for the reaction.**



[1]

[TOTAL: 3]

4 Nuclear reactors use the fission of uranium nuclei to release energy.

(a) State the name of the particle that causes the fission of a uranium nucleus.

_____ **[1]**

(b) A nuclear power station releases $2.7 \times 10^{13} \text{ J}$ of energy from its fuel when it operates for a day.

Calculate the change of mass of the fuel in that day.


c (speed of light in a vacuum) = $3.0 \times 10^8 \text{ m/s}$

mass change = _____ kg [1]

[TOTAL: 2]

5 Andy is learning about the speed of impulses in neurons.

He finds this graph in his textbook. It shows the speed of impulses in neurons of different diameter with fatty sheaths.



(a) Andy measures a neuron.

It has a diameter of $9\mu\text{m}$.

Use the graph to predict the speed of impulses in this neuron.

Show your working on the graph.

speed = _____ m/s [2]

(b) Andy checks the diameter of the neuron and confirms it is $9\mu\text{m}$.

He measures the speed of an impulse in this neuron and finds it is 0.6 m/s .

Both of these measurements are accurate.

Suggest why the measured speed does not match the predicted value from the graph.

_____ [2]

[TOTAL: 4]

6 Simple animals rely on reflex actions for most of their behaviour.

(a) Write down ONE way that reflex actions help a simple animal to survive.

_____ [1]

(b) Reflexes in more complex animals can be conditioned.

Put ticks (✓) in the boxes next to the TWO correct statements about conditioning.

A secondary stimulus

is given along with a primary stimulus.

☐

is always given on its own.

☐

is not needed for the conditioning.

☐

has no direct link to the final response.

☐

can only be used in dogs.


☐

[2]

[TOTAL: 3]

- 7 This question is about the transmission of a nerve impulse across a synapse.**

The diagram shows a synapse between a sensory neuron and a motor neuron.



The sentences describe events at a synapse.

They are not in the correct order.

- (a) Put a ring around the correct choice to complete each sentence.**

- A An electrical impulse travels towards the synapse along the SENSORY / MOTOR neuron.**
- B The transmitter substance binds to receptors on the SENSORY / MOTOR neuron.**

**C The transmitter substance is released by the
SENSORY / MOTOR neuron.**

**D The TRANSMITTER SUBSTANCE /
ELECTRICAL IMPULSE crosses the gap.**

[1]

**(b) Put the letters A, B, C and D in the boxes to show
the correct sequence of events at a synapse.**

--	--	--	--

[1]

[TOTAL: 2]

8 Jenny has a stroke.

A small part of her brain is damaged and she loses the ability to speak.

Over many weeks Jenny's speech therapist helps her to learn to speak again by encouraging the brain to adapt.

- (a) Describe the features and mechanisms in the brain that allow it to adapt so that Jenny can learn to speak again.**



The quality of written communication will be assessed in your answer.

[6]

- (b) (i) The risk of a woman of Jenny's age having a stroke is 1 in 200.**

There are 6 million women of this age in the UK.

How many of these women are likely to have a stroke?

answer = _____ [1]

- (ii) Research shows that women who eat less salt in their diet have less chance of having a stroke.**

The Government is considering an expensive public health campaign to encourage women to eat less salt.


Should the Government go ahead with the campaign?

Justify your conclusion.

_____ [2]

QUESTION 8(c) BEGINS ON PAGE 22

- (c) Scientists develop a new treatment for people who have had a stroke.
They discuss whether the new treatment should replace the existing treatment.



- (i) Which scientist argues that the right thing to do is the one which leads to the best outcome for most people involved?

answer _____ [1]

- (ii) Which scientist argues that it is right to do some things even if there are consequences?

answer _____ [1]


[TOTAL: 11]

BLANK PAGE

QUESTION 9 BEGINS ON PAGE 24


PLEASE DO NOT WRITE ON THIS PAGE

- 9 Mark is doing a titration between hydrochloric acid and sodium hydroxide.
In the equation for this reaction one formula of the acid reacts with one formula of the alkali.



He slowly adds 40 cm^3 of acid to 25 cm^3 of alkali.

He measures the pH during his experiment.



- (a) (i) What volume of acid is needed to neutralise the alkali? Explain how you can tell.

[2]

- (ii) Mark uses the volume of acid that just neutralises the alkali solution to calculate the concentration of the alkali solution.


He uses the formula

$$\frac{\text{concentration} \times 25}{40} = 0.1 \times \text{acid volume}$$

Calculate the concentration of the alkali used in this experiment.


concentration = _____ g/dm³ [1]

(b) Mark draws an energy level diagram for the reaction:



He knows that this reaction is exothermic.

(i) Using the axes below, draw a labelled energy level diagram for this reaction.




[3]

(ii) Write the ionic equation for the reaction that happens when ANY acid reacts with ANY alkali.

_____ **[2]**

[TOTAL: 8]

10 Sarah plans to investigate the rate of the reaction between marble chips and hydrochloric acid.



- (a) She plans two experiments to investigate the effect of changing the concentration of the acid. This is what she wrote.**

“In the first experiment I will use 10 g of marble chips in the flask.

I will add 25 cm³ of the acid.

I will measure how fast the gas is given off.

In the second experiment I will use another 10 g of marble chips.

I will add 50 cm³ of the same acid.”

Evaluate this plan and suggest how the investigation could be improved.



The quality of written communication will be assessed in your answer.


[6]

- (b) The reaction produces carbon dioxide gas and also calcium chloride.

Write the formula for calcium chloride.

_____ [1]

- (c) Sarah measures the gas given off.



- (i) Calculate the average rate of the reaction over the first 50 seconds.
Show your working.

average rate _____ [2]

- (ii) What units is this rate of reaction measured in?

units of rate _____ [1]

- (d) Sarah doubles the acid concentration.

- (i) What effect does this have?

Put a tick (✓) in the box next to the BEST answer.

twice as many collisions during the course of the reaction

☐

twice as many collisions per second

☐

collisions last a shorter time

☐

collisions are more violent

☐

[1]

- (ii) She then increases the temperature for this reaction.

What effect does this have?

Put a tick (✓) in the box next to the **BEST** answer.

It makes the reaction quicker.

☐

It stops the reaction.

☐

It makes more product.

☐

It makes hydrogen.

☐

[1]

[TOTAL: 12]

END OF QUESTION PAPER

BLANK PAGE

BLANK PAGE

BLANK PAGE

The Periodic Table of the Elements

1	2	Key										3	4	5	6	7	0
1 H hydrogen 1		relative atomic mass atomic symbol name atomic (proton) number															
7 Li lithium 3	9 Be beryllium 4											11 B boron 5	12 C carbon 6	14 N nitrogen 7	16 O oxygen 8	19 F fluorine 9	20 Ne neon 10
23 Na sodium 11	24 Mg magnesium 12											27 Al aluminium 13	28 Si silicon 14	31 P phosphorus 15	32 S sulfur 16	35.5 Cl chlorine 17	40 Ar argon 18
39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	63.5 Cu copper 29	65 Zn zinc 30	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36
85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54
133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

